105

Length of Stay by Diagnosis, Northeastern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — see Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — see Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — see Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13019**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	**50th (7)**	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	231	3.8	5	1	1	**3**	5	7	8	11
20-34	1724	3.4	5	1	1	**3**	4	6	7	11
35-49	1625	3.6	6	1	1	**3**	5	7	8	12
50-64	1648	4.2	8	1	1	**4**	5	8	10	14
65+	1465	5.3	16	1	2	**5**	7	9	11	17
B *Operated*										
0-19 YRS	1267	7.5	10	4	5	**7**	9	11	13	18
20-34	15024	7.4	8	4	5	**7**	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	**8**	10	13	15	21
65+	7394	10.4	24	5	6	**9**	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151087	3.5	12	1	1	3	4	6	7	15
20-34	117260	4.1	24	1	1	3	4	7	11	27
35-49	44284	5.7	39	1	1	4	7	12	16	31
50-64	35234	6.5	43	1	1	5	8	13	18	33
65+	34881	7.6	62	1	2	6	9	15	21	43
B. *Operated*										
0-19 YRS	80256	2.9	12	<1	<1	2	3	6	8	17
20-34	155416	3.4	10	<1	<1	3	4	6	8	15
35-49	73410	4.3	20	<1	1	3	6	9	12	22
50-64	63616	5.4	31	1	1	3	7	11	15	27
65+	62202	6.6	56	1	2	4	8	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117606	5.0	42	1	1	3	5	8	13	36
20-34	79724	6.4	58	1	1	4	7	14	20	40
35-49	83437	7.4	56	1	2	5	9	15	21	39
50-64	152564	8.2	61	1	2	6	10	16	22	41
65+	326386	10.7	102	2	3	8	13	21	30	66
B. *Operated*										
0-19 YRS	50145	5.7	86	<1	1	3	6	12	21	59
20-34	130606	5.7	47	1	1	4	6	10	15	39
35-49	99002	7.4	75	1	1	5	9	15	22	50
50-64	132786	10.2	121	1	2	7	13	22	31	64
65+	210912	14.1	197	2	2	10	19	32	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382746	4.6	28	1	1	3	5	9	13	28
B. *Operated*	434900	4.2	23	<1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	759717	8.5	80	1	2	6	10	17	24	52
B. *Operated*	623451	9.7	133	1	2	6	12	22	33	71
1. SINGLE DX	817646	4.4	26	<1	1	3	5	9	13	26
2. MULTIPLE DX	1383168	9.1	104	1	2	6	11	20	28	62
A. NOT OPERATED	1142463	7.2	66	1	2	5	9	15	21	45
B. OPERATED	1058351	7.5	95	<1	1	4	9	17	26	57
TOTAL 0-19 YRS	399094	4.1	31	<1	1	3	4	7	10	29
20-34	483006	4.7	33	<1	1	3	5	8	13	30
35-49	300133	6.4	53	1	1	4	8	13	19	38
50-64	384200	8.3	78	1	2	6	10	17	24	48
65+	634381	11.3	132	2	2	8	14	24	34	75
GRAND TOTAL	**2200814**	**7.3**	**80**	**1**	**1**	**4**	**9**	**16**	**23**	**51**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81583	3.6	21	1	1	3	4	5	9	22
20-34	117260	4.1	24	1	1	3	4	7	11	27
35-49	44284	5.7	39	1	1	4	7	12	16	31
50-64	35234	6.5	43	1	1	5	8	13	18	33
65+	34881	7.6	62	1	2	6	9	15	21	43
B. *Operated*										
0-19 YRS	80222	2.9	12	<1	<1	2	3	6	8	17
20-34	155416	3.4	10	<1	<1	3	4	6	8	15
35-49	73410	4.3	20	<1	1	3	6	9	12	22
50-64	63616	5.4	31	1	1	3	7	11	15	27
65+	62202	6.6	56	1	2	4	8	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74577	5.0	51	1	1	3	5	9	14	40
20-34	79724	6.4	58	1	1	4	7	14	20	40
35-49	83437	7.4	56	1	2	5	9	15	21	39
50-64	152564	8.2	61	1	2	6	10	16	22	41
65+	326386	10.7	102	2	3	8	13	21	30	66
B. *Operated*										
0-19 YRS	48854	5.3	69	<1	1	3	6	11	19	51
20-34	130606	5.7	47	1	1	4	6	10	15	39
35-49	99002	7.4	75	1	1	5	9	15	22	50
50-64	132786	10.2	121	1	2	7	13	22	31	64
65+	210912	14.1	197	2	2	10	19	32	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313242	4.9	34	1	1	3	5	10	14	30
B. *Operated*	434866	4.2	23	<1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	716688	8.7	82	1	2	6	11	18	25	53
B. *Operated*	622160	9.7	132	1	2	6	12	22	33	71
1. SINGLE DX	748108	4.5	28	<1	1	3	5	9	13	27
2. MULTIPLE DX	1338848	9.2	106	1	2	6	11	20	29	62
A. NOT OPERATED	1029930	7.6	71	1	2	5	9	16	22	47
B. OPERATED	1057026	7.5	95	<1	1	4	9	17	26	57
TOTAL 0-19 YRS	285236	4.1	35	<1	1	3	4	8	11	31
20-34	483006	4.7	33	<1	1	3	5	8	13	30
35-49	300133	6.4	53	1	1	4	8	13	19	38
50-64	384200	8.3	78	1	2	6	10	17	24	48
65+	634381	11.3	132	2	2	8	14	24	34	75
GRAND TOTAL	**2086956**	**7.5**	**83**	**1**	**1**	**5**	**9**	**16**	**24**	**52**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1845	3.5	8	1	1	3	4	6	8	14
20-34	786	3.5	6	1	1	3	4	6	8	12
35-49	335	4.0	9	1	1	3	5	7	9	16
50-64	208	4.4	15	1	1	4	5	8	11	20
65+	190	4.4	8	1	1	4	6	8	11	15
B. Operated										
0-19 YRS	29	5.5	14	2	2	4	6	11	15	16
20-34	55	5.6	15	2	2	5	6	8	14	23
35-49	23	6.5	8	2	2	7	9	10	11	11
50-64	12	8.3	40	3	3	6	10	19	22	23
65+	8	9.5	23	7	7	8	9	18	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2029	4.1	13	1	2	3	5	7	9	17
20-34	827	3.8	8	1	1	3	5	7	9	13
35-49	495	5.0	23	1	2	4	6	9	12	20
50-64	622	5.5	17	1	2	4	7	10	13	23
65+	1145	7.2	41	2	2	6	9	14	18	37
B. Operated										
0-19 YRS	31	11.2	132	3	4	7	16	47	92	99+
20-34	84	8.7	76	1	3	6	10	16	22	53
35-49	44	10.4	175	2	3	6	10	19	31	82
50-64	56	12.6	159	3	3	8	13	26	33	74
65+	91	17.2	282	3	5	12	21	34	71	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3364	3.6	8	1	1	3	5	7	9	14
B. Operated	127	6.3	17	2	2	5	8	11	15	23
2. MULTIPLE DX										
A. Not Operated	5118	5.0	22	1	2	4	6	9	13	23
B. Operated	306	12.4	181	3	3	8	15	26	47	94
1. SINGLE DX	3491	3.7	9	1	1	3	5	7	9	15
2. MULTIPLE DX	5424	5.4	34	1	2	4	6	10	14	29
A. NOT OPERATED	8482	4.5	17	1	1	3	5	8	11	20
B. OPERATED	433	10.6	141	2	3	7	12	23	32	83
TOTAL 0-19 YRS	3934	3.9	12	1	1	3	5	7	9	17
20-34	1752	4.0	12	1	1	3	5	7	9	15
35-49	897	4.9	26	1	2	4	6	9	11	20
50-64	898	5.8	29	1	2	4	7	10	14	26
65+	1434	7.5	59	2	2	5	9	15	19	43
GRAND TOTAL	**8915**	**4.8**	**25**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	8.3	52	2	3	6	8	23	25	26
20-34	45	11.3	34	4	5	10	15	18	23	30
35-49	42	12.2	63	3	4	9	18	22	29	33
50-64	16	23.4	197	6	7	17	36	44	46	46
65+	25	13.5	118	4	5	12	17	21	31	59
B. Operated										
0-19 YRS	4	10.3	44	1	1	12	15	16	16	16
20-34	23	11.7	93	2	2	11	15	30	33	35
35-49	21	10.6	40	2	2	10	16	19	21	22
50-64	20	12.3	72	<1	2	12	15	25	28	30
65+	26	13.6	264	2	3	9	17	23	37	87
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.4	58	3	3	4	13	22	23	23
20-34	58	18.8	397	2	4	14	20	48	82	99+
35-49	79	17.5	202	3	5	13	22	44	52	91
50-64	62	23.3	453	3	7	16	26	65	86	99
65+	94	20.8	216	5	7	17	29	49	57	99+
B. Operated										
0-19 YRS	4	9.3	24	2	2	11	12	12	12	12
20-34	29	23.0	311	2	6	18	27	60	72	99+
35-49	47	16.9	121	4	6	14	22	32	41	53
50-64	71	20.4	231	6	7	15	27	41	41	87
65+	94	21.9	312	3	4	18	28	48	70	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	12.7	90	3	4	10	17	24	33	46
B. Operated	94	12.0	119	2	2	11	16	23	29	64
2. MULTIPLE DX										
A. Not Operated	305	19.6	295	3	5	14	24	48	64	99+
B. Operated	245	20.4	250	3	6	17	27	42	56	96
1. SINGLE DX	245	12.5	101	2	3	10	16	23	30	47
2. MULTIPLE DX	550	20.0	275	3	5	15	26	46	58	99+
A. NOT OPERATED	456	17.3	237	3	4	13	21	42	55	99+
B. OPERATED	339	18.1	228	2	4	14	24	36	51	88
TOTAL 0-19 YRS	43	8.6	48	2	3	6	12	22	24	26
20-34	155	16.3	248	2	4	13	19	34	58	99+
35-49	189	15.4	139	3	4	12	20	32	45	65
50-64	169	20.8	299	3	6	15	27	44	51	96
65+	239	19.7	257	3	5	15	26	46	57	99+
GRAND TOTAL	**795**	**17.6**	**233**	**3**	**4**	**14**	**22**	**37**	**53**	**98**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.										
20-34	6	10.2	197	2	2	4	11	35	38	38
35-49	2	51.0	3528	9	9	51	93	93	93	93
50-64	4	6.3	38	2	2	4	10	15	15	15
65+	5	12.2	89	5	5	7	20	26	26	26
B. *Operated*										
0-19 YRS.	7	11.7	483	<1	<1	2	8	51	61	61
20-34	7	12.9	165	3	3	8	15	35	40	40
35-49	8	14.5	168	1	1	11	27	32	33	33
50-64	7	18.0	342	3	3	14	26	49	54	54
65+	6	20.0	229	8	8	16	23	45	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	4	33.5	618	11	11	27	48	69	69	69
20-34	8	10.4	147	1	1	7	10	31	39	39
35-49	11	22.1	779	1	2	11	21	77	77	77
50-64	15	11.9	45	3	3	11	18	22	23	23
65+	25	12.8	72	3	4	12	16	22	26	42
B. *Operated*										
0-19 YRS.	3	13.0	79	3	3	18	60	99+	99+	99+
20-34	20	28.7	354	3	5	28	41	49	65	77
35-49	23	23.7	244	4	5	21	37	50	68	99+
50-64	26	16.7	215	1	2	15	23	36	50	60
65+	24	22.4	378	2	5	15	37	60	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	14.6	523	2	2	6	16	36	74	93
B. *Operated*	35	15.3	252	<1	1	8	22	40	52	61
2. MULTIPLE DX										
A. *Not Operated*	63	15.2	248	2	3	11	19	26	51	77
B. *Operated*	96	22.2	297	2	3	18	34	52	67	99+
1. SINGLE DX	52	15.1	326	1	2	8	19	39	53	92
2. MULTIPLE DX	159	19.4	288	2	3	14	26	47	64	99+
A. NOT OPERATED	80	15.1	297	2	3	11	18	27	55	88
B. OPERATED	131	20.3	293	1	3	16	32	48	60	99+
TOTAL 0-19 YRS.	14	18.2	478	<1	<1	11	27	69	92	99+
20-34	41	19.7	323	2	3	12	34	43	49	77
35-49	44	22.8	466	2	3	15	33	54	81	99+
50-64	52	14.7	172	2	3	12	20	29	47	60
65+	60	17.3	224	3	5	13	22	46	56	97
GRAND TOTAL	**211**	**18.3**	**299**	**2**	**3**	**13**	**24**	**45**	**60**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	209	2.8	3	1	1	3	3	4	5	9
20-34	58	3.3	1	2	2	3	4	5	6	6
35-49	17	3.8	7	1	1	3	6	8	9	9
50-64	6	4.0	2	2	2	4	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS.	17	3.1	7	2	2	2	3	7	10	12
20-34	8	2.3	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	395	3.3	6	1	1	3	4	5	7	10
20-34	109	4.0	6	2	2	4	5	6	8	16
35-49	31	3.6	2	1	1	3	5	6	6	7
50-64	25	5.6	10	2	3	5	6	10	12	16
65+	18	9.1	60	3	3	6	9	24	32	35
B. *Operated*										
0-19 YRS.	12	2.0	1	1	1	2	2	4	5	5
20-34	5	3.8	5	1	1	5	5	6	6	6
35-49										
50-64	2	12.0	32	8	8	12	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	3.0	3	1	1	3	4	5	6	9
B. *Operated*	25	2.8	5	1	2	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	578	3.7	8	1	2	3	6	6	8	16
B. *Operated*	19	3.5	13	1	1	2	5	7	12	16
1. SINGLE DX	316	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	597	3.7	8	1	2	3	6	6	8	16
A. NOT OPERATED	869	3.5	6	1	2	3	4	6	7	13
B. OPERATED	44	3.1	8	1	1	2	3	6	9	16
TOTAL 0-19 YRS.	633	3.1	6	1	1	3	4	5	6	10
20-34	180	3.7	4	2	2	3	4	6	7	14
35-49	48	3.7	4	1	1	3	5	6	7	9
50-64	33	5.7	12	2	3	5	6	10	15	16
65+	19	8.7	78	2	3	6	9	23	32	35
GRAND TOTAL	**913**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	5.3	11	1	2	4	7	10	11	14
20-34	22	10.3	76	2	3	7	15	26	28	29
35-49	18	7.3	24	2	3	6	8	10	19	25
50-64	29	9.6	42	4	4	8	11	20	22	33
65+	55	13.4	98	3	4	10	16	29	35	52
B. *Operated*										
0-19 YRS	9	9.1	36	3	3	9	12	18	20	20
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49										
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	6	26.5	404	8	8	21	48	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	7.0	27	2	2	6	9	13	16	27
20-34	114	11.9	101	2	3	9	15	26	36	43
35-49	155	11.8	52	3	4	11	15	21	28	41
50-64	425	13.3	101	3	5	10	16	26	34	59
65+	1739	15.6	143	5	6	13	18	29	41	86
B. *Operated*										
0-19 YRS	26	16.0	201	5	5	10	20	34	46	65
20-34	42	18.1	272	4	5	13	20	38	71	99+
35-49	66	20.8	267	4	5	14	31	49	58	94
50-64	126	26.7	414	6	9	21	33	55	80	98
65+	485	25.6	327	8	10	19	32	55	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	7.2	38	2	2	6	9	12	19	32
B. *Operated*	19	15.1	195	3	4	11	16	41	50	52
2. MULTIPLE DX										
A. *Not Operated*	2812	13.7	123	3	4	11	17	25	36	76
B. *Operated*	745	24.6	335	6	8	19	31	53	75	99+
1. SINGLE DX	403	7.5	48	2	2	6	9	14	21	36
2. MULTIPLE DX	3557	16.0	187	3	5	12	19	32	46	89
A. NOT OPERATED	3196	12.9	117	3	4	10	16	24	34	74
B. OPERATED	764	24.4	333	6	8	18	31	52	74	99+
TOTAL 0-19 YRS	674	6.7	32	2	2	5	8	12	15	30
20-34	180	13.1	143	2	3	11	17	28	39	82
35-49	239	14.0	128	3	4	11	17	30	42	68
50-64	582	16.0	197	4	5	12	19	33	46	84
65+	2285	17.7	199	5	7	14	20	35	49	96
GRAND TOTAL	**3960**	**15.1**	**179**	**3**	**4**	**12**	**18**	**31**	**44**	**86**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	7.6	22	2	2	7	11	14	15	22
20-34	45	7.5	36	2	2	6	10	15	17	35
35-49	24	6.5	19	2	3	5	8	14	15	16
50-64	38	6.6	20	2	2	5	7	15	16	16
65+	20	5.4	8	2	2	5	6	10	11	12
B. *Operated*										
0-19 YRS	10	8.5	26	1	1	10	11	14	15	15
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	5	7.0	34	1	1	9	11	14	14	14
50-64	6	17.8	413	2	2	13	18	53	57	57
65+	4	9.8	25	5	5	9	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	8.3	45	2	2	6	11	15	21	35
20-34	58	6.8	18	2	2	6	9	12	14	22
35-49	63	7.4	24	3	3	6	8	15	20	22
50-64	101	9.9	43	2	3	8	13	18	25	30
65+	214	13.3	185	3	4	10	14	27	35	99
B. *Operated*										
0-19 YRS	15	12.3	181	3	3	9	13	22	47	56
20-34	20	28.9	616	1	4	22	56	72	86	99+
35-49	18	26.6	453	6	8	20	34	65	77	79
50-64	30	17.3	217	2	4	13	24	41	66	99+
65+	46	22.6	268	4	9	19	29	48	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	7.3	23	2	2	6	10	14	15	21
B. *Operated*	27	10.6	114	1	1	10	14	17	24	57
2. MULTIPLE DX										
A. *Not Operated*	612	10.1	95	2	3	8	12	19	27	74
B. *Operated*	129	21.7	341	3	4	15	29	57	72	99+
1. SINGLE DX	352	7.5	30	2	2	6	11	14	16	22
2. MULTIPLE DX	741	12.1	157	2	3	9	14	25	36	84
A. NOT OPERATED	937	9.1	72	2	3	7	11	16	21	43
B. OPERATED	156	19.8	319	2	3	14	26	53	69	99+
TOTAL 0-19 YRS	399	8.1	38	2	2	7	11	15	18	30
20-34	125	10.6	180	2	2	7	11	22	51	80
35-49	110	10.4	141	3	3	7	11	21	27	75
50-64	175	10.7	91	2	3	8	14	21	30	64
65+	284	14.2	200	3	4	10	16	31	44	99
GRAND TOTAL	**1093**	**10.6**	**120**	**2**	**3**	**8**	**13**	**28**	**31**	**74**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	585	4.0	5	1	2	4	5	7	9	12
20-34	386	4.3	7	1	2	4	6	8	9	14
35-49	83	5.0	8	2	2	4	7	9	11	12
50-64	11	5.5	8	2	2	5	7	10	12	12
65+	3	8.0	25	3	3	8	12	13	13	13
B. *Operated*										
0-19 YRS	5	5.0	4	3	3	6	6	7	7	7
20-34	5	4.6	3	3	3	5	6	7	7	7
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	5.1	16	1	2	4	6	9	12	16
20-34	159	6.1	20	1	2	5	8	12	13	26
35-49	54	7.2	23	1	2	6	10	15	17	21
50-64	33	7.8	41	2	2	6	10	14	25	28
65+	14	15.2	131	3	4	10	26	34	36	36
B. *Operated*										
0-19 YRS	6	9.8	19	4	4	9	13	16	16	16
20-34	10	7.5	22	3	3	6	8	15	19	19
35-49	7	19.9	279	4	4	17	25	48	53	53
50-64	4	24.5	188	8	8	25	35	40	40	40
65+	5	10.8	12	8	8	9	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	4.2	6	1	2	4	5	7	9	12
B. *Operated*	11	5.4	6	3	3	5	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	459	6.2	26	1	2	5	8	12	15	28
B. *Operated*	32	13.3	123	4	4	9	16	28	39	53
1. SINGLE DX	1079	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	491	6.6	35	2	2	5	8	13	16	33
A. NOT OPERATED	1527	4.8	13	1	2	4	6	9	11	17
B. OPERATED	43	11.3	105	3	3	8	14	22	33	53
TOTAL 0-19 YRS	795	4.3	8	1	2	4	5	8	10	15
20-34	560	4.9	11	1	2	4	6	9	11	17
35-49	144	6.6	35	2	2	5	9	11	16	29
50-64	49	8.7	65	2	2	7	11	19	28	40
65+	22	13.2	94	3	4	9	15	25	35	36
GRAND TOTAL	**1570**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	3.4	6	1	1	3	4	6	7	11
20-34	88	4.8	8	1	2	4	6	9	10	16
35-49	32	5.5	11	1	2	5	7	9	9	18
50-64	54	4.6	4	2	2	4	6	7	8	10
65+	118	6.1	14	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS	5	3.2	3	<1	<1	4	4	5	5	5
20-34	5	4.2	10	1	1	3	7	8	8	8
35-49	3	6.0	31	1	1	5	10	12	12	12
50-64	4	6.3	10	4	4	5	8	11	11	11
65+	7	5.7	14	2	2	5	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	445	4.0	7	1	1	3	5	7	9	13
20-34	117	6.4	36	1	2	6	8	10	12	32
35-49	64	7.5	15	2	3	7	9	13	14	21
50-64	195	8.8	78	2	3	7	10	15	22	57
65+	779	10.5	82	2	3	8	13	21	27	44
B. *Operated*										
0-19 YRS	8	7.8	9	3	4	8	10	12	12	12
20-34	17	11.4	99	2	3	7	19	25	34	38
35-49	7	20.3	572	6	7	13	15	62	74	74
50-64	17	18.5	317	5	7	11	29	63	87	99+
65+	82	20.3	338	3	4	14	25	47	63	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	4.4	9	1	2	4	6	8	10	17
B. *Operated*	24	5.0	11	1	1	4	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	1600	8.1	62	2	2	6	10	16	22	39
B. *Operated*	131	18.1	305	3	4	11	23	41	67	94
1. SINGLE DX	579	4.5	9	1	2	4	6	8	10	16
2. MULTIPLE DX	1731	8.8	87	2	2	6	10	18	25	53
A. NOT OPERATED	2155	7.1	51	1	2	5	8	14	20	35
B. OPERATED	155	16.1	282	2	3	10	21	38	56	92
TOTAL 0-19 YRS	721	3.8	7	1	1	3	5	7	9	13
20-34	227	6.1	32	1	2	5	7	10	12	29
35-49	106	7.7	58	1	3	7	9	13	16	45
50-64	270	8.5	86	2	3	6	9	15	22	74
65+	986	10.8	104	2	3	8	13	22	29	59
GRAND TOTAL	**2310**	**7.7**	**71**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	6.4	11	2	2	6	8	10	12	20
20-34	297	8.0	25	2	3	7	10	15	18	23
35-49	129	8.8	33	3	3	7	12	15	18	35
50-64	48	10.7	89	2	3	8	13	24	29	48
65+	30	8.4	45	3	4	7	10	12	13	40
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	23	4.3	17	<1	1	2	8	11	13	14
35-49	14	6.6	53	1	1	3	10	21	22	22
50-64	5	11.4	105	1	1	12	21	22	22	22
65+	4	11.3	120	<1	<1	9	20	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	7.6	28	2	3	6	10	15	16	27
20-34	228	8.7	41	2	3	7	11	17	20	34
35-49	118	9.9	40	3	4	9	12	19	21	35
50-64	112	11.9	97	3	4	10	14	20	27	63
65+	98	12.3	72	3	5	10	15	21	28	49
B. *Operated*										
0-19 YRS	2	21.5	221	11	11	21	32	32	32	32
20-34	26	17.7	176	2	2	14	27	38	42	44
35-49	14	17.6	166	3	5	15	22	34	48	52
50-64	25	15.6	381	1	1	10	17	27	59	96
65+	21	17.0	186	3	4	11	24	37	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	571	8.3	32	2	3	7	10	15	18	31
B. *Operated*	47	6.4	47	<1	1	3	10	20	22	25
2. MULTIPLE DX										
A. *Not Operated*	611	10.0	57	2	3	8	13	18	22	42
B. *Operated*	88	17.0	227	2	3	14	23	36	44	80
1. SINGLE DX	618	8.1	33	2	2	7	10	15	19	29
2. MULTIPLE DX	699	10.9	84	2	3	9	14	20	27	48
A. NOT OPERATED	1182	9.1	46	2	3	8	11	17	21	36
B. OPERATED	135	13.3	189	1	1	9	19	32	38	60
TOTAL 0-19 YRS	125	7.2	24	2	2	6	9	12	15	28
20-34	574	8.6	42	2	2	7	10	16	20	36
35-49	275	9.6	47	2	3	8	12	18	22	36
50-64	190	12.0	132	2	3	10	14	23	28	63
65+	153	12.1	87	3	4	9	15	23	34	54
GRAND TOTAL	**1317**	**9.6**	**62**	**2**	**3**	**8**	**12**	**18**	**23**	**41**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	4.2	6	1	2	4	5	7	9	15
20-34	176	4.9	10	1	2	4	6	8	11	20
35-49	30	5.5	8	3	3	5	7	9	12	13
50-64	8	8.5	27	3	3	8	13	15	16	16
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	5	5.2	9	1	1	5	8	8	8	8
20-34	5	13.0	64	1	1	15	18	22	22	22
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	652	4.6	7	2	2	4	6	8	9	14
20-34	217	5.7	14	2	2	5	7	10	12	22
35-49	30	6.4	10	2	3	6	8	12	12	13
50-64	13	6.1	14	2	2	6	7	12	14	15
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	19	6.9	11	2	3	6	9	11	13	15
20-34	8	10.8	47	3	3	9	15	21	22	22
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	2	14.5	113	7	7	14	22	22	22	22
65+	2	15.5	145	7	7	15	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	4.4	8	1	2	4	5	8	10	16
B. *Operated*	12	9.1	40	1	1	8	13	18	21	22
2. MULTIPLE DX										
A. *Not Operated*	914	4.9	9	2	2	4	6	8	10	15
B. *Operated*	33	8.9	33	3	4	7	10	20	22	24
1. SINGLE DX	771	4.5	9	1	2	4	6	8	10	16
2. MULTIPLE DX	947	5.1	10	2	2	4	6	9	11	17
A. NOT OPERATED	1673	4.7	9	2	2	4	6	8	10	15
B. OPERATED	45	8.9	34	1	3	8	10	20	22	24
TOTAL 0-19 YRS	1220	4.4	7	1	2	4	6	8	9	15
20-34	406	5.5	15	2	2	5	7	10	12	22
35-49	64	6.1	9	2	3	6	8	10	12	13
50-64	23	7.7	27	2	3	6	10	15	18	22
65+	5	11.4	54	7	7	7	15	24	24	24
GRAND TOTAL	**1718**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	5	3.4	2	2	2	3	5	5	5	5
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	231	1.8	1	<1	<1	1	2	3	5	6
20-34	723	1.9	1	<1	<1	2	2	3	4	6
35-49	162	2.1	2	<1	<1	2	3	4	4	7
50-64	46	2.8	6	<1	<1	2	3	6	7	13
65+	13	2.8	5	<1	<1	2	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	4	<1	<1	1	4	5	6	6
20-34	9	1.7	2	<1	<1	<1	2	4	5	5
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	2	18.5	1	18	18	18	19	19	19	19
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	39	2.8	5	<1	<1	2	4	5	8	11
20-34	204	3.0	11	<1	<1	2	4	5	7	9
35-49	78	3.5	14	<1	1	3	4	7	10	24
50-64	36	3.4	5	<1	2	3	4	7	9	10
65+	27	5.7	15	1	2	5	8	12	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	4	<1	1	4	5	7	8	8
B. *Operated*	1175	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	29	3.1	21	<1	<1	1	4	6	18	19
B. *Operated*	384	3.3	11	<1	<1	2	4	6	9	12
1. SINGLE DX	1184	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	413	3.3	12	<1	<1	2	4	6	9	17
A. NOT OPERATED	38	3.2	17	<1	<1	2	4	6	14	19
B. OPERATED	1559	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	284	1.9	2	<1	<1	1	2	4	5	7
20-34	941	2.2	4	<1	<1	2	3	4	5	7
35-49	247	2.6	6	<1	<1	2	3	4	6	11
50-64	84	3.4	11	<1	1	2	4	7	10	19
65+	41	4.7	13	<1	1	4	6	10	12	16
GRAND TOTAL	**1597**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2139	2.9	3	1	1	3	4	5	6	8
20-34	330	3.5	4	1	1	3	4	6	8	10
35-49	149	3.9	13	1	1	3	5	7	10	16
50-64	94	4.6	8	1	1	4	7	9	10	12
65+	95	4.3	7	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	55	3.5	7	<1	1	3	5	7	8	16
20-34	26	6.1	27	<1	1	4	9	14	17	19
35-49	14	4.9	14	<1	1	4	8	9	12	13
50-64	8	14.1	679	2	2	4	10	58	78	78
65+	6	7.8	23	2	2	7	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2142	3.3	5	1	1	3	4	6	7	10
20-34	589	4.6	24	1	2	4	5	8	10	17
35-49	433	5.0	32	1	2	4	6	9	11	19
50-64	463	5.3	13	2	2	4	7	9	11	20
65+	904	7.0	34	2	3	5	8	13	17	34
B. *Operated*										
0-19 YRS	56	6.4	58	<1	1	4	8	12	16	49
20-34	46	8.3	78	1	2	6	10	19	22	50
35-49	34	14.5	375	2	2	8	12	34	69	87
50-64	44	12.5	68	3	4	10	17	24	28	38
65+	50	18.6	284	4	5	11	25	42	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2807	3.2	4	1	1	3	4	5	7	10
B. *Operated*	109	5.3	65	<1	1	3	7	11	14	43
2. MULTIPLE DX										
A. *Not Operated*	4531	4.6	18	1	2	4	5	8	11	20
B. *Operated*	230	11.8	178	1	2	8	14	26	41	78
1. SINGLE DX	2916	3.2	6	1	1	3	4	6	7	10
2. MULTIPLE DX	4761	4.9	29	1	2	4	6	9	12	25
A. NOT OPERATED	7338	4.0	13	1	1	3	5	7	9	17
B. OPERATED	339	9.7	150	1	2	6	11	20	35	76
TOTAL 0-19 YRS	4392	3.1	4	1	1	3	4	5	7	10
20-34	991	4.4	21	1	1	4	5	8	10	19
35-49	630	5.2	50	1	2	4	6	9	11	32
50-64	609	5.8	28	1	2	4	7	10	14	26
65+	1055	7.3	50	2	2	5	8	14	20	41
GRAND TOTAL	**7677**	**4.3**	**21**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.6	28	2	2	4	6	9	18	27
20-34	28	4.5	10	1	1	4	5	8	12	15
35-49	12	3.3	1	1	2	3	4	5	5	5
50-64	6	4.5	2	3	3	4	6	6	6	6
65+	3	8.7	17	4	4	10	11	12	12	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.9	4	2	3	5	6	8	9	9
20-34	18	6.5	66	1	2	4	7	11	27	37
35-49	10	5.4	5	2	2	5	7	8	9	9
50-64	11	7.8	9	2	4	9	10	11	11	11
65+	12	9.5	38	1	3	8	11	17	25	26
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	3	12.7	4	11	11	12	14	15	15	15
35-49										
50-64										
65+	3	16.0	28	12	12	14	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.8	14	1	2	4	5	8	12	25
B. *Operated*	3	6.7	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	62	6.9	31	2	2	5	9	11	13	36
B. *Operated*	8	12.8	27	3	5	13	14	20	22	22
1. SINGLE DX	73	4.9	14	1	2	4	5	8	12	24
2. MULTIPLE DX	70	7.5	33	2	2	6	10	13	15	35
A. NOT OPERATED	132	5.8	23	1	2	5	7	10	12	29
B. OPERATED	11	11.1	28	3	4	12	14	18	22	22
TOTAL 0-19 YRS	35	5.6	20	2	3	5	6	9	12	27
20-34	50	5.7	33	1	1	4	6	12	15	37
35-49	22	4.2	4	1	2	4	5	7	8	9
50-64	18	6.7	8	2	3	6	9	11	11	11
65+	18	10.4	37	2	4	10	12	20	24	26
GRAND TOTAL	**143**	**6.2**	**25**	**1**	**2**	**5**	**8**	**12**	**14**	**28**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	5.7	17	1	2	5	7	9	11	27
20-34	100	5.3	13	2	2	4	6	8	12	23
35-49	31	4.9	15	<1	1	5	7	10	14	16
50-64	7	2.1	4	<1	<1	1	4	5	5	5
65+	9	4.7	17	1	1	4	8	11	11	11
B. *Operated*										
0-19 YRS	13	3.2	6	1	1	2	4	7	9	10
20-34	54	3.1	8	<1	<1	2	4	7	10	12
35-49	18	2.4	3	<1	1	2	4	4	7	8
50-64	5	4.4	5	2	2	5	6	7	7	7
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	7.9	30	2	3	7	10	14	18	33
20-34	86	7.1	51	2	2	5	8	13	17	47
35-49	31	6.4	18	1	1	6	9	13	16	16
50-64	20	10.4	129	1	1	7	13	32	35	38
65+	38	10.6	189	1	1	8	13	18	59	99+
B. *Operated*										
0-19 YRS	10	10.2	287	<1	<1	4	6	38	55	55
20-34	36	7.6	224	2	2	4	8	12	16	92
35-49	27	7.4	79	<1	<1	4	10	20	32	33
50-64	15	6.3	49	1	1	5	8	10	24	29
65+	12	15.3	160	2	3	12	25	34	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.3	15	1	1	4	7	8	12	23
B. *Operated*	92	3.0	7	<1	<1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	233	8.1	71	1	2	6	10	15	19	56
B. *Operated*	100	8.5	158	<1	1	5	9	19	32	73
1. SINGLE DX	316	4.6	14	1	1	4	6	8	11	19
2. MULTIPLE DX	333	8.2	97	1	2	6	10	16	26	60
A. NOT OPERATED	457	6.7	46	1	2	5	8	13	16	38
B. OPERATED	192	5.9	93	<1	1	3	6	12	20	48
TOTAL 0-19 YRS	158	6.6	39	1	2	5	8	11	16	34
20-34	276	5.7	53	1	1	4	6	10	14	36
35-49	107	5.5	32	<1	1	4	7	12	16	32
50-64	47	7.2	79	1	1	5	9	16	31	38
65+	61	10.3	160	1	1	7	13	21	35	98
GRAND TOTAL	**649**	**6.4**	**60**	**1**	**1**	**5**	**8**	**12**	**17**	**39**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.2	11	1	1	3	6	8	10	15
20-34	10	5.5	17	2	2	4	6	12	16	16
35-49	6	5.8	17	1	1	6	9	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	11.5	61	6	6	11	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34	10	13.6	521	<1	<1	5	8	51	75	75
35-49	6	12.2	192	2	2	8	13	36	39	39
50-64	9	11.8	165	1	1	5	25	31	34	34
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	4.9	11	1	1	4	6	9	12	15
20-34	24	7.8	50	2	2	6	8	18	26	30
35-49	21	12.3	174	2	3	9	11	34	44	56
50-64	27	9.3	26	3	3	9	12	16	19	22
65+	72	13.2	183	2	4	9	15	27	57	94
B. *Operated*										
0-19 YRS	4	4.5	8	<1	<1	4	6	8	8	8
20-34	18	25.2	858	2	2	10	35	61	90	92
35-49	21	24.7	623	1	2	17	33	61	80	95
50-64	25	12.8	108	2	2	10	21	30	55	99+
65+	46	24.0	390	4	5	17	41	61	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.0	15	1	1	4	6	10	15	17
B. *Operated*	28	11.4	271	<1	1	5	11	32	43	75
2. MULTIPLE DX										
A. *Not Operated*	210	9.4	103	1	2	7	11	18	30	69
B. *Operated*	114	21.2	452	2	3	12	31	56	76	99+
1. SINGLE DX	75	7.4	118	1	1	4	7	16	27	66
2. MULTIPLE DX	324	13.5	257	2	2	8	15	35	56	96
A. NOT OPERATED	257	8.6	90	1	2	6	10	17	25	66
B. OPERATED	142	19.2	429	1	2	11	27	49	71	99+
TOTAL 0-19 YRS	98	4.7	10	1	1	4	6	9	11	15
20-34	62	13.4	401	1	2	6	11	31	70	92
35-49	54	16.4	368	1	2	9	19	40	56	94
50-64	62	11.2	78	2	2	9	15	25	31	93
65+	123	16.9	285	2	4	11	21	42	66	99+
GRAND TOTAL	**399**	**12.4**	**236**	**1**	**2**	**8**	**14**	**32**	**47**	**93**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	1	1	2	5	7	7	7
20-34	6	7.3	18	1	1	8	9	13	13	13
35-49	5	5.8	8	2	2	6	7	10	10	10
50-64	5	6.8	11	3	3	7	8	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	9	4.0	1	3	3	4	5	6	6	6
20-34	4	7.0	31	2	2	6	11	14	14	14
35-49	3	11.3	90	2	2	11	18	21	21	21
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.6	10	1	2	5	6	10	12	12
20-34	9	4.7	12	1	1	5	5	10	13	13
35-49	2	14.5	221	4	4	14	25	25	25	25
50-64	3	3.0		3	3	3	3	3	3	3
65+	3	8.0	37	4	4	5	12	15	15	15
B. *Operated*										
0-19 YRS	6	4.8	8	2	2	4	5	10	10	10
20-34	8	7.1	49	1	1	5	10	19	22	22
35-49	6	13.0	167	2	2	8	22	32	33	33
50-64	3	8.7	65	4	6	4	15	18	18	18
65+	5	18.2	229	3	3	11	31	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.7	12	1	2	5	8	11	12	13
B. *Operated*	17	6.3	26	2	2	4	9	13	19	21
2. MULTIPLE DX										
A. *Not Operated*	28	5.8	26	1	2	5	6	13	16	25
B. *Operated*	28	10.0	103	1	2	5	11	27	34	39
1. SINGLE DX	39	6.0	18	1	2	5	8	12	14	21
2. MULTIPLE DX	56	7.9	68	1	2	5	10	21	28	39
A. NOT OPERATED	50	5.8	19	1	2	5	7	12	13	25
B. OPERATED	45	8.6	76	2	2	5	11	22	30	39
TOTAL 0-19 YRS	31	4.5	6	1	2	4	6	8	10	12
20-34	27	6.3	25	1	1	5	9	13	15	22
35-49	16	10.6	90	2	2	6	16	25	31	33
50-64	12	6.5	21	3	3	5	8	14	17	18
65+	9	13.1	163	3	3	9	18	35	39	39
GRAND TOTAL	**95**	**7.1**	**48**	**1**	**2**	**5**	**9**	**14**	**22**	**36**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.2	7	1	1	4	6	8	10	10
20-34	41	4.4	13	1	1	4	5	8	12	19
35-49	27	5.7	16	2	2	5	6	9	16	20
50-64	11	7.1	10	3	3	6	10	12	12	12
65+	5	8.8	74	1	1	6	13	23	23	23
B. *Operated*										
0-19 YRS	5	4.2	13	1	1	2	7	9	9	9
20-34	171	5.0	17	1	2	3	7	11	14	19
35-49	108	5.1	21	1	2	3	7	11	13	23
50-64	33	8.2	52	1	2	5	14	20	23	24
65+	7	8.0	71	<1	<1	6	8	23	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.9	12	1	2	4	6	8	10	19
20-34	72	8.5	113	1	2	5	9	15	33	56
35-49	75	8.1	38	2	2	6	11	17	19	32
50-64	58	8.2	35	1	3	7	11	14	22	31
65+	52	12.3	93	3	4	10	15	22	37	45
B. *Operated*										
0-19 YRS	7	11.1	16	6	6	10	13	17	18	18
20-34	152	13.8	195	2	2	8	20	32	40	81
35-49	152	16.9	319	2	2	13	21	38	57	89
50-64	80	17.1	244	2	3	11	24	43	54	61
65+	26	16.5	204	2	3	14	23	45	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	5.1	15	1	1	4	6	10	12	21
B. *Operated*	324	5.4	23	1	2	3	7	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	283	8.7	67	2	2	6	11	17	23	45
B. *Operated*	417	15.7	248	2	2	11	21	36	52	85
1. SINGLE DX	435	5.3	21	1	2	4	7	11	15	23
2. MULTIPLE DX	700	12.9	187	2	2	8	16	31	43	78
A. NOT OPERATED	394	7.7	55	1	2	6	9	15	21	42
B. OPERATED	741	11.2	176	1	2	7	14	26	40	78
TOTAL 0-19 YRS	65	5.2	14	1	1	4	7	10	12	19
20-34	436	8.6	110	1	2	5	10	21	31	56
35-49	362	10.7	178	1	2	6	13	23	35	77
50-64	182	12.1	148	2	2	8	14	27	41	59
65+	90	13.0	126	2	3	10	19	24	39	86
GRAND TOTAL	**1135**	**10.0**	**137**	**1**	**2**	**6**	**12**	**22**	**34**	**61**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	23.0	50	18	18	23	28	28	28	28
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	14.5	41	10	10	14	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	4	7.0	9	3	3	7	9	10	10	10
50-64	6	6.0	11	2	2	6	8	11	11	11
65+	5	8.6	19	3	3	8	11	15	15	15
B. *Operated*										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	10.5	30	2	2	11	15	16	16	16
50-64	4	12.8	21	8	8	12	16	18	18	18
65+	4	15.5	343	4	4	7	26	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.5	6	10	10	11	13	15	15	15
B. *Operated*	5	16.6	64	8	8	18	21	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	20	6.6	14	1	2	7	9	11	13	15
B. *Operated*	18	11.0	86	2	3	8	15	17	33	43
1. SINGLE DX	9	14.3	41	8	9	11	18	24	28	28
2. MULTIPLE DX	38	8.7	52	2	2	7	10	15	17	43
A. NOT OPERATED	24	7.4	15	2	2	8	10	12	15	15
B. OPERATED	23	12.2	84	3	4	10	16	21	33	43
TOTAL 0-19 YRS	8	6.3	10	2	2	6	9	11	11	11
20-34	3	6.0	25	1	1	6	10	11	11	11
35-49	13	11.7	49	2	3	10	15	20	26	28
50-64	12	8.8	21	2	3	8	11	16	18	18
65+	11	12.2	127	3	4	10	14	29	42	43
GRAND TOTAL	**47**	**9.8**	**54**	**2**	**3**	**8**	**11**	**17**	**20**	**43**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	21	4.7	9	1	2	5	7	9	10	10
50-64	43	7.3	60	1	2	5	8	16	22	42
65+	27	7.1	29	1	1	6	10	17	18	19
B. *Operated*										
0-19 YRS	4	4.8	6	2	2	4	6	8	8	8
20-34	24	6.5	38	1	2	4	8	18	21	25
35-49	80	9.7	166	1	2	6	11	18	38	72
50-64	233	6.6	63	1	2	4	8	17	23	46
65+	202	7.4	107	1	2	4	8	16	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	1	9	9	9	11	11	11	11
20-34	7	15.9	503	2	2	8	12	55	66	66
35-49	30	8.2	41	1	2	5	12	17	20	29
50-64	148	9.1	81	2	2	6	11	25	32	45
65+	188	12.1	132	1	2	9	15	30	41	84
B. *Operated*										
0-19 YRS	6	5.5	24	1	1	4	8	13	14	14
20-34	16	10.1	206	1	1	6	11	16	47	61
35-49	101	16.2	286	2	2	12	20	37	64	91
50-64	411	15.5	217	2	2	12	22	38	51	99+
65+	545	15.2	263	2	2	10	20	39	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	6.6	39	1	2	5	8	15	18	36
B. *Operated*	543	7.3	94	1	2	4	8	17	24	50
2. MULTIPLE DX										
A. *Not Operated*	376	10.6	111	1	2	7	13	26	35	65
B. *Operated*	1079	15.3	246	2	2	10	21	38	56	99+
1. SINGLE DX	636	7.2	86	1	2	4	8	17	23	47
2. MULTIPLE DX	1455	14.1	215	2	2	9	19	38	52	99+
A. NOT OPERATED	469	9.9	99	1	2	7	12	23	33	60
B. OPERATED	1622	12.6	209	1	2	7	17	33	49	99+
TOTAL 0-19 YRS	13	6.2	16	1	1	5	9	12	14	14
20-34	49	9.0	156	1	2	6	10	17	27	66
35-49	232	11.9	203	1	2	7	14	28	46	80
50-64	835	11.5	158	1	2	7	16	28	40	79
65+	962	12.7	208	1	2	8	16	34	50	99+
GRAND TOTAL	**2091**	**12.0**	**186**	**1**	**2**	**7**	**16**	**30**	**44**	**95**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	19	4.8	6	2	2	4	6	8	10	11
65+	35	8.2	50	3	3	7	10	14	14	44
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	12.3	72	1	1	13	16	25	27	27
50-64	47	16.5	204	1	2	13	26	35	59	99+
65+	65	15.6	205	3	4	11	21	34	43	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	9.2	29	4	4	7	15	15	15	15
35-49	8	11.4	119	2	2	7	19	29	30	30
50-64	91	10.2	135	2	2	6	11	26	46	82
65+	155	11.5	135	1	2	8	15	25	37	52
B. *Operated*										
0-19 YRS										
20-34										
35-49	32	23.3	254	2	5	20	39	49	56	99+
50-64	187	21.1	317	3	4	16	29	48	54	92
65+	280	22.5	400	2	3	17	31	51	69	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.1	36	2	3	6	9	12	14	42
B. *Operated*	122	15.6	193	2	3	12	23	34	43	88
2. MULTIPLE DX										
A. *Not Operated*	259	11.0	132	1	2	7	14	26	37	58
B. *Operated*	499	22.1	359	2	3	17	31	49	64	92
1. SINGLE DX	177	12.9	159	2	3	9	17	31	40	77
2. MULTIPLE DX	758	18.3	309	2	3	12	25	43	56	91
A. NOT OPERATED	314	10.3	117	2	2	7	12	24	35	57
B. OPERATED	621	20.8	333	2	3	16	28	47	61	92
TOTAL 0-19 YRS										
20-34	6	8.2	30	3	3	6	15	15	15	15
35-49	50	19.2	221	2	3	15	27	45	51	99+
50-64	344	16.7	265	2	3	11	23	40	53	92
65+	535	17.5	306	2	3	11	24	42	55	85
GRAND TOTAL	**935**	**17.3**	**285**	**2**	**3**	**12**	**24**	**41**	**53**	**89**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	6.0	3	5	5	5	7	8	8	8
50-64	12	7.5	34	1	2	5	13	17	17	17
65+	34	6.7	35	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	19	15.3	73	2	4	15	21	27	31	33
50-64	76	14.8	121	2	3	13	18	25	28	73
65+	124	15.8	167	1	3	13	21	28	33	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	12.8	175	1	1	9	13	35	43	43
35-49	24	6.2	59	<1	1	4	9	11	21	37
50-64	105	9.3	88	1	2	6	12	22	33	41
65+	303	11.9	110	2	3	9	16	24	33	48
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	16	20.1	499	5	6	14	18	45	81	95
35-49	61	20.0	247	2	5	17	24	40	52	85
50-64	329	21.4	202	4	8	18	27	42	49	85
65+	840	22.7	210	5	8	20	28	43	53	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	6.9	32	1	2	5	9	15	17	31
B. *Operated*	221	15.3	141	1	3	13	19	26	32	79
2. MULTIPLE DX										
A. *Not Operated*	442	11.0	105	1	2	8	15	23	33	45
B. *Operated*	1247	22.2	213	5	8	19	28	43	52	87
1. SINGLE DX	270	13.8	132	1	2	12	18	25	31	74
2. MULTIPLE DX	1689	19.3	209	3	4	16	26	40	49	81
A. NOT OPERATED	491	10.6	99	1	2	7	14	22	32	45
B. OPERATED	1468	21.2	208	4	7	18	27	41	50	85
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	28	16.5	358	1	2	12	16	38	53	95
35-49	107	15.6	199	1	2	12	21	32	42	76
50-64	522	17.7	189	2	3	15	23	37	45	75
65+	1301	19.1	203	3	4	16	25	37	49	79
GRAND TOTAL	**1959**	**18.5**	**202**	**2**	**4**	**16**	**24**	**37**	**47**	**80**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	2	16.0	200	6	6	16	26	26	26	26
35-49	3	13.0	91	7	7	8	20	24	24	24
50-64	8	17.4	149	9	9	13	19	38	46	46
65+	7	20.7	50	12	12	21	24	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.7	100	1	1	5	16	20	20	20
50-64	21	10.1	111	1	2	8	13	25	34	42
65+	13	13.3	228	2	3	8	14	32	52	57
B. *Operated*										
0-19 YRS										
20-34	5	31.2	900	13	13	17	41	84	84	84
35-49	13	19.0	223	6	7	13	23	41	52	55
50-64	55	22.5	209	9	10	20	26	41	52	80
65+	87	23.5	210	7	11	21	29	48	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.8	40	3	3	8	14	16	16	16
B. *Operated*	20	17.8	98	6	7	16	23	29	39	46
2. MULTIPLE DX										
A. *Not Operated*	37	11.1	146	1	2	8	13	26	37	57
B. *Operated*	160	23.0	228	8	10	19	28	43	59	98
1. SINGLE DX	24	16.3	98	4	6	14	21	27	37	46
2. MULTIPLE DX	197	20.8	233	3	6	17	26	42	56	92
A. NOT OPERATED	41	10.9	135	1	2	8	13	25	34	57
B. OPERATED	180	22.5	216	7	10	19	27	43	56	95
TOTAL 0-19 YRS										
20-34	9	21.7	623	3	3	15	26	61	84	84
35-49	19	16.4	187	3	5	11	20	38	47	55
50-64	85	18.9	202	2	4	15	24	37	46	75
65+	108	22.0	209	6	8	19	27	43	57	99+
GRAND TOTAL	**221**	**20.3**	**220**	**3**	**6**	**17**	**26**	**41**	**55**	**88**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	19	4.8	7	1	1	5	7	8	9	9
65+	54	6.7	47	1	1	4	8	17	19	35
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	15.1	156	3	4	11	19	33	46	48
35-49	82	11.4	21	3	7	11	14	17	21	23
50-64	375	12.5	37	3	7	12	15	19	22	35
65+	685	14.9	78	2	8	13	17	24	30	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	9	9.7	47	4	4	8	12	21	25	25
35-49	49	11.1	156	2	2	6	16	23	28	77
50-64	309	8.7	63	2	3	6	10	17	22	44
65+	743	11.6	124	2	3	8	15	24	33	58
B. *Operated*										
0-19 YRS	7	19.9	153	4	4	21	29	36	37	37
20-34	39	18.0	219	4	6	14	20	35	43	87
35-49	209	16.3	90	6	9	14	20	26	32	52
50-64	1442	16.9	101	6	9	15	20	29	35	77
65+	4543	20.7	161	8	10	17	25	36	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	6.1	36	1	1	4	7	14	18	33
B. *Operated*	1155	13.9	63	2	8	12	16	22	26	45
2. MULTIPLE DX										
A. *Not Operated*	1111	10.8	110	2	3	7	14	23	31	56
B. *Operated*	6240	19.7	148	7	9	17	24	34	45	82
1. SINGLE DX	1232	13.4	65	2	5	12	16	22	26	44
2. MULTIPLE DX	7351	18.3	152	4	6	16	23	33	44	79
A. NOT OPERATED	1188	10.5	106	2	2	7	13	22	31	54
B. OPERATED	7395	18.8	139	7	9	16	23	33	43	79
TOTAL 0-19 YRS	9	20.0	142	4	4	21	31	35	37	37
20-34	62	15.8	184	3	4	13	19	28	43	82
35-49	342	14.3	89	3	5	12	18	24	28	49
50-64	2145	14.9	94	3	5	13	18	26	33	63
65+	6025	18.8	158	4	7	16	23	34	45	79
GRAND TOTAL	**8583**	**17.6**	**143**	**3**	**6**	**15**	**22**	**32**	**42**	**77**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	4.4	7	<1	<1	4	7	7	7	7
50-64	26	8.8	148	1	1	5	8	19	34	60
65+	49	7.4	95	1	2	5	8	13	26	61
B. *Operated*										
0-19 YRS										
20-34	9	11.9	53	4	4	11	18	21	23	23
35-49	51	13.4	72	1	3	13	17	22	28	49
50-64	291	12.1	58	2	3	12	16	20	25	35
65+	504	14.5	120	2	3	13	18	24	31	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.7	65	2	2	2	13	16	16	16
35-49	36	8.8	56	1	2	6	12	21	27	28
50-64	135	9.0	76	1	2	6	11	21	23	51
65+	454	12.1	155	2	3	8	15	26	38	81
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	14	15.0	39	7	8	13	20	25	26	26
35-49	141	16.5	88	3	8	15	20	26	30	55
50-64	934	18.0	125	4	7	16	22	32	39	62
65+	2178	20.9	187	4	7	19	26	38	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.7	105	1	1	5	8	14	27	61
B. *Operated*	855	13.6	97	2	3	13	17	23	28	53
2. MULTIPLE DX										
A. *Not Operated*	629	11.2	133	2	2	8	14	23	35	72
B. *Operated*	3268	19.9	167	4	7	17	25	36	45	85
1. SINGLE DX	936	13.1	100	2	3	12	17	23	28	60
2. MULTIPLE DX	3897	18.5	171	3	5	16	24	34	44	83
A. NOT OPERATED	710	10.8	131	2	2	7	13	22	34	65
B. OPERATED	4123	18.6	159	3	6	16	23	33	43	82
TOTAL 0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	27	12.7	49	2	4	12	18	23	25	26
35-49	233	14.3	87	2	4	13	18	25	29	52
50-64	1386	15.7	118	3	4	14	20	29	36	58
65+	3185	18.5	185	3	4	16	24	35	45	89
GRAND TOTAL	**4833**	**17.4**	**162**	**3**	**4**	**15**	**22**	**32**	**41**	**81**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	7	6.6	49	2	2	5	13	19	21	21
50-64	14	7.8	34	1	2	7	10	17	20	21
65+	30	6.9	25	<1	1	6	11	13	18	19
B. *Operated*										
0-19 YRS	13	8.8	53	2	2	5	13	20	23	24
20-34	9	10.6	57	2	2	8	17	21	22	22
35-49	23	11.4	44	3	4	11	14	19	24	34
50-64	43	14.2	83	3	4	11	20	28	31	36
65+	45	14.8	138	2	2	12	20	26	46	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	21	1	1	2	8	12	12	12
20-34	13	4.9	21	1	1	3	6	11	17	18
35-49	16	11.0	159	2	2	5	17	27	42	48
50-64	58	8.9	128	1	1	5	9	22	34	60
65+	199	13.1	128	1	2	10	17	29	42	57
B. *Operated*										
0-19 YRS	7	24.7	269	11	11	15	37	50	53	53
20-34	10	18.9	244	6	7	11	30	72	98	99+
35-49	51	16.0	119	2	4	13	23	30	36	54
50-64	170	19.0	189	4	6	16	25	36	56	93
65+	485	22.9	194	7	10	19	29	43	55	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.0	29	<1	1	6	11	13	19	21
B. *Operated*	133	13.2	92	2	3	11	18	25	32	49
2. MULTIPLE DX										
A. *Not Operated*	292	11.6	127	1	2	8	16	28	39	57
B. *Operated*	723	21.4	193	6	8	18	28	41	54	93
1. SINGLE DX	188	11.4	82	1	2	10	15	23	28	47
2. MULTIPLE DX	1015	18.6	194	2	4	16	25	38	50	84
A. NOT OPERATED	347	10.9	114	1	2	8	15	23	34	51
B. OPERATED	856	20.2	186	4	7	17	26	39	52	86
TOTAL 0-19 YRS	28	11.3	156	1	1	8	14	28	40	53
20-34	34	10.4	125	1	2	6	16	30	48	99+
35-49	97	13.5	107	2	3	12	18	27	34	51
50-64	285	15.7	171	2	3	12	22	32	41	69
65+	759	19.2	192	3	5	16	25	39	50	82
GRAND TOTAL	**1203**	**17.5**	**183**	**2**	**3**	**15**	**23**	**35**	**48**	**73**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.5	12	<1	<1	4	7	8	8	8
50-64	24	10.4	152	2	2	6	12	24	38	57
65+	33	7.9	33	2	3	7	11	14	17	31
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	9	9.3	90	1	1	4	19	23	25	25
50-64	44	14.2	178	2	2	11	18	22	48	67
65+	60	17.4	339	1	2	14	23	32	48	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	31	7.1	40	1	2	5	7	17	24	25
50-64	202	9.1	78	1	2	6	11	19	24	48
65+	413	11.5	92	2	3	9	15	23	29	50
B. *Operated*										
0-19 YRS										
20-34	5	19.8	241	6	6	13	36	38	38	38
35-49	76	18.8	165	4	6	17	24	36	46	91
50-64	372	21.1	183	4	7	18	27	39	49	63
65+	746	24.2	199	7	10	21	29	45	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	8.7	79	2	2	6	10	17	26	54
B. *Operated*	114	15.6	257	1	2	12	20	27	42	94
2. MULTIPLE DX										
A. *Not Operated*	648	10.5	86	2	2	8	14	23	28	49
B. *Operated*	1199	22.9	195	5	8	20	29	42	52	72
1. SINGLE DX	175	13.2	205	1	2	9	18	25	38	85
2. MULTIPLE DX	1847	18.6	191	2	4	16	25	37	47	66
A. NOT OPERATED	709	10.4	86	2	2	8	13	22	28	49
B. OPERATED	1313	22.2	204	4	7	19	28	42	52	76
TOTAL 0-19 YRS										
20-34	8	16.8	169	5	5	12	27	37	38	38
35-49	120	14.6	152	1	2	11	22	32	42	77
50-64	642	16.4	179	2	3	14	22	34	46	62
65+	1252	19.3	204	3	4	17	25	38	48	69
GRAND TOTAL	**2022**	**18.1**	**195**	**2**	**4**	**15**	**24**	**36**	**47**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	16	1	1	3	7	10	10	10
35-49	52	5.5	85	1	1	3	5	11	20	61
50-64	210	5.4	37	1	1	3	6	13	19	30
65+	236	7.4	67	1	1	5	9	17	27	39
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	9.0	33	3	3	9	13	17	18	18
35-49	139	9.7	52	1	2	9	14	19	23	32
50-64	580	10.9	78	1	2	9	15	21	26	44
65+	636	10.9	69	2	2	10	15	22	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	98	8	8	15	22	22	22	22
20-34	21	2.5	2	<1	1	2	3	4	5	6
35-49	359	7.6	48	1	2	5	10	17	23	31
50-64	1595	8.8	91	1	2	6	11	20	28	45
65+	2360	11.0	117	1	2	8	14	24	33	61
B. *Operated*										
0-19 YRS	6	18.0	150	3	3	20	29	31	31	31
20-34	22	13.7	46	6	7	12	16	21	28	37
35-49	428	14.9	165	2	3	12	19	29	41	75
50-64	2550	15.6	150	2	4	13	20	30	40	78
65+	3431	17.5	174	3	4	14	23	35	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	6.3	57	1	1	4	7	15	21	37
B. *Operated*	1364	10.8	71	2	2	9	15	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	4337	9.9	103	1	2	7	13	22	30	52
B. *Operated*	6437	16.6	164	3	4	14	21	32	42	74
1. SINGLE DX	1866	9.6	71	1	2	8	13	20	25	40
2. MULTIPLE DX	10774	13.9	150	2	2	11	18	29	38	66
A. NOT OPERATED	4839	9.5	99	1	2	6	12	21	29	51
B. OPERATED	7801	15.5	153	2	3	13	20	30	40	67
TOTAL 0-19 YRS	9	15.9	124	3	3	17	25	30	31	31
20-34	55	8.0	50	1	2	6	12	18	20	36
35-49	978	11.0	114	1	2	8	15	23	30	60
50-64	4935	12.4	129	2	2	10	17	26	34	63
65+	6663	14.2	152	2	3	11	19	30	39	63
GRAND TOTAL	**12640**	**13.2**	**141**	**2**	**2**	**10**	**18**	**28**	**36**	**63**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	10.4	233	3	3	5	6	37	45	45
35-49	6	3.8	7	2	2	3	3	8	9	9
50-64	35	5.3	23	1	1	4	7	12	14	23
65+	12	4.5	25	1	1	2	4	15	16	16
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	15	10.4	90	1	2	10	13	25	32	35
35-49	68	7.6	89	1	1	3	12	17	32	44
50-64	244	6.4	53	1	1	2	10	17	22	33
65+	226	8.0	119	1	1	2	12	23	34	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	5.1	8	2	2	5	6	8	11	15
35-49	16	8.9	82	1	1	4	13	25	27	28
50-64	71	9.7	110	1	1	7	13	19	29	56
65+	101	9.5	149	1	2	6	10	21	31	69
B. *Operated*										
0-19 YRS	5	13.6	55	3	3	16	20	20	20	20
20-34	12	16.8	86	4	7	14	24	29	36	37
35-49	55	19.2	352	2	2	16	26	40	45	95
50-64	349	16.3	214	1	2	13	23	37	49	93
65+	417	16.7	208	1	2	14	23	37	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.7	45	1	1	4	6	12	15	43
B. *Operated*	556	7.3	86	1	1	2	11	19	27	50
2. MULTIPLE DX										
A. *Not Operated*	211	9.0	116	1	2	6	11	19	25	53
B. *Operated*	838	16.6	217	1	2	14	23	37	46	70
1. SINGLE DX	617	7.1	82	1	1	2	11	18	26	48
2. MULTIPLE DX	1049	15.1	206	1	2	11	21	36	44	69
A. NOT OPERATED	272	8.3	102	1	2	5	10	17	25	50
B. OPERATED	1394	12.9	186	1	2	9	19	32	41	65
TOTAL 0-19 YRS	10	8.6	57	1	1	6	16	20	20	20
20-34	56	9.7	89	2	2	6	12	25	32	45
35-49	145	12.0	215	1	1	7	16	31	38	92
50-64	699	11.6	160	1	1	8	16	28	39	68
65+	756	12.9	188	1	2	8	20	34	41	62
GRAND TOTAL	**1666**	**12.2**	**175**	**1**	**2**	**8**	**17**	**30**	**40**	**64**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	4	<1	1	3	4	4	5	12
20-34	6	8.5	64	3	3	6	9	22	24	24
35-49	4	7.3	30	2	2	7	12	12	12	12
50-64	11	8.9	46	2	2	7	10	21	23	23
65+	18	6.6	75	<1	<1	4	8	14	28	37
B. *Operated*										
0-19 YRS	44	8.5	53	2	2	7	9	19	23	40
20-34	47	6.3	41	1	2	4	8	15	18	29
35-49	50	9.0	94	1	2	5	12	22	28	48
50-64	66	8.2	41	2	2	8	11	14	20	36
65+	90	9.9	124	1	2	8	13	19	33	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	5.1	56	<1	1	3	6	11	13	49
20-34	25	7.6	84	1	1	4	9	13	29	44
35-49	22	7.6	39	1	2	6	10	15	22	26
50-64	40	12.2	165	1	2	8	15	33	43	55
65+	82	10.8	240	1	1	6	13	23	33	90
B. *Operated*										
0-19 YRS	35	8.8	72	2	2	8	11	15	26	44
20-34	27	14.2	206	2	2	10	17	31	39	72
35-49	30	12.6	348	2	2	6	13	27	33	99
50-64	88	17.7	262	2	3	13	23	47	55	71
65+	191	17.9	314	2	3	12	25	44	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.5	37	<1	1	3	6	12	19	34
B. *Operated*	297	8.6	77	1	2	6	11	16	25	44
2. MULTIPLE DX										
A. *Not Operated*	248	8.6	142	1	1	5	10	18	30	63
B. *Operated*	371	16.3	280	2	3	11	21	41	55	93
1. SINGLE DX	370	8.0	71	1	2	5	10	16	24	40
2. MULTIPLE DX	619	13.2	238	1	2	8	16	32	48	90
A. NOT OPERATED	321	7.9	119	1	1	4	9	17	25	57
B. OPERATED	668	12.9	204	2	2	9	15	29	45	77
TOTAL 0-19 YRS	192	6.2	53	1	1	4	8	12	18	42
20-34	105	8.8	103	1	2	5	11	17	29	57
35-49	106	9.7	152	1	2	6	12	24	28	70
50-64	205	13.1	176	2	3	9	15	27	47	62
65+	381	13.9	257	1	2	9	17	34	48	91
GRAND TOTAL	**989**	**11.2**	**182**	**1**	**2**	**7**	**13**	**26**	**48**	**74**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	8	6.1	16	2	2	5	8	12	14	14
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4	3.5	8	<1	<1	3	6	6	6	6
20-34	63	5.0	31	<1	1	3	7	8	10	39
35-49	148	5.4	12	1	2	5	7	9	12	17
50-64	188	5.6	16	1	2	4	8	11	13	19
65+	122	6.7	48	1	2	5	8	12	17	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	7.8	20	<1	1	8	12	13	15	15
35-49	21	9.4	83	1	2	6	12	20	30	39
50-64	48	7.9	49	1	1	6	10	15	26	35
65+	43	10.6	125	2	2	6	14	26	31	60
B. *Operated*										
0-19 YRS	4	12.0	82	5	5	10	19	24	24	24
20-34	50	7.2	44	1	1	5	9	14	22	36
35-49	75	7.7	54	1	2	6	10	14	17	38
50-64	163	7.7	27	1	2	7	11	14	17	24
65+	212	9.8	55	2	3	8	13	20	26	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.6	12	<1	1	4	6	9	13	14
B. *Operated*	525	5.7	24	1	2	4	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	123	9.1	79	1	2	6	12	19	26	45
B. *Operated*	504	8.6	45	1	2	7	11	16	22	35
1. SINGLE DX	540	5.7	24	1	2	4	8	10	14	22
2. MULTIPLE DX	627	8.7	52	1	2	7	11	17	23	36
A. NOT OPERATED	138	8.6	73	1	2	6	11	18	25	41
B. OPERATED	1029	7.1	37	1	2	6	9	14	19	32
TOTAL 0-19 YRS	8	7.8	59	<1	<1	5	10	21	24	24
20-34	125	6.1	36	<1	1	5	8	11	16	37
35-49	248	6.4	32	1	2	5	8	12	15	38
50-64	407	6.8	25	1	2	6	9	13	16	25
65+	379	8.9	62	2	2	7	11	19	25	35
GRAND TOTAL	**1167**	**7.3**	**41**	**1**	**2**	**6**	**9**	**15**	**19**	**28**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	10	6.7	25	2	2	5	9	14	16	16
B. *Operated*										
0-19 YRS	6	3.3	4	<1	<1	3	5	6	6	6
20-34	28	4.5	34	<1	<1	2	5	9	16	29
35-49	125	3.1	13	<1	<1	2	3	7	10	19
50-64	366	2.9	9	<1	<1	2	3	6	9	17
65+	640	3.4	14	<1	<1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	8.8	49	<1	1	7	12	21	22	22
35-49	21	4.3	22	1	1	2	5	10	16	20
50-64	15	8.7	63	1	1	5	15	19	24	26
65+	83	8.1	80	1	1	5	10	22	33	80
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	10.4	162	<1	1	6	13	26	39	60
35-49	94	5.6	61	<1	<1	2	7	16	25	72
50-64	345	5.6	66	<1	1	2	6	14	20	47
65+	984	7.5	100	1	1	4	9	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.4	23	<1	1	3	9	13	15	16
B. *Operated*	1165	3.2	13	<1	<1	2	3	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	132	7.6	67	1	1	4	10	20	26	52
B. *Operated*	1459	7.0	92	<1	1	3	8	17	25	52
1. SINGLE DX	1182	3.2	13	<1	<1	2	3	7	10	18
2. MULTIPLE DX	1591	7.0	90	<1	1	3	8	17	26	52
A. NOT OPERATED	149	7.3	62	1	1	4	9	18	26	42
B. OPERATED	2624	5.3	60	<1	1	2	5	13	18	43
TOTAL 0-19 YRS	8	3.3	3	<1	<1	3	4	6	6	6
20-34	77	7.9	100	<1	<1	4	10	20	28	55
35-49	241	4.2	34	<1	<1	2	4	11	16	36
50-64	730	4.3	39	<1	<1	2	4	10	16	35
65+	1717	6.0	71	<1	1	3	7	14	21	47
GRAND TOTAL	**2773**	**5.4**	**61**	**<1**	**1**	**3**	**6**	**13**	**19**	**43**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	21	4.8	42	<1	1	3	4	13	23	26
50-64	27	6.5	44	1	2	4	7	13	22	31
65+	25	6.0	22	1	2	4	7	14	17	18
B. *Operated*										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	143	6.2	13	1	2	6	8	11	13	17
35-49	809	6.3	13	1	2	6	8	11	13	19
50-64	1231	7.0	16	2	2	7	9	11	13	17
65+	1272	7.4	17	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	61	10	10	15	21	21	21	21
20-34	28	11.5	165	1	1	7	14	36	44	44
35-49	161	9.8	123	1	1	7	11	24	33	58
50-64	406	11.2	114	2	2	8	14	23	34	55
65+	631	13.4	173	2	3	9	17	31	46	99+
B. *Operated*										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	138	8.3	26	2	4	8	10	13	17	26
35-49	989	9.3	54	2	3	8	10	15	21	40
50-64	2159	10.0	62	3	4	8	11	17	23	44
65+	3089	11.4	86	3	4	9	13	20	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.7	35	1	1	4	7	13	20	30
B. *Operated*	3459	7.0	16	2	2	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1228	12.2	148	1	2	8	16	27	42	85
B. *Operated*	6378	10.6	73	3	4	9	12	18	26	51
1. SINGLE DX	3533	6.9	16	2	2	7	9	11	13	18
2. MULTIPLE DX	7606	10.8	85	2	4	9	12	20	28	57
A. NOT OPERATED	1302	11.8	144	1	2	8	15	26	40	81
B. OPERATED	9837	9.3	56	2	3	8	11	15	21	43
TOTAL 0-19 YRS	9	7.2	34	2	2	7	8	17	21	21
20-34	310	7.6	35	1	2	7	9	13	16	41
35-49	1980	8.1	45	1	2	7	9	14	18	39
50-64	3823	9.2	55	2	3	8	11	15	21	44
65+	5017	10.6	83	2	4	8	12	19	27	60
GRAND TOTAL	**11139**	**9.6**	**66**	**2**	**3**	**8**	**11**	**17**	**23**	**50**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	28	4.4	5	2	3	4	5	7	8	13
50-64	38	5.6	65	2	3	4	5	9	11	52
65+	34	5.9	16	3	3	5	6	13	16	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	96	5.5	21	1	1	4	8	12	17	20
35-49	119	6.1	26	1	2	4	8	15	16	21
50-64	106	5.6	20	1	2	4	8	11	15	22
65+	69	6.2	106	2	2	4	6	9	17	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.9	49	1	1	3	8	18	22	22
35-49	50	7.5	35	1	2	7	10	15	19	30
50-64	82	9.7	171	1	2	6	11	18	31	76
65+	56	8.7	46	2	2	6	11	17	23	34
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	69	8.2	58	1	1	6	10	16	20	43
35-49	178	12.2	129	1	2	10	14	25	34	60
50-64	211	13.0	194	1	2	8	17	29	46	68
65+	189	12.7	203	2	2	7	16	30	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.3	31	2	3	4	5	8	13	34
B. *Operated*	391	5.8	37	1	2	4	8	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	198	8.7	95	1	2	6	10	17	23	62
B. *Operated*	648	12.2	166	1	2	8	15	26	40	66
1. SINGLE DX	494	5.7	36	1	2	4	7	12	16	22
2. MULTIPLE DX	846	11.4	151	1	2	8	14	24	36	66
A. NOT OPERATED	301	7.5	75	1	2	5	9	14	21	50
B. OPERATED	1039	9.8	126	1	2	6	12	20	31	61
TOTAL 0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	178	6.5	38	1	1	5	8	14	19	33
35-49	375	9.1	84	1	2	7	12	18	25	50
50-64	437	10.0	146	1	2	6	12	22	36	65
65+	348	10.1	148	2	2	6	12	23	32	76
GRAND TOTAL	**1340**	**9.3**	**116**	**1**	**2**	**6**	**11**	**19**	**28**	**60**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.5	10	2	2	4	5	10	12	12
50-64	46	3.3	2	1	2	3	4	5	5	8
65+	44	5.7	52	1	2	4	5	13	19	42
B. *Operated*										
0-19 YRS										
20-34	8	5.4	4	2	3	6	7	8	8	8
35-49	59	5.5	14	1	1	6	8	10	12	17
50-64	303	6.3	20	1	1	7	8	10	12	21
65+	328	6.7	21	1	2	7	9	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	12.9	185	<1	2	5	24	36	38	38
50-64	83	6.3	56	1	1	4	7	13	21	41
65+	168	10.3	197	1	1	5	12	26	39	77
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	8.3	58	1	1	7	12	15	24	33
35-49	129	8.2	24	1	2	8	11	14	16	28
50-64	745	9.1	56	1	2	8	11	17	21	39
65+	1050	11.5	122	2	2	9	14	23	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.5	26	1	2	3	5	6	13	33
B. *Operated*	698	6.4	20	1	2	7	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	264	9.2	154	1	1	5	10	24	35	60
B. *Operated*	1945	10.4	91	1	2	8	12	20	27	53
1. SINGLE DX	796	6.1	21	1	2	6	8	11	13	22
2. MULTIPLE DX	2209	10.2	99	1	2	8	12	20	27	54
A. NOT OPERATED	362	7.9	124	1	2	4	8	17	29	56
B. OPERATED	2643	9.3	75	1	2	8	11	17	23	48
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	7.5	42	1	1	6	9	15	16	33
35-49	208	7.6	33	1	2	7	10	14	17	32
50-64	1177	8.0	47	1	2	7	10	15	20	38
65+	1590	10.2	111	1	2	8	12	20	29	58
GRAND TOTAL	**3005**	**9.1**	**81**	**1**	**2**	**8**	**11**	**17**	**24**	**48**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	4	2	2	3	4	7	8	8
20-34	9	3.6	2	2	2	3	4	6	7	7
35-49	37	1.9	3	1	1	1	2	4	5	9
50-64	132	2.6	4	1	1	2	3	5	7	10
65+	83	3.0	6	1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	10	7.5	9	3	4	7	10	11	12	12
20-34	31	8.7	18	4	5	8	11	16	18	19
35-49	45	9.0	28	4	5	8	10	13	22	32
50-64	86	10.5	28	4	6	9	13	17	20	32
65+	51	11.5	31	3	6	10	14	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	26.0	98	19	19	26	33	33	33	33
20-34	15	4.2	19	2	2	2	4	12	16	17
35-49	148	3.9	37	1	1	2	4	7	16	28
50-64	421	4.9	52	1	1	2	5	11	17	36
65+	451	6.9	101	1	1	3	7	16	23	56
B. *Operated*										
0-19 YRS	4	7.5	6	6	6	7	9	11	11	11
20-34	45	12.0	49	5	5	9	14	23	30	32
35-49	163	16.1	148	5	6	12	20	31	42	61
50-64	438	15.2	91	5	7	13	19	26	33	54
65+	507	20.2	190	6	8	17	25	38	49	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.7	4	1	1	2	3	5	8	11
B. *Operated*	223	10.0	27	4	5	9	12	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	1037	5.6	73	1	1	3	6	14	20	43
B. *Operated*	1157	17.4	147	6	7	14	22	32	40	65
1. SINGLE DX	492	6.0	28	1	1	4	9	13	15	25
2. MULTIPLE DX	2194	11.8	146	1	2	9	16	26	35	59
A. NOT OPERATED	1306	5.0	60	1	1	2	5	11	17	40
B. OPERATED	1380	16.2	135	5	7	13	20	30	38	64
TOTAL 0-19 YRS	24	7.8	44	2	3	6	9	13	23	33
20-34	100	9.0	40	2	2	7	12	17	22	31
35-49	393	9.3	113	1	1	6	12	21	31	58
50-64	1077	9.3	88	1	1	7	13	21	27	42
65+	1092	13.0	179	1	2	9	18	29	39	65
GRAND TOTAL	**2686**	**10.8**	**130**	**1**	**1**	**8**	**14**	**24**	**32**	**58**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	15	1	1	7	8	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	28	4.3	30	<1	1	3	5	8	15	28
B. *Operated*										
0-19 YRS										
20-34	6	7.7	55	2	2	4	15	19	19	19
35-49	10	7.9	82	1	1	3	15	23	26	26
50-64	25	9.3	157	1	1	3	9	33	39	50
65+	52	7.4	85	1	2	4	9	17	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	6	1	1	3	3	8	8	8
35-49	5	7.6	114	1	1	2	12	26	26	26
50-64	20	7.0	79	1	1	3	7	26	27	27
65+	63	8.1	78	1	2	4	9	23	30	40
B. *Operated*										
0-19 YRS										
20-34	7	7.9	35	1	1	7	12	17	18	18
35-49	23	10.1	87	1	2	8	11	25	32	41
50-64	56	14.7	116	3	3	11	20	33	39	96
65+	159	18.3	226	2	3	14	25	41	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.3	26	<1	1	3	6	8	13	28
B. *Operated*	93	8.0	100	1	2	4	10	21	31	50
2. MULTIPLE DX										
A. *Not Operated*	94	7.6	75	1	1	4	8	24	27	38
B. *Operated*	245	16.4	190	2	3	11	23	37	47	76
1. SINGLE DX	128	7.0	82	1	1	3	8	18	28	50
2. MULTIPLE DX	339	14.0	173	2	2	10	21	33	43	69
A. NOT OPERATED	129	6.7	63	1	1	4	8	19	26	35
B. OPERATED	338	14.1	179	2	2	10	20	33	46	69
TOTAL 0-19 YRS										
20-34	24	6.3	29	1	1	4	8	15	18	19
35-49	39	9.0	84	1	1	7	11	25	27	41
50-64	102	11.7	128	1	2	8	16	31	38	73
65+	302	13.0	184	1	2	8	20	32	46	64
GRAND TOTAL	**467**	**12.1**	**158**	**1**	**2**	**8**	**17**	**31**	**39**	**61**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	14	6.1	37	1	2	4	6	18	19	19
65+	57	5.3	12	1	1	5	7	9	11	18
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	14.0		14	14	14	14	14	14	14
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64	361	6.9	37	1	2	5	9	14	18	32
65+	1174	7.3	31	2	2	6	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	11.2	178	2	2	6	9	35	38	38
50-64	165	8.8	97	1	2	6	10	17	26	57
65+	999	11.7	134	2	2	8	15	25	38	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	14.9	163	5	6	10	18	37	43	43
50-64	680	10.7	106	2	3	8	13	22	27	74
65+	4147	12.3	104	3	4	10	15	24	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	5.5	16	1	1	5	7	10	16	19
B. *Operated*	1542	7.2	33	2	2	6	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1170	11.3	130	2	2	8	14	24	35	70
B. *Operated*	4835	12.1	105	2	4	9	15	24	31	64
1. SINGLE DX	1613	7.1	32	1	2	6	9	14	17	28
2. MULTIPLE DX	6005	12.0	110	2	3	9	15	24	32	65
A. NOT OPERATED	1241	11.0	125	2	2	8	14	23	34	69
B. OPERATED	6377	10.9	92	2	3	8	14	22	28	57
TOTAL 0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	14.0		14	14	14	14	14	14	14
35-49	18	11.3	138	1	3	7	11	34	41	43
50-64	1220	9.3	86	2	2	7	11	19	25	48
65+	6377	11.2	99	2	3	9	14	22	30	60
GRAND TOTAL	**7618**	**10.9**	**97**	**2**	**3**	**8**	**14**	**22**	**29**	**59**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.7	12	1	1	2	5	9	12	12
35-49	7	8.0	57	4	4	5	7	21	25	25
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	17	6.1	32	1	2	4	7	16	20	22
20-34	148	5.6	15	2	2	4	7	11	14	18
35-49	55	4.9	17	2	2	4	6	8	10	24
50-64	26	6.8	36	1	1	4	9	17	19	24
65+	8	5.1	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	32	5	5	8	14	16	16	16
20-34	35	5.8	15	1	2	5	8	10	15	19
35-49	24	6.3	11	2	2	6	7	10	12	17
50-64	10	9.1	257	1	1	4	8	31	54	54
65+	8	9.1	145	2	2	5	20	75	99+	99+
B. *Operated*										
0-19 YRS	10	9.9	79	2	2	6	14	25	26	26
20-34	74	9.3	60	1	2	8	12	19	28	86
35-49	26	8.8	39	2	2	7	11	17	22	28
50-64	25	8.7	30	1	2	7	13	17	18	19
65+	41	7.5	26	2	2	6	9	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.0	28	1	1	4	6	9	18	25
B. *Operated*	254	5.6	18	2	2	4	7	10	16	22
2. MULTIPLE DX										
A. *Not Operated*	80	6.8	55	1	2	5	8	13	18	86
B. *Operated*	176	8.7	45	2	2	7	12	18	22	40
1. SINGLE DX	275	5.5	19	1	2	4	6	10	16	23
2. MULTIPLE DX	256	8.1	49	1	2	6	10	17	21	53
A. NOT OPERATED	101	6.5	49	1	2	5	7	11	18	76
B. OPERATED	430	6.9	32	2	2	5	9	15	18	28
TOTAL 0-19 YRS	30	7.7	48	2	2	5	8	19	25	26
20-34	267	6.6	30	1	2	5	8	14	18	31
35-49	112	6.3	25	2	2	5	7	11	17	26
50-64	64	7.8	64	1	1	5	10	17	18	50
65+	58	7.3	38	2	2	6	9	17	19	94
GRAND TOTAL	**531**	**6.8**	**35**	**1**	**2**	**5**	**8**	**15**	**18**	**32**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	2.8	2	2	2	2	3	5	5	5
50-64	21	3.9	17	<1	<1	2	4	10	14	17
65+	34	6.6	28	1	2	5	8	12	17	27
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	24	4.2	18	1	1	3	4	10	16	17
35-49	168	4.0	16	1	1	3	5	7	10	26
50-64	907	4.8	29	1	1	3	5	9	15	27
65+	1769	5.3	31	1	2	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	52	1	1	11	15	18	18	18
20-34	1	6.0		6	6	6	6	6	6	6
35-49	21	5.2	43	1	2	2	5	16	23	25
50-64	99	7.9	75	<1	1	5	11	19	28	76
65+	346	10.0	130	1	1	7	13	22	27	65
B. *Operated*										
0-19 YRS	4	17.3	117	7	7	15	25	32	32	32
20-34	18	7.9	73	2	2	4	7	25	26	26
35-49	98	7.3	81	1	2	4	8	21	27	47
50-64	1016	7.5	71	1	2	5	9	16	23	43
65+	3737	10.1	127	2	2	6	12	23	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	5.3	24	<1	1	4	7	11	16	26
B. *Operated*	2870	5.0	29	1	2	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	472	9.4	114	1	1	6	12	21	27	62
B. *Operated*	4873	9.5	115	2	2	6	11	21	30	61
1. SINGLE DX	2930	5.1	29	1	2	4	6	10	14	25
2. MULTIPLE DX	5345	9.5	115	2	2	6	12	21	30	61
A. NOT OPERATED	532	8.9	106	1	1	6	12	20	26	54
B. OPERATED	7743	7.9	88	1	2	5	9	17	25	51
TOTAL 0-19 YRS	11	10.8	91	<1	1	11	17	24	31	32
20-34	43	5.8	43	1	2	3	6	16	25	26
35-49	292	5.2	42	1	1	3	5	10	20	36
50-64	2043	6.3	53	1	2	4	7	14	19	39
65+	5886	8.6	102	2	2	5	10	19	27	56
GRAND TOTAL	**8275**	**7.9**	**89**	**1**	**2**	**5**	**9**	**17**	**25**	**52**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	5	<1	<1	1	3	6	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	5.0	34	1	1	2	7	15	15	15
50-64	6	5.0	11	2	2	4	9	9	9	9
65+	11	9.1	97	2	2	7	10	22	36	37
B. *Operated*										
0-19 YRS	13	10.5	25	2	5	10	14	17	19	19
20-34	9	12.0	10	8	8	12	15	16	17	17
35-49	55	12.4	34	2	6	11	16	19	22	30
50-64	127	12.1	32	3	7	11	16	19	22	29
65+	129	13.0	43	2	4	13	16	21	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.0	31	1	1	5	8	15	17	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	29	7.4	59	1	1	4	10	16	21	37
50-64	103	8.8	86	1	2	5	12	21	28	44
65+	168	11.4	107	1	2	8	15	25	35	51
B. *Operated*										
0-19 YRS	6	19.3	198	7	7	14	31	41	42	42
20-34	11	14.0	61	2	5	14	16	26	31	31
35-49	63	16.0	89	4	6	13	20	29	33	47
50-64	361	16.3	128	4	6	14	19	28	41	65
65+	642	17.8	149	3	6	15	23	32	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.9	47	<1	1	4	8	11	15	37
B. *Operated*	333	12.4	35	2	6	11	16	19	24	31
2. MULTIPLE DX										
A. *Not Operated*	309	10.0	95	1	2	6	14	23	30	44
B. *Operated*	1083	17.2	138	3	6	15	21	31	42	82
1. SINGLE DX	364	11.9	40	2	3	11	15	19	24	34
2. MULTIPLE DX	1392	15.6	137	2	3	13	20	30	39	71
A. NOT OPERATED	340	9.6	92	1	2	6	13	22	29	44
B. OPERATED	1416	16.1	118	3	6	14	20	29	37	71
TOTAL 0-19 YRS	35	9.1	77	<1	1	7	13	17	28	42
20-34	22	12.3	42	2	6	12	15	19	26	31
35-49	152	12.7	72	2	2	11	17	23	29	45
50-64	597	14.0	108	2	3	12	18	26	33	60
65+	950	15.9	134	2	4	14	21	29	38	81
GRAND TOTAL	**1756**	**14.8**	**119**	**2**	**3**	**13**	**19**	**27**	**36**	**66**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	11	2.5	3	1	1	2	3	5	6	6
20-34	4	6.3	35	2	2	4	10	15	15	15
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	10	3.7	8	<1	<1	2	7	8	9	9
65+	16	4.2	7	2	2	3	5	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	21	1	1	3	4	12	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	8.3	44	4	4	5	13	16	16	16
65+	9	14.9	197	2	2	8	21	38	45	45
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	1	27.0		27	27	27	27	27	27	27
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	10	4.7	17	2	2	3	4	11	16	16
65+	21	11.4	108	3	3	7	15	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	5	1	1	2	2	6	8	8
B. *Operated*	45	3.8	8	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	22	9.0	115	1	2	5	15	22	35	45
B. *Operated*	38	9.0	84	2	3	5	14	26	31	35
1. SINGLE DX	54	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX	60	9.0	93	2	2	5	14	25	31	44
A. NOT OPERATED	31	7.1	91	1	1	3	8	17	28	45
B. OPERATED	83	6.2	49	1	2	4	7	15	25	35
TOTAL 0-19 YRS	29	3.1	10	1	1	2	4	6	8	16
20-34	6	8.8	105	1	1	4	15	26	27	27
35-49	8	3.3	3	1	1	3	4	6	6	6
50-64	24	4.9	16	1	2	4	6	10	16	16
65+	47	9.4	102	2	2	5	13	26	34	45
GRAND TOTAL	**114**	**6.4**	**60**	**1**	**1**	**3**	**7**	**16**	**26**	**39**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	21	<1	<1	1	2	9	15	17
20-34	16	5.4	12	<1	1	6	7	9	12	14
35-49	31	9.8	71	2	2	7	13	25	28	31
50-64	36	10.3	85	1	3	7	11	30	33	38
65+	35	9.7	75	2	2	5	13	19	29	39
B. *Operated*										
0-19 YRS	42	10.5	57	2	2	10	13	16	19	49
20-34	54	15.1	92	6	7	12	18	25	29	57
35-49	73	14.8	117	4	6	12	19	25	36	58
50-64	72	19.2	228	4	7	15	21	38	62	69
65+	55	19.7	149	6	7	17	27	34	42	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	5	<1	<1	2	3	7	9	9
20-34	21	10.8	120	2	2	7	11	29	39	44
35-49	56	11.9	152	2	2	8	19	34	58	99+
50-64	107	15.0	261	2	3	9	21	38	51	92
65+	129	18.5	244	2	4	13	27	45	56	99+
B. *Operated*										
0-19 YRS	73	21.0	288	3	5	18	28	60	92	99+
20-34	46	22.5	364	6	8	16	24	60	68	99+
35-49	69	24.7	336	7	8	19	32	64	78	99+
50-64	119	26.3	415	6	9	21	32	66	83	99+
65+	135	33.0	513	9	12	25	42	72	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	8.6	67	1	1	6	11	19	30	38
B. *Operated*	296	16.2	145	4	7	13	20	29	42	64
2. MULTIPLE DX										
A. *Not Operated*	331	14.9	227	2	2	9	21	39	51	99+
B. *Operated*	442	26.8	423	6	8	21	34	68	79	99+
1. SINGLE DX	429	13.9	133	2	3	11	17	28	36	62
2. MULTIPLE DX	773	21.7	374	2	4	16	30	58	75	99+
A. NOT OPERATED	464	13.1	189	1	2	8	17	35	46	99+
B. OPERATED	738	22.6	338	5	7	17	28	57	72	99+
TOTAL 0-19 YRS	148	14.0	215	1	2	10	19	35	60	99+
20-34	137	15.8	207	3	4	11	19	29	56	89
35-49	229	16.4	216	2	4	13	22	35	61	99+
50-64	334	19.5	320	3	4	14	26	44	68	99+
65+	354	23.4	378	3	5	18	32	57	72	99+
GRAND TOTAL	**1202**	**18.9**	**302**	**2**	**4**	**14**	**25**	**44**	**66**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+	2	21.0	578	4	4	21	38	38	38	38
B. *Operated*										
0-19 YRS	13	12.6	64	2	4	10	17	26	28	29
20-34	6	18.8	299	6	6	12	19	50	53	53
35-49	5	4.6	19	1	1	3	7	12	12	12
50-64	7	15.4	53	7	7	14	21	25	26	26
65+	8	18.3	284	2	2	16	26	45	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	90	<1	<1	2	6	23	25	25
20-34	2	16.5	365	3	3	16	30	30	30	30
35-49	5	4.2	8	1	1	4	7	7	7	7
50-64	6	15.2	235	2	2	11	15	42	45	45
65+	6	19.8	272	5	6	16	18	49	52	52
B. *Operated*										
0-19 YRS	31	19.3	193	3	3	15	26	43	47	52
20-34	10	42.6	737	5	11	41	66	74	82	82
35-49	9	32.6	440	2	3	38	47	57	63	63
50-64	10	38.2	783	7	9	40	74	86	90	99+
65+	17	34.1	718	6	9	33	66	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	13.8	263	1	1	8	25	38	38	38
B. *Operated*	39	14.2	142	2	2	11	19	29	42	53
2. MULTIPLE DX										
A. *Not Operated*	25	12.0	182	<1	1	7	16	30	47	52
B. *Operated*	77	29.6	534	3	5	21	47	73	86	99+
1. SINGLE DX	43	14.2	149	2	2	11	19	29	43	53
2. MULTIPLE DX	102	25.3	503	2	3	17	44	67	80	99+
A. NOT OPERATED	29	12.2	187	1	1	7	16	35	45	52
B. OPERATED	116	24.4	453	3	4	17	39	65	78	99+
TOTAL 0-19 YRS	51	15.7	166	1	2	13	20	38	46	52
20-34	18	31.8	655	4	5	22	57	67	76	82
35-49	20	17.5	390	1	1	7	37	47	55	63
50-64	23	25.3	523	5	7	17	42	74	83	99+
65+	33	26.8	539	3	4	18	46	79	98	99+
GRAND TOTAL	**145**	**22.0**	**422**	**2**	**3**	**15**	**35**	**56**	**74**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	127	<1	<1	3	6	23	38	38
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	7	5.4	26	2	2	3	8	14	15	15
50-64	8	3.1	3	2	2	3	4	6	7	7
65+	5	12.6	207	2	2	4	22	36	36	36
B. *Operated*										
0-19 YRS	15	8.7	49	4	4	5	13	22	23	24
20-34	62	4.8	6	3	3	4	5	6	8	16
35-49	65	4.5	3	2	3	4	5	7	8	12
50-64	57	6.7	39	2	3	5	6	13	17	36
65+	27	9.3	87	3	3	5	10	26	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.6	53	<1	1	4	7	18	24	28
20-34	9	5.0	27	1	1	3	6	13	18	18
35-49	17	7.0	50	2	2	4	7	16	25	30
50-64	22	11.1	204	1	2	6	12	31	47	58
65+	49	13.1	222	1	2	7	15	43	57	99+
B. *Operated*										
0-19 YRS	31	15.1	375	3	3	7	15	42	65	83
20-34	83	7.7	106	2	3	6	8	12	19	69
35-49	69	8.6	50	4	4	6	9	15	25	44
50-64	107	9.0	81	3	4	6	10	17	21	55
65+	83	13.5	253	3	3	9	15	26	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.9	71	1	1	3	5	14	30	38
B. *Operated*	226	6.0	28	3	3	4	6	10	16	34
2. MULTIPLE DX										
A. *Not Operated*	115	10.2	157	1	2	6	12	28	47	74
B. *Operated*	373	10.2	148	3	4	6	11	19	28	88
1. SINGLE DX	262	6.0	34	2	3	4	6	10	16	36
2. MULTIPLE DX	488	10.2	150	2	3	6	11	20	32	87
A. NOT OPERATED	151	9.1	139	1	2	4	11	25	38	60
B. OPERATED	599	8.6	107	3	3	5	9	16	24	67
TOTAL 0-19 YRS	74	10.6	207	1	2	5	11	26	37	79
20-34	160	6.3	61	2	3	5	6	10	16	26
35-49	158	6.6	33	2	3	5	7	11	15	31
50-64	194	8.3	81	2	3	5	8	16	26	52
65+	164	12.6	214	2	3	8	15	33	50	99
GRAND TOTAL	**750**	**8.7**	**113**	**2**	**3**	**5**	**9**	**17**	**28**	**65**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	3	1	1	3	4	6	6	6
20-34	5	4.4	24	<1	<1	3	6	13	13	13
35-49	32	7.8	75	1	1	5	12	18	23	42
50-64	87	7.5	64	1	1	5	8	19	24	39
65+	136	10.7	144	1	2	6	12	26	37	60
B. *Operated*										
0-19 YRS	10	6.0	19	2	2	5	9	12	14	14
20-34	19	7.1	22	1	1	8	11	13	15	16
35-49	59	7.7	69	1	2	4	9	16	26	45
50-64	177	7.9	58	1	1	5	11	17	24	39
65+	223	8.6	82	<1	1	5	12	19	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.1	82	<1	1	4	9	14	32	43
20-34	155	8.5	90	1	2	5	10	18	26	57
35-49	732	8.9	65	1	2	6	12	20	27	42
50-64	2677	10.5	102	1	2	7	14	23	30	54
65+	4289	12.2	131	2	3	9	16	25	34	63
B. *Operated*										
0-19 YRS	45	11.1	73	1	3	9	14	24	28	40
20-34	166	13.5	142	2	3	10	17	29	36	65
35-49	740	13.3	171	2	2	10	17	27	42	76
50-64	2516	15.3	185	2	3	11	20	32	45	74
65+	3553	16.9	224	2	3	13	22	37	50	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	9.0	106	1	1	5	11	22	34	47
B. *Operated*	488	8.1	68	1	1	5	11	18	24	43
2. MULTIPLE DX										
A. *Not Operated*	7887	11.3	115	2	2	8	15	24	32	58
B. *Operated*	7020	15.8	203	2	3	12	21	34	47	79
1. SINGLE DX	755	8.4	81	1	1	5	11	19	26	44
2. MULTIPLE DX	14907	13.4	162	2	3	10	18	29	39	71
A. NOT OPERATED	8154	11.2	115	2	2	8	15	24	32	58
B. OPERATED	7508	15.3	198	2	3	11	20	33	46	78
TOTAL 0-19 YRS	96	8.6	71	1	2	6	10	19	25	42
20-34	345	10.8	117	1	2	8	13	25	32	58
35-49	1563	10.9	121	1	2	8	14	23	32	59
50-64	5457	12.6	145	2	2	9	17	27	37	63
65+	8201	14.1	176	2	3	10	18	30	42	77
GRAND TOTAL	**15662**	**13.2**	**159**	**2**	**2**	**9**	**17**	**28**	**39**	**70**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	3	4	4
20-34	42	5.3	28	1	1	4	8	10	14	30
35-49	21	3.7	14	<1	1	2	5	9	12	15
50-64	21	7.9	51	1	1	5	12	15	22	31
65+	8	6.5	61	2	2	4	16	20	21	21
B. *Operated*										
0-19 YRS	82	6.9	26	1	2	6	8	15	19	24
20-34	210	5.8	18	1	1	5	8	10	14	22
35-49	93	7.3	46	1	2	5	9	18	23	31
50-64	53	9.2	145	1	2	7	12	17	18	74
65+	34	13.2	162	1	2	9	20	33	41	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.5	50	<1	<1	2	7	15	23	28
20-34	74	7.2	65	1	1	4	9	15	25	39
35-49	31	6.4	32	1	1	5	8	15	18	26
50-64	67	6.9	56	1	1	4	9	17	25	35
65+	56	13.0	126	1	2	9	18	29	31	51
B. *Operated*										
0-19 YRS	35	13.1	268	2	3	8	13	28	58	77
20-34	119	12.7	121	2	3	9	16	26	31	57
35-49	64	14.0	72	2	3	13	21	25	29	35
50-64	95	17.3	176	1	2	15	22	34	47	64
65+	84	18.8	164	3	5	16	24	36	47	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.0	31	<1	1	3	7	13	16	30
B. *Operated*	472	7.2	53	1	2	6	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	248	8.2	77	1	1	6	11	20	28	41
B. *Operated*	397	15.3	153	2	4	12	20	29	42	61
1. SINGLE DX	585	6.8	49	1	1	5	9	15	19	33
2. MULTIPLE DX	645	12.6	136	1	2	9	17	27	34	54
A. NOT OPERATED	361	7.2	65	1	1	4	9	17	25	36
B. OPERATED	869	10.9	115	1	2	8	14	24	32	53
TOTAL 0-19 YRS	158	7.4	90	<1	1	5	9	15	21	64
20-34	445	7.9	63	1	2	6	10	16	23	42
35-49	209	8.8	61	1	2	7	13	22	24	33
50-64	236	11.7	145	1	1	8	16	25	35	59
65+	182	15.5	156	2	2	13	21	33	46	52
GRAND TOTAL	**1230**	**9.8**	**103**	**1**	**1**	**7**	**13**	**22**	**29**	**50**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.3	39	<1	<1	1	2	8	16	38
20-34	10	7.1	130	1	1	2	10	24	38	38
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	9	3.7	6	1	1	3	5	7	8	8
65+	30	7.3	59	1	1	5	9	18	26	34
B. *Operated*										
0-19 YRS	67	6.5	65	<1	<1	2	10	18	26	33
20-34	18	15.4	272	<1	<1	11	22	32	52	65
35-49	6	17.8	247	2	2	12	32	41	42	42
50-64	9	6.6	54	1	1	4	7	19	25	25
65+	22	14.8	271	3	4	10	14	33	51	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.9	63	<1	1	4	11	15	24	40
20-34	12	8.3	32	1	2	8	12	17	18	18
35-49	13	9.5	291	<1	1	4	9	23	57	65
50-64	83	8.6	72	1	2	6	12	18	22	50
65+	289	10.8	122	1	2	8	14	24	32	53
B. *Operated*										
0-19 YRS	81	17.4	230	1	2	13	25	38	49	67
20-34	19	26.2	212	5	5	32	39	46	73	99+
35-49	19	23.1	550	1	3	12	37	62	77	77
50-64	63	19.9	324	2	3	13	30	49	58	73
65+	182	18.2	235	3	4	14	25	40	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.4	49	<1	<1	2	5	10	18	38
B. *Operated*	122	9.9	153	<1	1	5	13	27	33	68
2. MULTIPLE DX										
A. *Not Operated*	491	9.6	106	1	1	7	13	21	29	53
B. *Operated*	364	19.0	266	2	4	14	27	42	57	97
1. SINGLE DX	261	7.0	105	<1	<1	2	9	19	30	42
2. MULTIPLE DX	855	13.6	195	1	2	9	17	33	43	76
A. NOT OPERATED	630	8.5	98	<1	1	5	12	19	27	46
B. OPERATED	486	16.7	253	1	2	12	24	39	55	81
TOTAL 0-19 YRS	330	8.4	125	<1	<1	3	11	24	33	51
20-34	59	16.0	232	<1	1	11	28	39	46	96
35-49	40	16.9	422	1	2	7	27	41	71	77
50-64	164	12.5	198	1	2	8	15	31	48	64
65+	523	13.3	177	2	2	10	17	30	40	78
GRAND TOTAL	**1116**	**12.0**	**182**	**<1**	**1**	**8**	**15**	**31**	**40**	**73**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	7	<1	<1	2	5	5	10	12
20-34	30	7.9	129	<1	1	3	7	29	38	40
35-49	29	5.8	15	<1	1	5	7	12	14	15
50-64	42	7.8	84	<1	<1	5	10	15	35	39
65+	94	5.2	35	1	1	3	7	12	19	29
B. *Operated*										
0-19 YRS	15	15.5	219	2	2	9	31	36	37	37
20-34	17	10.9	109	1	2	8	14	28	36	39
35-49	26	17.0	211	<1	1	12	30	39	43	45
50-64	24	16.1	167	2	2	12	27	35	37	41
65+	33	11.5	92	1	2	7	16	29	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.8	53	<1	<1	2	5	11	17	45
20-34	35	8.0	113	<1	<1	4	9	21	37	44
35-49	44	10.1	140	1	2	6	10	29	38	57
50-64	157	7.8	90	1	1	5	10	16	23	52
65+	325	8.2	97	<1	1	5	10	18	26	57
B. *Operated*										
0-19 YRS	27	31.6	345	4	5	34	50	54	71	99+
20-34	54	26.4	405	3	4	26	36	50	81	99+
35-49	59	27.6	446	3	4	26	39	56	62	97
50-64	120	28.0	420	3	5	27	42	57	72	99+
65+	264	22.1	370	3	4	15	32	55	66	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	5.8	51	<1	1	4	7	13	19	38
B. *Operated*	115	14.1	154	1	2	9	23	35	37	43
2. MULTIPLE DX										
A. *Not Operated*	612	7.9	96	<1	1	5	10	17	27	54
B. *Operated*	524	25.0	399	3	4	21	38	55	67	99+
1. SINGLE DX	344	8.6	101	<1	1	5	11	26	35	40
2. MULTIPLE DX	1136	15.8	308	1	1	9	23	42	55	87
A. NOT OPERATED	841	7.3	85	<1	1	4	9	16	25	45
B. OPERATED	639	23.0	372	2	4	17	35	52	63	98
TOTAL 0-19 YRS	127	11.3	245	<1	<1	4	12	38	52	75
20-34	136	15.6	306	1	1	9	27	40	48	97
35-49	156	17.0	318	1	2	9	28	40	53	88
50-64	343	15.4	298	1	1	9	21	41	52	85
65+	716	13.1	238	1	1	7	16	34	50	76
GRAND TOTAL	**1480**	**14.1**	**269**	**1**	**1**	**7**	**19**	**39**	**51**	**80**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	8	<1	<1	1	4	5	7	15
20-34	31	4.6	14	1	1	3	6	10	13	15
35-49	68	5.1	42	<1	<1	4	7	13	16	39
50-64	138	7.2	92	<1	1	4	8	17	22	47
65+	163	8.8	116	1	1	6	9	18	30	55
B. *Operated*										
0-19 YRS	27	6.8	35	<1	<1	6	10	11	22	25
20-34	60	10.8	104	2	3	9	12	19	25	59
35-49	126	10.3	170	1	2	7	11	20	29	74
50-64	306	9.2	80	1	2	7	12	20	28	46
65+	293	10.8	96	2	2	8	14	26	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	6.5	94	<1	1	4	7	14	20	59
20-34	47	6.0	20	1	1	5	7	14	15	17
35-49	125	7.8	86	1	1	5	9	16	24	50
50-64	557	9.8	126	1	1	6	13	22	29	66
65+	1028	11.8	157	1	2	8	16	28	37	69
B. *Operated*										
0-19 YRS	25	15.8	200	4	5	11	19	30	49	65
20-34	61	18.6	312	3	5	13	22	38	60	85
35-49	146	16.2	203	2	2	12	22	36	48	66
50-64	548	17.4	247	2	3	13	22	39	48	86
65+	1066	19.1	275	3	4	14	26	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	7.1	84	<1	1	5	8	15	22	51
B. *Operated*	812	10.0	101	1	2	7	12	21	29	51
2. MULTIPLE DX										
A. *Not Operated*	1798	10.6	140	1	1	7	14	25	34	65
B *Operated*	1846	18.3	262	2	4	13	24	41	55	91
1. SINGLE DX	1242	9.0	97	1	1	6	11	20	28	51
2. MULTIPLE DX	3644	14.5	216	1	2	10	19	34	46	85
A. NOT OPERATED	2228	9.9	131	1	1	6	13	23	33	62
B. OPERATED	2658	15.7	227	2	3	11	20	36	50	85
TOTAL 0-19 YRS	123	7.6	100	<1	1	4	10	18	23	61
20-34	199	11.1	162	1	2	8	13	22	32	76
35-49	465	10.8	154	1	1	7	13	24	37	65
50-64	1549	12.1	172	1	2	8	15	28	40	66
65+	2550	14.5	212	1	2	10	19	34	47	87
GRAND TOTAL	**4886**	**13.1**	**192**	**1**	**2**	**9**	**17**	**31**	**43**	**77**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	64	3.7	9	<1	<1	3	5	8	9	12
20-34	110	3.6	12	1	1	3	4	5	7	24
35-49	170	3.6	3	1	2	3	5	6	7	9
50-64	210	3.6	3	1	2	3	4	6	7	10
65+	160	4.1	6	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	3.0	5	1	1	3	5	5	5	5
65+	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	14	5.5	18	<1	1	4	1	11	12	12
20-34	31	4.0	3	2	2	4	5	6	7	7
35-49	50	4.7	9	<1	2	4	5	7	9	20
50-64	134	4.3	8	1	2	4	5	8	10	18
65+	170	6.0	33	2	2	5	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	1	1	1	2	2	3	3	3
B. *Operated*	714	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	10	2.8	2	1	1	3	4	5	5	5
B. *Operated*	399	5.1	19	1	2	4	6	9	12	19
1. SINGLE DX	719	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX	409	5.0	19	1	2	4	6	9	12	18
A. NOT OPERATED	15	2.5	2	1	1	2	3	5	5	5
B. OPERATED	1113	4.2	11	1	2	4	5	7	9	15
TOTAL 0-19 YRS	81	3.9	10	<1	<1	3	6	9	11	12
20-34	141	3.7	10	1	1	3	4	6	7	20
35-49	223	3.8	5	1	2	4	5	6	7	11
50-64	349	3.8	5	1	2	3	5	7	8	12
65+	334	5.0	21	1	2	4	6	9	13	16
GRAND TOTAL	**1128**	**4.2**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	18	<1	<1	3	5	8	15	18
20-34	7	2.0	1	<1	<1	2	3	4	4	4
35-49	32	2.2	3	<1	<1	2	3	4	6	9
50-64	60	1.9	4	<1	<1	1	2	3	5	14
65+	90	2.5	8	<1	<1	2	2	6	8	16
B. *Operated*										
0-19 YRS	36	4.0	26	<1	1	2	4	12	15	26
20-34	57	6.1	33	<1	<1	4	10	13	17	25
35-49	180	2.8	11	<1	<1	2	2	7	11	17
50-64	549	3.0	16	<1	<1	2	2	8	11	20
65+	692	3.2	14	<1	1	2	3	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	4	<1	<1	2	4	6	6	6
20-34	20	5.2	32	<1	<1	3	6	14	18	21
35-49	31	4.4	29	<1	<1	3	5	8	20	25
50-64	117	3.9	24	<1	<1	2	5	9	12	29
65+	306	5.9	35	1	1	4	8	13	16	30
B. *Operated*										
0-19 YRS	28	7.7	43	1	1	6	12	17	19	25
20-34	60	7.7	58	1	1	6	10	16	24	40
35-49	217	5.7	36	<1	1	3	8	14	17	26
50-64	941	5.8	44	1	1	3	9	14	18	36
65+	1940	7.9	83	1	1	4	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	2.4	7	<1	<1	1	2	5	7	16
B. *Operated*	1514	3.2	16	<1	<1	2	3	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	484	5.3	32	<1	1	3	7	12	16	29
B. *Operated*	3186	7.1	68	1	1	4	10	16	22	38
1. SINGLE DX	1719	3.1	15	<1	<1	2	3	8	11	20
2. MULTIPLE DX	3670	6.9	64	1	1	4	10	16	21	37
A. NOT OPERATED	689	4.4	26	<1	<1	2	6	10	14	25
B. OPERATED	4700	5.9	55	<1	1	3	8	14	19	35
TOTAL 0-19 YRS	90	5.0	30	<1	1	3	6	13	17	26
20-34	144	6.5	43	<1	1	4	10	14	20	29
35-49	460	4.2	25	<1	<1	2	5	11	15	21
50-64	1667	4.6	34	<1	1	2	6	12	15	27
65+	3028	6.4	64	<1	1	3	9	15	22	36
GRAND TOTAL	**5389**	**5.7**	**51**	**<1**	**1**	**3**	**8**	**14**	**18**	**34**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	5.7	20	<1	<1	6	9	10	10	10
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	90	2.5	2	1	2	2	2	4	6	10
20-34	47	2.4	5	<1	<1	2	2	7	8	10
35-49	72	3.5	11	<1	1	2	4	8	10	15
50-64	71	4.3	21	<1	1	2	6	9	13	26
65+	46	5.2	34	1	1	2	7	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64	3	6.7	22	3	3	5	10	12	12	12
65+	8	6.3	16	2	2	5	9	12	13	13
B. *Operated*										
0-19 YRS	16	3.4	7	1	2	2	4	7	10	11
20-34	16	7.1	38	<1	1	5	12	17	18	18
35-49	33	6.2	49	<1	1	3	9	11	20	36
50-64	82	7.1	41	<1	1	5	11	17	20	25
65+	84	10.8	166	2	2	6	14	23	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.5	19	<1	<1	2	3	11	14	15
B. *Operated*	326	3.5	14	<1	1	2	3	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	14	5.3	17	1	1	4	7	12	13	13
B. *Operated*	231	8.1	89	1	2	5	11	18	23	52
1. SINGLE DX	339	3.5	14	<1	1	2	3	8	11	19
2. MULTIPLE DX	245	7.9	85	1	2	5	11	18	23	51
A. NOT OPERATED	27	4.4	18	<1	<1	2	6	12	13	15
B. OPERATED	557	5.4	50	<1	1	2	7	13	18	35
TOTAL 0-19 YRS	114	2.6	3	1	1	2	2	4	6	11
20-34	64	3.6	17	<1	<1	2	4	9	14	18
35-49	108	4.4	24	<1	1	2	6	10	12	27
50-64	159	5.8	33	<1	1	3	8	14	18	26
65+	139	8.7	119	1	2	5	11	20	27	59
GRAND TOTAL	**584**	**5.3**	**49**	**<1**	**1**	**2**	**7**	**13**	**18**	**33**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	6	<1	<1	2	5	7	7	7
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	7	2.3	2	<1	<1	3	3	4	4	4
50-64	7	3.9	9	<1	<1	3	7	8	8	8
65+	5	2.8	9	1	1	2	4	8	8	8
B. *Operated*										
0-19 YRS	628	3.0	4	<1	1	3	4	5	6	10
20-34	667	2.7	6	<1	<1	2	3	5	7	13
35-49	913	2.5	4	<1	<1	2	3	4	6	12
50-64	791	2.7	7	<1	<1	2	3	4	7	14
65+	342	3.1	10	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	24	<1	<1	1	2	5	16	21
20-34	12	2.7	5	<1	<1	2	4	6	7	7
35-49	17	4.5	28	<1	<1	2	5	13	18	20
50-64	11	3.0	6	<1	<1	2	4	7	9	9
65+	36	7.6	44	<1	1	6	11	14	20	33
B. *Operated*										
0-19 YRS	110	5.4	57	1	1	3	6	11	18	41
20-34	211	4.1	25	<1	1	3	5	9	11	18
35-49	352	4.1	27	<1	1	2	4	8	13	25
50-64	570	4.3	19	<1	1	3	5	9	14	22
65+	426	6.8	67	1	1	4	7	16	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	6	<1	<1	2	5	7	8	8
B. *Operated*	3341	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	93	5.0	32	<1	<1	3	7	12	14	29
B. *Operated*	1669	4.9	37	<1	1	3	5	10	16	33
1. SINGLE DX	3372	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	1762	4.9	37	<1	1	3	5	11	16	33
A. NOT OPERATED	124	4.5	26	<1	<1	2	6	11	13	26
B. OPERATED	5010	3.5	17	<1	<1	2	4	6	10	23
TOTAL 0-19 YRS	763	3.3	12	<1	1	3	4	6	8	18
20-34	894	3.0	11	<1	<1	2	3	6	8	14
35-49	1289	2.9	11	<1	<1	2	3	5	8	18
50-64	1379	3.4	12	<1	<1	2	4	6	10	19
65+	809	5.3	45	<1	1	3	6	11	19	36
GRAND TOTAL	**5134**	**3.5**	**18**	**<1**	**<1**	**2**	**4**	**7**	**10**	**23**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	3	<1	<1	2	3	5	6	7
20-34	6	7.2	40	<1	<1	5	14	16	16	16
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	3.8	7	1	1	4	5	8	8	8
65+	5	10.6	55	3	3	11	14	22	22	22
B. *Operated*										
0-19 YRS	707	2.4	6	<1	<1	1	2	5	8	14
20-34	298	2.6	6	<1	<1	2	3	5	8	13
35-49	214	2.4	5	<1	<1	2	3	5	7	12
50-64	206	2.6	5	<1	<1	2	3	5	6	13
65+	125	3.2	14	<1	<1	2	3	7	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.0	17	<1	<1	1	7	11	13	14
20-34	9	3.1	9	<1	<1	1	5	8	9	9
35-49	5	6.4	17	2	2	8	9	11	11	11
50-64	12	7.2	37	1	1	6	12	16	17	17
65+	24	8.5	38	2	2	8	11	16	22	26
B. *Operated*										
0-19 YRS	161	4.3	57	<1	<1	2	4	8	16	54
20-34	167	3.4	18	<1	<1	2	4	8	13	17
35-49	163	4.0	28	<1	<1	2	4	10	14	33
50-64	213	3.8	22	<1	<1	2	4	8	13	30
65+	200	7.2	75	<1	1	3	10	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.8	25	<1	<1	3	6	13	16	22
B. *Operated*	1550	2.5	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	77	5.9	29	<1	<1	5	9	14	15	24
B. *Operated*	904	4.6	42	<1	<1	2	5	11	17	34
1. SINGLE DX	1582	2.5	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX	981	4.7	41	<1	<1	2	5	12	17	33
A. NOT OPERATED	109	5.6	28	<1	<1	3	8	14	15	24
B. OPERATED	2454	3.3	21	<1	<1	2	3	7	11	23
TOTAL 0-19 YRS	910	2.7	16	<1	<1	2	3	6	9	17
20-34	480	2.9	11	<1	<1	2	3	6	9	17
35-49	383	3.1	16	<1	<1	2	3	7	10	20
50-64	436	3.3	15	<1	<1	2	3	7	11	23
65+	354	5.9	55	<1	<1	3	7	16	22	34
GRAND TOTAL	**2563**	**3.4**	**21**	**<1**	**<1**	**2**	**3**	**8**	**12**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	299	1.9		<1	<1	2	2	3	3	4
20-34	754	1.9	1	<1	<1	2	2	3	3	4
35-49	501	1.9	1	<1	<1	2	2	3	3	5
50-64	215	2.2	1	<1	1	2	2	3	4	5
65+	96	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	39	2.1	1	<1	1	2	2	4	4	4
20-34	181	2.4	4	<1	1	2	3	4	5	14
35-49	295	2.5	2	<1	1	2	3	4	5	8
50-64	200	2.9	7	1	1	2	3	5	6	14
65+	163	5.4	97	2	2	3	5	9	15	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	1865	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	15	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	878	3.1	22	1	1	2	3	5	7	16
1. SINGLE DX	1867	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	893	3.1	22	<1	1	2	3	5	7	15
A. NOT OPERATED	17	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	2743	2.3	8	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	340	1.9		<1	<1	2	2	3	3	4
20-34	942	2.0	1	<1	<1	2	2	3	3	5
35-49	801	2.1	1	<1	<1	2	2	3	4	7
50-64	417	2.6	4	<1	1	2	3	4	5	10
65+	260	4.3	63	1	2	3	4	7	11	43
GRAND TOTAL	**2760**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	2.9	7	<1	<1	2	3	7	10	10
35-49	33	3.1	4	<1	1	3	4	6	8	9
50-64	12	4.2	8	<1	1	4	5	8	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	464	5.2	7	<1	1	6	7	8	9	10
35-49	1850	5.9	9	<1	1	7	8	9	9	13
50-64	378	5.4	11	<1	1	6	8	9	10	13
65+	25	6.6	30	2	2	6	8	10	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	55	4.0	10	<1	1	3	6	10	11	13
35-49	210	3.3	9	<1	<1	2	5	7	8	13
50-64	49	5.0	28	<1	1	3	6	13	14	28
65+	28	6.6	23	2	2	5	9	13	29	99+
B. *Operated*										
0-19 YRS	6	8.7	47	2	3	7	19	84	99+	99+
20-34	1194	5.9	16	1	1	6	8	9	12	16
35-49	8441	6.5	14	1	2	7	8	10	12	18
50-64	1982	6.5	17	1	1	7	8	10	13	21
65+	229	10.9	101	2	2	9	13	19	28	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.2	6	<1	<1	3	4	7	9	11
B. *Operated*	2739	5.7	9	<1	1	6	8	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	342	3.9	14	<1	1	3	6	8	11	24
B. *Operated*	11852	6.5	17	1	1	7	8	10	12	20
1. SINGLE DX	2809	5.6	5	<1	1	6	8	8	9	13
2. MULTIPLE DX	12194	6.4	17	1	1	7	8	10	12	20
A. NOT OPERATED	412	3.8	12	<1	1	3	5	8	10	19
B. OPERATED	14591	6.3	15	1	1	7	8	10	12	19
TOTAL 0-19 YRS	8	6.8	47	<1	<1	5	14	68	99+	99+
20-34	1757	5.6	13	<1	1	6	8	9	10	16
35-49	10534	6.3	13	1	1	7	8	10	11	17
50-64	2421	6.3	16	1	1	7	8	10	12	21
65+	283	10.0	90	2	2	8	11	19	26	79
GRAND TOTAL	**15003**	**6.3**	**16**	**1**	**1**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	23	2.9	5	<1	<1	2	5	7	8	8
35-49	29	3.4	12	1	1	2	5	7	8	18
50-64	13	2.5	4	<1	1	2	2	7	7	7
65+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	43.0		43	43	43	43	43	43	43
B. *Operated*										
0-19 YRS										
20-34	30	5.3	23	<1	<1	5	7	9	19	20
35-49	64	5.4	14	<1	1	6	7	9	12	19
50-64	48	6.6	50	1	2	5	8	13	16	45
65+	24	5.3	15	1	2	4	8	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	69	3.0	8	<1	1	2	4	7	7	16
2. MULTIPLE DX										
A. *Not Operated*	1	43.0		43	43	43	43	43	43	43
B. *Operated*	166	5.7	25	<1	1	6	8	10	14	21
1. SINGLE DX	69	3.0	8	<1	1	2	4	7	7	16
2. MULTIPLE DX	167	5.9	32	<1	1	6	8	10	14	35
A. NOT OPERATED	1	43.0		43	43	43	43	43	43	43
B. OPERATED	255	5.0	21	<1	1	3	7	9	13	20
TOTAL 0-19 YRS										
20-34	53	4.2	17	<1	<1	2	7	8	9	20
35-49	113	4.9	14	<1	1	5	7	9	12	19
50-64	61	5.7	43	1	2	4	7	12	15	42
65+	29	6.1	64	1	2	2	8	11	15	43
GRAND TOTAL	**256**	**5.1**	**27**	**<1**	**1**	**4**	**7**	**9**	**13**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	90	6.2	5	4	5	6	7	8	9	17
20-34	402	5.9	3	4	4	6	7	8	8	11
35-49	138	6.5	4	4	5	6	7	8	10	16
50-64	99	7.2	4	4	5	7	8	10	11	14
65+	51	9.1	16	5	5	8	10	15	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	18	<1	<1	2	7	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	88	6.3	6	4	4	6	7	8	9	16
20-34	425	6.1	3	4	4	6	7	8	9	12
35-49	368	7.3	7	4	5	7	8	10	12	17
50-64	272	9.2	30	5	6	8	10	14	16	26
65+	206	12.7	64	7	7	10	16	21	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	4	4	4	6	7	8	8	8
B. *Operated*	780	6.4	5	4	4	6	7	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	6	4.8	13	<1	<1	4	8	10	10	10
B. *Operated*	1359	8.1	21	4	5	7	9	13	16	24
1. SINGLE DX	783	6.4	5	4	4	6	7	8	10	16
2. MULTIPLE DX	1365	8.0	21	4	5	7	9	13	16	24
A. NOT OPERATED	9	5.2	10	<1	<1	5	8	9	10	10
B. OPERATED	2139	7.5	16	4	5	7	8	11	15	22
TOTAL 0-19 YRS	178	6.2	5	4	4	6	7	8	9	17
20-34	834	6.0	3	4	4	6	7	8	9	11
35-49	507	7.1	6	4	5	7	8	10	11	17
50-64	371	8.6	24	5	6	8	9	13	16	23
65+	258	12.0	40	6	7	10	15	20	24	30
GRAND TOTAL	**2148**	**7.4**	**16**	**4**	**5**	**7**	**8**	**11**	**15**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.1	4	<1	<1	2	5	6	6	6
20-34	20	3.8	9	<1	<1	3	6	6	10	13
35-49	14	3.0	3	<1	1	2	4	6	7	7
50-64	17	2.6	4	<1	<1	2	3	7	8	8
65+	6	3.0	4	2	2	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	15	4.1	11	<1	1	3	6	7	12	14
35-49	35	5.0	12	<1	1	5	8	9	11	14
50-64	11	5.0	6	2	2	4	7	9	9	9
65+	13	5.7	25	<1	1	3	10	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	14	1	1	2	6	9	9	9
B. *Operated*	64	3.2	6	<1	<1	2	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	15	<1	<1	1	5	9	9	9
B. *Operated*	75	5.0	13	<1	1	4	7	10	12	16
1. SINGLE DX	68	3.2	6	<1	<1	2	5	6	7	12
2. MULTIPLE DX	79	4.9	13	<1	1	4	7	10	12	16
A. NOT OPERATED	8	3.4	13	<1	<1	2	6	9	9	9
B. OPERATED	139	4.1	10	<1	1	3	6	8	11	15
TOTAL 0-19 YRS	10	4.1	7	<1	<1	4	6	8	9	9
20-34	37	3.8	10	<1	1	3	6	7	11	14
35-49	51	4.4	10	<1	1	4	7	9	10	14
50-64	28	3.6	6	<1	<1	3	5	8	8	9
65+	21	4.5	19	<1	1	3	5	11	14	17
GRAND TOTAL	**147**	**4.1**	**10**	**<1**	**1**	**3**	**6**	**8**	**10**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	27	2.6	3	1	1	2	3	4	6	9
35-49	14	3.4	1	2	2	3	4	5	5	5
50-64	12	4.0	11	<1	1	3	5	10	11	11
65+	6	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	3.9	4	<1	1	4	4	7	8	8
35-49	12	1.8	1	<1	<1	1	3	3	3	3
50-64	15	4.2	7	1	1	3	6	8	9	9
65+	15	8.0	35	3	3	6	10	19	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	61	3.1	4	1	1	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	50	4.7	18	<1	<1	3	6	9	13	22
1. SINGLE DX	61	3.1	4	1	1	3	4	5	8	11
2. MULTIPLE DX	50	4.7	18	<1	<1	3	6	9	13	22
A. NOT OPERATED										
B. OPERATED	111	3.8	11	<1	1	3	4	8	10	20
TOTAL 0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	34	2.9	3	<1	1	2	3	5	8	9
35-49	26	2.7	2	<1	<1	3	4	4	5	5
50-64	27	4.1	9	1	1	3	6	9	10	11
65+	21	6.4	31	1	2	4	7	15	20	22
GRAND TOTAL	**111**	**3.8**	**11**	**<1**	**1**	**3**	**4**	**8**	**10**	**20**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	1.5	1	<1	<1	1	2	3	4	4
35-49	17	4.8	17	1	2	3	5	11	15	17
50-64	35	4.3	24	1	1	3	4	11	17	22
65+	43	4.7	44	1	2	3	4	8	16	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	10	6.5	46	<1	1	5	6	16	25	25
35-49	14	4.7	16	1	1	3	8	11	13	13
50-64	56	7.2	84	1	1	3	8	19	24	51
65+	124	5.8	28	1	2	4	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	111	4.1	28	1	1	3	4	9	16	29
2. MULTIPLE DX										
A. *Not Operated*	8	2.8	5	1	1	2	4	6	7	7
B. *Operated*	207	6.1	43	1	1	4	8	14	20	30
1. SINGLE DX	111	4.1	28	1	1	3	4	9	16	29
2. MULTIPLE DX	215	6.0	42	1	1	4	7	14	20	29
A. NOT OPERATED	8	2.8	5	1	1	2	4	6	7	7
B. OPERATED	318	5.4	38	1	1	3	6	13	18	29
TOTAL 0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	25	3.5	24	<1	<1	2	4	6	12	25
35-49	35	4.5	15	1	1	3	6	11	13	17
50-64	92	6.1	62	1	1	3	6	17	21	42
65+	170	5.4	32	1	2	3	7	12	16	32
GRAND TOTAL	**326**	**5.3**	**38**	**1**	**1**	**3**	**6**	**12**	**18**	**29**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	1.4		<1	<1	1	2	2	2	2
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	3	4.0	19	<1	<1	2	7	9	9	9
50-64	3	1.3		1	1	1	2	2	2	2
65+	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.3	30	<1	<1	6	10	12	12	12
50-64	3	8.3	102	2	2	3	16	20	20	20
65+	5	4.6	41	1	1	2	6	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	30	1.9	5	<1	<1	1	2	2	9	10
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	12	5.8	43	<1	1	2	9	17	20	20
1. SINGLE DX	30	1.9	5	<1	<1	1	2	2	9	10
2. MULTIPLE DX	14	5.1	39	<1	<1	2	6	16	19	20
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	42	3.0	18	<1	<1	2	2	9	14	20
TOTAL 0-19 YRS	16	1.4		<1	<1	1	2	2	2	2
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49	7	4.6	20	<1	<1	2	8	11	12	12
50-64	6	4.8	56	1	1	2	3	18	20	20
65+	8	4.5	30	1	1	2	6	14	16	16
GRAND TOTAL	**44**	**2.9**	**17**	**<1**	**<1**	**1**	**2**	**9**	**13**	**20**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	3.4	6	<1	<1	2	6	6	6	6
35-49	9	3.4	9	<1	1	2	4	9	9	9
50-64	11	3.0	6	1	1	2	3	7	9	9
65+	11	5.0	18	1	1	3	7	11	15	15
B. *Operated*										
0-19 YRS	8	10.4	21	<1	3	11	13	16	17	17
20-34	36	11.4	44	2	2	11	15	19	21	34
35-49	66	11.7	94	2	4	9	13	20	29	55
50-64	99	15.3	134	2	4	12	19	31	41	57
65+	73	19.4	292	3	5	15	24	36	66	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.0	156	2	2	8	22	32	32	32
20-34	6	2.8	4	<1	<1	2	4	6	6	6
35-49	6	7.2	27	2	2	5	13	14	14	14
50-64	28	9.6	212	1	2	5	10	15	40	75
65+	105	14.0	202	3	4	10	16	27	51	88
B. *Operated*										
0-19 YRS	14	22.5	421	3	6	17	26	67	68	68
20-34	39	21.5	259	4	8	18	25	34	50	92
35-49	82	20.2	160	3	8	19	26	37	50	91
50-64	180	21.2	240	5	8	17	26	45	57	98
65+	188	29.1	438	5	8	23	39	65	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.9	11	<1	1	2	6	9	10	15
B. *Operated*	282	14.9	159	2	4	11	18	29	39	78
2. MULTIPLE DX										
A. *Not Operated*	150	12.4	193	2	3	9	14	24	38	79
B. *Operated*	503	24.1	320	5	8	20	30	52	68	99+
1. SINGLE DX	319	13.6	154	2	2	11	17	26	36	72
2. MULTIPLE DX	653	21.4	315	3	5	17	27	48	67	99+
A. NOT OPERATED	187	10.8	168	1	2	8	13	21	34	78
B. OPERATED	785	20.8	282	3	6	16	25	46	61	99
TOTAL 0-19 YRS	28	16.9	265	2	3	12	20	31	67	68
20-34	86	14.9	178	1	2	12	19	29	34	81
35-49	163	15.4	147	2	3	12	20	28	43	71
50-64	318	17.7	217	2	4	13	23	36	50	85
65+	377	22.3	383	3	5	17	29	57	73	99+
GRAND TOTAL	**972**	**18.8**	**275**	**2**	**4**	**14**	**24**	**42**	**59**	**98**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	29	3.6	1	2	3	4	4	5	5	5
20-34	205	4.1	1	3	3	4	5	5	6	7
35-49	330	4.2	2	3	3	4	5	6	6	8
50-64	222	4.5	2	3	3	4	5	6	7	8
65+	68	4.6	2	3	3	4	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64	4	8.5	22	4	4	7	11	15	15	15
65+	5	8.0	24	3	3	9	12	14	14	14
B. *Operated*										
0-19 YRS	11	5.1	8	3	3	4	5	9	13	13
20-34	57	4.8	5	2	3	4	5	8	10	12
35-49	97	5.2	10	3	3	4	5	10	13	19
50-64	148	5.8	28	3	3	5	6	8	12	40
65+	107	7.1	23	3	4	6	8	12	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.7	14	4	4	5	9	11	11	11
B. *Operated*	854	4.3	2	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	11	7.2	22	1	2	7	10	14	15	15
B. *Operated*	420	5.9	19	3	3	5	6	10	13	22
1. SINGLE DX	857	4.3	2	3	3	4	5	6	6	8
2. MULTIPLE DX	431	5.9	19	3	3	5	6	10	14	22
A. NOT OPERATED	14	7.1	19	1	3	6	11	14	15	15
B. OPERATED	1274	4.8	8	3	3	4	5	6	8	16
TOTAL 0-19 YRS	40	4.0	3	2	3	4	4	5	6	13
20-34	266	4.2	2	2	3	4	5	6	6	11
35-49	427	4.4	4	3	3	4	5	6	7	15
50-64	374	5.1	12	3	3	4	5	7	8	19
65+	181	6.2	16	3	3	5	7	10	14	22
GRAND TOTAL	**1288**	**4.8**	**8**	**3**	**3**	**4**	**5**	**7**	**9**	**16**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	3	6.3	30	1	1	6	10	12	12	12
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	7	9.7	8	5	6	10	12	14	14	14
20-34	32	9.0	10	4	5	9	10	14	16	16
35-49	30	8.5	59	3	3	7	10	14	17	44
50-64	40	7.4	12	4	4	7	9	12	13	21
65+	19	12.0	278	3	4	8	9	25	55	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	16	6.8	42	1	2	5	8	18	22	24
35-49	14	7.6	37	1	2	6	8	13	23	26
50-64	11	10.9	75	1	3	8	13	26	31	31
65+	12	11.2	281	2	3	5	9	30	58	63
B. *Operated*										
0-19 YRS	6	7.7	33	1	1	7	13	15	15	15
20-34	33	10.6	43	5	5	8	13	17	29	31
35-49	61	11.6	126	3	4	9	14	23	37	97
50-64	86	12.8	168	4	4	9	13	25	42	69
65+	99	15.6	226	4	4	11	20	33	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	9	1	1	4	6	9	12	12
B. *Operated*	128	8.5	61	3	4	8	10	13	16	51
2. MULTIPLE DX										
A. *Not Operated*	54	9.2	102	1	2	5	10	22	26	62
B. *Operated*	285	13.2	164	4	4	9	15	29	36	76
1. SINGLE DX	139	8.5	59	3	4	7	10	13	16	47
2. MULTIPLE DX	339	12.5	156	3	4	9	14	27	35	75
A. NOT OPERATED	65	8.4	89	1	2	5	10	18	25	58
B. OPERATED	413	11.8	136	4	4	8	13	23	34	75
TOTAL 0-19 YRS	16	9.1	37	1	2	9	12	15	22	25
20-34	85	9.0	31	2	4	8	10	15	19	31
35-49	108	10.1	95	2	3	8	11	19	30	83
50-64	139	11.0	119	3	4	8	12	21	33	60
65+	130	14.7	238	4	4	9	17	32	36	80
GRAND TOTAL	**478**	**11.4**	**131**	**3**	**4**	**8**	**12**	**23**	**33**	**74**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	678	3.2	4	<1	1	2	4	6	7	9
35-49	327	4.5	8	1	2	3	7	8	10	13
50-64	104	4.5	7	1	1	4	7	8	9	11
65+	42	4.6	6	2	2	4	7	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	2.3	4	<1	<1	1	3	6	6	6
35-49	7	2.7	7	1	1	1	5	7	7	7
50-64	3	5.7	32	<1	<1	4	10	12	12	12
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	424	4.6	8	1	2	4	7	8	9	14
35-49	388	6.4	14	1	2	6	8	10	12	17
50-64	140	6.6	33	2	2	6	8	10	13	33
65+	56	6.2	14	2	2	6	8	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	3	<1	<1	1	3	5	5	5
B. *Operated*	1156	3.7	6	1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	3.0	9	<1	<1	1	5	7	10	12
B. *Operated*	1013	5.7	15	1	2	6	8	9	11	16
1. SINGLE DX	1162	3.7	6	1	1	3	5	7	8	11
2. MULTIPLE DX	1038	5.6	15	1	2	6	8	9	11	16
A. NOT OPERATED	31	2.8	8	<1	<1	1	4	7	9	12
B. OPERATED	2169	4.6	11	1	1	3	7	8	10	14
TOTAL 0-19 YRS	11	2.5	1	1	1	3	3	4	4	4
20-34	1115	3.7	6	1	1	3	6	7	8	11
35-49	727	5.4	12	1	2	5	8	10	11	15
50-64	247	5.7	23	1	2	5	8	9	11	17
65+	100	5.5	11	2	2	5	8	9	12	15
GRAND TOTAL	**2200**	**4.6**	**11**	**1**	**1**	**3**	**7**	**8**	**10**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	25	2.6	3	<1	<1	2	3	5	6	7
35-49	62	4.3	10	<1	1	3	6	8	11	13
50-64	116	4.8	36	<1	1	3	6	10	15	33
65+	130	4.2	15	1	1	3	5	9	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	7.7	26	1	1	8	10	15	17	17
65+	8	8.5	130	<1	<1	3	15	27	29	29
B. *Operated*										
0-19 YRS	4	10.5	188	2	2	4	18	31	31	31
20-34	25	5.0	19	<1	1	4	6	15	15	16
35-49	81	5.6	19	1	1	5	7	10	13	24
50-64	206	7.7	47	1	1	6	11	16	19	36
65+	336	10.2	118	1	2	7	13	22	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	5	1	1	5	5	5	5	5
B. *Operated*	336	4.3	20	<1	1	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	18	8.1	68	<1	1	6	10	22	27	29
B. *Operated*	652	8.7	83	1	2	6	11	18	24	47
1. SINGLE DX	339	4.3	20	<1	1	3	5	9	12	20
2. MULTIPLE DX	670	8.6	82	1	2	6	11	18	24	46
A. NOT OPERATED	21	7.4	60	<1	1	5	10	20	26	29
B. OPERATED	988	7.2	66	1	1	5	9	16	21	40
TOTAL 0-19 YRS	7	6.6	118	<1	<1	2	5	26	31	31
20-34	50	3.8	12	<1	<1	3	5	7	15	16
35-49	143	5.1	15	1	1	4	7	9	12	18
50-64	334	6.7	44	1	1	5	9	15	17	35
65+	475	8.5	97	1	2	5	11	20	25	49
GRAND TOTAL	**1009**	**7.2**	**66**	**1**	**1**	**5**	**9**	**16**	**21**	**40**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.4	19	<1	<1	2	4	8	10	28
20-34	35	4.1	6	1	1	4	5	8	9	12
35-49	47	5.5	25	1	1	4	8	13	16	22
50-64	63	4.5	20	<1	1	3	6	9	12	23
65+	100	7.0	71	1	1	4	9	16	22	46
B. *Operated*										
0-19 YRS	181	4.1	14	<1	1	3	5	9	12	19
20-34	276	4.7	24	1	1	3	6	10	13	23
35-49	300	4.3	17	1	1	3	5	9	12	20
50-64	421	4.8	29	1	1	3	5	10	14	29
65+	507	4.7	23	1	1	3	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.7	7	<1	<1	2	3	8	9	11
20-34	75	7.2	128	<1	1	3	7	15	22	68
35-49	89	4.6	16	<1	1	4	6	10	14	19
50-64	217	6.7	61	1	1	4	8	14	22	51
65+	566	9.7	124	1	1	6	12	23	30	68
B. *Operated*										
0-19 YRS	61	12.4	251	1	2	7	14	27	44	86
20-34	174	9.5	133	1	2	6	11	20	28	57
35-49	272	8.9	92	2	2	6	10	19	24	51
50-64	568	8.9	108	1	2	6	11	18	26	61
65+	1152	11.3	135	2	2	8	15	25	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	5.2	37	<1	1	3	7	11	16	32
B. *Operated*	1685	4.6	22	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	1011	8.0	98	1	1	5	10	18	27	58
B. *Operated*	2227	10.3	127	1	2	7	13	22	32	61
1. SINGLE DX	1987	4.7	25	1	1	3	6	10	14	24
2. MULTIPLE DX	3238	9.6	119	1	2	6	12	21	30	61
A. NOT OPERATED	1313	7.3	86	1	1	5	9	16	24	53
B. OPERATED	3912	7.8	90	1	2	5	10	18	25	53
TOTAL 0-19 YRS	363	5.1	64	<1	1	3	6	11	15	43
20-34	560	6.5	75	1	1	4	7	14	19	53
35-49	708	6.2	51	1	1	4	8	13	18	34
50-64	1269	7.0	73	1	1	4	9	15	22	48
65+	2325	9.3	112	1	2	6	12	21	30	57
GRAND TOTAL	**5225**	**7.7**	**89**	**1**	**1**	**5**	**10**	**17**	**25**	**53**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	3.3	6	<1	<1	3	5	6	6	6
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	5	3.6	8	<1	<1	3	6	7	7	7
65+	6	5.5	10	3	3	4	7	11	11	11
B. *Operated*										
0-19 YRS	17	3.5	1	1	2	3	4	5	6	6
20-34	105	4.0	1	2	3	4	5	5	6	7
35-49	219	4.3	2	3	3	4	5	6	6	10
50-64	190	4.8	10	3	3	4	5	6	7	23
65+	86	5.1	4	3	3	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	12	1	1	6	8	9	9	9
20-34	7	3.4	11	<1	<1	1	6	9	9	9
35-49	14	4.3	12	1	1	4	5	8	13	14
50-64	22	5.5	9	1	2	5	8	10	10	10
65+	48	9.3	64	1	2	7	12	23	26	34
B. *Operated*										
0-19 YRS	6	5.8	7	2	2	6	7	10	10	10
20-34	30	4.4	2	3	3	4	5	6	7	9
35-49	93	6.4	49	3	3	5	6	10	15	46
50-64	172	6.1	29	3	3	5	6	9	16	27
65+	128	8.9	60	3	4	6	11	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.9	6	<1	<1	3	5	7	9	11
B. *Operated*	617	4.5	5	3	3	4	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	95	7.1	42	1	1	5	9	14	23	32
B. *Operated*	429	6.9	42	3	3	5	7	13	18	35
1. SINGLE DX	637	4.5	5	2	3	4	5	6	7	13
2. MULTIPLE DX	524	6.9	42	2	3	5	7	13	18	33
A. NOT OPERATED	115	6.5	37	<1	1	5	8	12	21	31
B. OPERATED	1046	5.5	21	3	3	4	6	8	12	24
TOTAL 0-19 YRS	29	4.2	5	1	1	4	5	7	9	10
20-34	145	4.1	2	1	3	4	5	6	7	9
35-49	330	4.9	16	3	3	4	5	6	8	17
50-64	389	5.4	19	2	3	5	6	8	11	26
65+	268	7.6	45	3	3	5	9	15	21	34
GRAND TOTAL	**1161**	**5.6**	**23**	**2**	**3**	**4**	**6**	**9**	**13**	**26**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.2	18	1	1	4	8	11	14	18
20-34	54	5.5	17	1	2	4	7	9	15	23
35-49	52	4.9	12	1	2	4	7	10	12	16
50-64	43	6.9	17	2	3	6	9	11	15	24
65+	41	7.8	24	1	2	7	10	14	16	26
B. *Operated*										
0-19 YRS	34	5.9	20	3	3	5	6	10	17	25
20-34	134	5.0	5	3	3	5	5	7	9	17
35-49	100	4.7	7	2	2	4	5	7	9	17
50-64	83	4.8	9	2	3	4	5	6	8	21
65+	24	5.5	30	1	2	4	5	9	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.1	11	1	2	4	7	10	12	12
20-34	75	5.1	13	2	2	5	8	11	13	17
35-49	157	6.9	22	2	3	6	8	13	15	26
50-64	204	9.7	94	2	3	7	12	18	24	81
65+	434	12.8	99	3	4	10	16	25	31	51
B. *Operated*										
0-19 YRS	20	11.4	137	4	4	6	12	25	39	52
20-34	63	7.2	30	3	3	5	9	15	20	28
35-49	72	8.3	42	3	4	6	10	15	21	37
50-64	102	9.7	79	3	4	6	12	22	36	99+
65+	103	17.3	286	3	4	12	23	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	6.0	18	1	2	5	8	11	14	23
B. *Operated*	375	5.0	9	2	3	4	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	903	10.2	81	2	3	8	13	20	27	48
B. *Operated*	360	11.3	140	3	4	6	14	24	37	98
1. SINGLE DX	598	5.4	13	2	2	4	6	9	12	21
2. MULTIPLE DX	1263	10.5	98	2	3	7	13	22	29	64
A. NOT OPERATED	1126	9.4	71	2	3	7	12	18	25	44
B. OPERATED	735	8.1	83	3	3	5	8	17	25	65
TOTAL 0-19 YRS	120	6.4	40	1	2	5	7	12	18	33
20-34	326	5.8	14	2	3	5	6	10	13	21
35-49	381	6.3	22	2	3	5	7	12	14	26
50-64	432	8.5	70	2	3	6	10	17	24	77
65+	602	12.9	129	3	4	10	16	27	35	65
GRAND TOTAL	**1861**	**8.9**	**76**	**2**	**3**	**6**	**11**	**18**	**25**	**52**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	6.0	9	2	3	6	8	10	11	17
20-34	81	6.3	21	1	2	5	8	11	14	27
35-49	87	6.0	11	2	3	5	8	11	12	17
50-64	122	6.5	19	2	3	6	8	10	12	31
65+	119	7.2	18	2	3	6	9	12	14	23
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	10.0	8	8	8	10	12	12	12	12
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	8.8	164	1	1	6	9	15	21	86
20-34	145	6.1	20	1	2	5	7	12	14	24
35-49	302	7.9	28	2	3	7	10	15	19	26
50-64	649	8.6	49	2	3	7	11	15	18	37
65+	1103	10.1	77	3	3	8	12	18	26	59
B. *Operated*										
0-19 YRS	3	48.7	2094	6	6	43	83	97	97	97
20-34	21	12.0	142	1	2	10	15	29	40	49
35-49	42	15.5	185	2	3	12	18	41	53	99+
50-64	107	16.2	185	3	4	11	20	35	42	68
65+	161	19.7	245	3	6	15	25	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	6.4	15	2	3	6	8	11	13	20
B. *Operated*	6	5.2	16	2	2	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2349	9.1	66	2	3	7	11	16	21	52
B. *Operated*	334	17.8	235	2	4	13	23	39	54	99+
1. SINGLE DX	615	6.4	15	2	3	6	8	11	13	20
2. MULTIPLE DX	2683	10.2	96	2	3	8	12	19	27	59
A. NOT OPERATED	2958	8.5	57	2	3	7	10	15	20	43
B. OPERATED	340	17.6	233	2	4	13	23	38	53	99+
TOTAL 0-19 YRS	354	7.6	103	1	2	6	8	11	16	69
20-34	247	6.7	33	1	2	5	8	12	16	32
35-49	432	8.2	46	2	3	7	10	16	20	48
50-64	880	9.3	68	2	3	7	11	16	20	42
65+	1385	11.0	102	2	3	8	13	21	30	71
GRAND TOTAL	**3298**	**9.5**	**83**	**2**	**3**	**7**	**11**	**17**	**25**	**56**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	560	5.0	13	1	1	4	7	10	11	17
20-34	359	5.3	14	1	2	4	7	10	13	18
35-49	128	6.6	19	2	2	6	8	12	14	24
50-64	101	8.1	65	2	2	7	10	14	17	48
65+	73	9.1	27	2	4	8	11	17	20	25
B. *Operated*										
0-19 YRS	9	7.7	16	3	4	6	10	14	16	16
20-34	3	6.0	12	4	4	4	9	10	10	10
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	1	27.0		27	27	27	27	27	27	27
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	5.9	53	1	2	4	7	10	14	34
20-34	519	7.2	46	2	2	6	9	14	17	37
35-49	397	8.6	32	2	3	8	11	16	18	30
50-64	453	11.2	102	3	4	9	13	19	29	73
65+	582	14.3	140	4	5	11	17	25	34	86
B. *Operated*										
0-19 YRS	18	10.4	70	3	4	8	11	24	32	35
20-34	55	14.0	179	3	3	9	18	34	48	61
35-49	63	21.4	394	4	5	16	25	46	76	95
50-64	56	22.5	284	5	7	18	35	55	95	99+
65+	104	27.5	273	9	11	23	35	55	62	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1221	5.8	20	1	2	5	7	11	13	21
B. *Operated*	18	7.9	36	2	3	6	10	14	23	27
2. MULTIPLE DX										
A. *Not Operated*	2365	9.7	88	2	3	8	12	18	25	58
B. *Operated*	296	21.7	299	4	6	17	29	47	62	99+
1. SINGLE DX	1239	5.8	21	1	2	5	7	11	14	21
2. MULTIPLE DX	2661	11.1	126	2	3	8	13	21	32	75
A. NOT OPERATED	3586	8.4	69	2	2	6	10	16	21	40
B. OPERATED	314	20.9	294	4	5	16	28	45	61	99+
TOTAL 0-19 YRS	1001	5.5	31	1	2	4	7	10	13	25
20-34	936	6.9	45	1	2	5	8	13	17	37
35-49	590	9.5	85	2	3	8	11	18	23	49
50-64	611	11.7	125	2	4	9	13	22	35	85
65+	762	15.6	172	4	5	12	19	30	40	87
GRAND TOTAL	**3900**	**9.4**	**98**	**2**	**2**	**7**	**11**	**18**	**26**	**61**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	355	6.5	20	2	3	6	8	11	13	21
20-34	371	6.0	23	2	2	5	8	10	12	21
35-49	520	6.8	18	2	3	6	8	11	13	24
50-64	755	7.2	26	2	3	6	9	12	16	20
65+	672	8.2	39	2	3	7	10	14	17	35
B. *Operated*										
0-19 YRS	4	4.8	18	2	2	3	7	11	11	11
20-34	30	4.3	23	1	1	2	5	9	16	23
35-49	40	5.5	45	1	2	3	5	14	25	28
50-64	111	5.5	66	2	2	3	6	12	18	51
65+	115	6.9	85	2	2	3	8	17	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	6.0	21	1	2	5	8	11	15	21
20-34	847	7.6	44	2	2	6	9	14	17	35
35-49	1895	8.5	43	2	3	7	10	15	20	35
50-64	4795	9.2	44	3	4	8	11	16	20	37
65+	7114	10.9	75	3	4	9	13	20	26	55
B. *Operated*										
0-19 YRS	17	6.9	11	1	2	8	9	10	11	12
20-34	259	15.3	232	2	2	10	20	39	48	69
35-49	640	18.2	249	3	4	14	23	41	56	98
50-64	1309	20.5	312	2	4	16	28	48	68	99+
65+	2685	23.2	357	3	5	18	33	56	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2673	7.1	27	2	3	6	9	12	15	24
B. *Operated*	300	5.9	66	2	2	3	6	14	24	55
2. MULTIPLE DX										
A. *Not Operated*	14926	9.8	60	3	3	8	12	17	23	44
B. *Operated*	5410	21.3	327	3	4	16	29	50	70	99+
1. SINGLE DX	2973	7.0	31	2	2	6	9	12	15	27
2. MULTIPLE DX	20336	12.8	157	3	4	9	15	27	41	88
A. NOT OPERATED	17599	9.4	56	3	3	8	11	17	22	42
B. OPERATED	5710	20.5	325	2	3	15	28	49	70	99+
TOTAL 0-19 YRS	651	6.3	20	1	2	6	8	11	14	21
20-34	1507	8.4	81	2	2	6	10	16	23	50
35-49	3095	10.2	98	2	3	7	12	20	30	61
50-64	7470	11.6	133	2	3	8	14	23	36	77
65+	10586	13.8	175	3	4	10	16	30	44	99+
GRAND TOTAL	**23309**	**12.1**	**145**	**2**	**3**	**8**	**14**	**25**	**38**	**84**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	7	5.4	24	<1	<1	4	7	13	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	4	<1	1	2	5	6	7	9
20-34	133	3.1	6	<1	<1	2	5	6	7	13
35-49	12	5.3	43	1	1	2	7	14	23	24
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	<1	<1	1	4	7	7	7
20-34	7	4.7	17	1	1	3	7	11	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	24	3.9	8	<1	1	3	6	8	10	11
20-34	213	4.2	9	1	1	4	6	8	8	14
35-49	29	4.2	7	1	1	4	6	8	8	10
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	16	<1	<1	4	6	10	15	15
B. *Operated*	173	3.2	9	<1	1	2	5	7	7	15
2. MULTIPLE DX										
A. *Not Operated*	13	4.0	11	<1	1	3	7	8	11	12
B. *Operated*	270	4.2	9	1	1	4	6	8	8	13
1. SINGLE DX	184	3.3	9	<1	1	2	5	7	8	15
2. MULTIPLE DX	283	4.2	9	1	1	4	6	8	9	13
A. NOT OPERATED	24	4.3	13	<1	1	3	7	8	13	15
B. OPERATED	443	3.8	9	<1	1	3	6	7	8	13
TOTAL 0-19 YRS	57	3.3	6	<1	1	2	5	6	8	11
20-34	360	3.8	9	<1	1	3	6	7	8	15
35-49	43	4.5	17	1	1	4	7	8	10	24
50-64	4	5.8	7	2	2	6	7	8	8	8
65+	3	5.3	17	2	2	4	8	10	10	10
GRAND TOTAL	**467**	**3.8**	**9**	**<1**	**1**	**3**	**6**	**7**	**8**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.2	9	<1	<1	2	5	8	9	13
20-34	107	4.5	14	1	1	3	6	9	12	20
35-49	74	4.4	13	1	1	4	5	9	12	18
50-64	55	4.6	24	1	1	3	6	11	17	96
65+	92	5.1	16	1	2	4	6	11	15	18
B. *Operated*										
0-19 YRS	12	5.4	12	1	2	5	9	10	10	10
20-34	17	3.8	10	<1	<1	4	6	9	10	11
35-49	29	8.0	77	1	2	5	8	18	20	46
50-64	31	6.1	18	2	2	5	7	10	12	24
65+	15	7.2	19	2	2	5	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	4.5	44	1	1	2	5	9	14	29
20-34	321	5.9	44	1	1	4	7	11	17	38
35-49	339	6.0	25	1	1	5	8	11	14	30
50-64	575	7.2	47	1	2	5	9	15	20	31
65+	1245	9.3	83	2	2	7	11	18	26	55
B. *Operated*										
0-19 YRS	20	7.7	22	2	2	9	11	17	55	99+
20-34	53	8.9	61	<1	1	7	13	18	28	32
35-49	63	10.3	139	2	4	7	12	18	23	81
50-64	116	13.9	170	3	4	11	18	27	35	95
65+	163	21.4	368	4	5	16	28	50	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	4.2	14	1	1	3	5	9	12	18
B. *Operated*	104	6.4	33	1	2	5	8	12	16	34
2. MULTIPLE DX										
A. *Not Operated*	2684	7.7	63	1	2	6	9	16	21	45
B. *Operated*	415	15.4	248	2	4	10	19	33	51	99+
1. SINGLE DX	570	4.6	18	1	1	3	6	10	13	19
2. MULTIPLE DX	3099	8.7	95	1	2	6	10	18	26	59
A. NOT OPERATED	3150	7.1	57	1	1	5	9	15	20	43
B. OPERATED	519	13.6	218	2	3	9	17	30	44	99+
TOTAL 0-19 YRS	374	4.2	30	<1	1	2	5	9	12	25
20-34	498	5.9	39	1	1	4	7	12	17	33
35-49	505	6.4	42	1	1	5	8	13	16	35
50-64	777	8.0	69	1	2	5	10	18	23	43
65+	1515	10.3	125	2	2	7	12	21	31	73
GRAND TOTAL	**3669**	**8.1**	**85**	**1**	**1**	**5**	**10**	**17**	**23**	**56**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	6.2	30	1	1	4	7	17	18	18
20-34	1	35.0		35	35	35	35	35	35	35
35-49										
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	9	10.0	57	2	3	8	12	23	26	26
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	11.0		11	11	11	11	11	11	11
65+	4	3.0	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	11.9	145	3	4	9	14	25	57	99+
20-34	27	8.7	59	1	4	7	8	14	28	39
35-49	23	16.7	412	4	5	10	14	36	74	87
50-64	72	12.3	94	3	4	10	16	24	35	90
65+	332	14.0	155	4	5	11	17	29	48	99+
B. *Operated*										
0-19 YRS	5	23.8	619	4	4	26	57	96	99+	99+
20-34	7	19.3	870	6	6	8	11	71	86	86
35-49	15	14.5	272	1	2	10	17	47	55	58
50-64	30	19.1	118	2	3	20	26	32	33	48
65+	117	21.6	353	4	5	16	29	59	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	8.3	63	1	2	5	10	18	26	35
B. *Operated*	11	4.4	7	1	1	4	6	8	11	11
2. MULTIPLE DX										
A. *Not Operated*	490	13.4	153	3	5	10	16	27	47	99+
B. *Operated*	174	20.5	328	3	5	15	29	56	67	99+
1. SINGLE DX	40	7.3	51	1	2	5	8	17	22	35
2. MULTIPLE DX	664	15.3	208	3	5	11	19	33	58	99+
A. NOT OPERATED	519	13.1	149	3	4	10	16	26	45	99+
B. OPERATED	185	19.5	323	3	4	13	27	55	67	99+
TOTAL 0-19 YRS	60	11.1	159	2	3	7	14	31	57	99+
20-34	38	10.9	220	2	4	7	9	22	37	86
35-49	39	15.5	343	2	4	10	14	39	63	87
50-64	105	14.1	108	2	4	11	19	27	34	75
65+	462	15.8	214	3	5	11	19	35	59	99+
GRAND TOTAL	**704**	**14.8**	**202**	**3**	**4**	**10**	**18**	**32**	**57**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	13.0	46	3	6	12	15	22	26	36
20-34	73	12.2	33	3	3	12	16	20	22	23
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	8	25.8	426	4	6	17	39	58	66	66
20-34	3	25.0	832	1	1	17	47	57	57	57
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	12.7	65	2	3	12	16	23	28	38
20-34	124	14.3	46	5	8	13	16	24	27	41
35-49	13	11.6	22	3	6	12	14	17	20	21
50-64										
65+										
B. *Operated*										
0-19 YRS	24	26.9	485	1	2	23	44	56	94	99+
20-34	26	20.5	158	6	8	16	26	39	49	55
35-49	3	7.0	108	1	1	1	15	19	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	12.8	42	3	5	12	15	21	24	35
B. *Operated*	12	23.7	465	1	2	16	39	60	65	66
2. MULTIPLE DX										
A. *Not Operated*	398	13.2	58	2	4	13	16	23	27	39
B. *Operated*	5[illegible]	22.6	319	1	4	19	32	50	56	99+
1. SINGLE DX	281	13.2	63	3	4	12	15	22	26	39
2. MULTIPLE DX	451	14.3	98	2	4	13	17	25	32	56
A. NOT OPERATED	667	13.0	52	3	4	12	16	22	26	37
B. OPERATED	65	22.8	340	1	3	18	35	54	59	99
TOTAL 0-19 YRS	488	13.8	94	2	4	12	16	24	32	56
20-34	226	14.5	68	3	6	13	17	24	27	49
35-49	18	10.3	34	1	1	11	14	18	20	21
50-64										
65+										
GRAND TOTAL	**732**	**13.9**	**85**	**3**	**4**	**13**	**16**	**24**	**31**	**55**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	19.0	543	2	2	11	25	60	60	60
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	3.5	5	<1	<1	3	5	7	7	7
50-64	3	7.3	46	2	2	5	12	15	15	15
65+										
B. *Operated*										
0-19 YRS	5	9.0	2	8	8	9	10	11	11	11
20-34	102	8.2	12	5	6	8	8	11	12	27
35-49	90	8.7	11	6	6	8	9	11	14	26
50-64	12	8.7	9	5	5	8	11	12	13	13
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	37.1	946	2	3	39	79	99+	99+	99+
20-34	28	5.3	25	1	1	4	7	14	17	19
35-49	36	7.0	53	<1	1	5	8	15	25	35
50-64	23	7.3	40	1	2	8	10	30	99+	99+
65+	13	8.1	19	2	4	6	10	16	16	16
B. *Operated*										
0-19 YRS	4	8.3	5	5	5	9	10	10	10	10
20-34	112	9.7	51	5	6	8	10	13	23	47
35-49	177	10.4	38	6	6	9	11	16	20	42
50-64	49	13.3	109	7	7	9	13	26	41	51
65+	3	12.3	57	7	7	9	18	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.6	195	<1	1	4	9	15	44	60
B. *Operated*	210	8.4	11	5	6	8	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	114	10.5	242	1	1	6	11	38	86	99+
B. *Operated*	345	10.6	53	5	6	9	10	16	24	48
1. SINGLE DX	227	8.4	24	5	6	8	9	11	13	33
2. MULTIPLE DX	459	10.6	99	2	4	8	11	18	35	99
A. NOT OPERATED	131	10.2	235	1	1	6	10	37	72	99+
B. OPERATED	555	9.8	38	5	6	8	10	14	18	44
TOTAL 0-19 YRS	28	24.8	709	2	4	11	58	98	99+	99+
20-34	243	8.5	33	3	5	8	9	12	16	39
35-49	311	9.4	33	3	5	8	10	15	18	37
50-64	87	10.9	81	2	3	9	12	24	41	99+
65+	17	8.6	26	2	4	7	10	16	19	21
GRAND TOTAL	**686**	**9.9**	**75**	**3**	**5**	**8**	**10**	**15**	**25**	**71**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	2.4	6	<1	<1	1	3	6	7	11
20-34	77	3.0	11	<1	<1	1	5	7	9	17
35-49	39	9.9	145	<1	<1	5	12	25	42	50
50-64	27	6.0	42	1	1	4	7	18	23	26
65+	24	6.8	36	1	1	4	9	16	22	22
B. *Operated*										
0-19 YRS	50	5.2	22	1	2	4	7	11	13	25
20-34	75	4.1	18	<1	1	3	4	9	16	19
35-49	97	4.9	113	<1	1	2	5	9	12	70
50-64	52	3.9	21	1	1	3	4	9	10	24
65+	25	8.6	81	1	1	7	12	19	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	4.3	18	<1	<1	3	6	9	14	20
20-34	148	9.0	102	1	1	6	11	21	30	44
35-49	177	9.9	131	1	2	7	12	19	31	61
50-64	188	9.6	78	2	3	7	11	18	28	47
65+	275	11.0	106	2	3	8	13	21	31	56
B. *Operated*										
0-19 YRS	47	10.8	144	1	2	8	16	53	99+	99+
20-34	130	18.2	241	2	3	14	30	48	99+	99+
35-49	198	14.6	229	1	2	9	22	34	42	87
50-64	139	12.2	177	1	2	7	15	33	44	57
65+	156	15.6	173	2	3	12	22	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.9	32	<1	<1	2	5	9	13	27
B. *Operated*	299	4.9	56	<1	1	3	5	10	16	33
2. MULTIPLE DX										
A. *Not Operated*	971	9.0	93	<1	1	6	11	18	28	52
B. *Operated*	670	14.7	205	1	2	10	22	37	53	99+
1. SINGLE DX	661	4.4	43	<1	<1	2	5	10	15	27
2. MULTIPLE DX	1641	11.3	147	1	2	8	14	27	39	89
A. NOT OPERATED	1333	7.6	81	<1	1	5	9	16	23	50
B. OPERATED	969	11.7	180	1	1	7	17	31	45	99+
TOTAL 0-19 YRS	475	4.3	31	<1	<1	2	6	10	15	54
20-34	430	9.8	148	<1	<1	5	13	30	41	99+
35-49	511	10.8	178	1	1	6	13	26	37	75
50-64	406	9.5	109	1	2	6	11	22	32	55
65+	480	12.1	129	2	3	9	16	25	35	79
GRAND TOTAL	**2302**	**9.3**	**127**	**<1**	**1**	**6**	**11**	**23**	**35**	**72**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49	25	4.2	7	1	1	4	5	8	9	11
50-64	39	4.8	11	2	2	4	6	8	12	19
65+	61	4.5	7	2	2	4	6	9	10	11
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	13	3.4	4	1	1	3	6	6	6	6
65+	10	6.8	29	<1	1	5	11	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	21	5	5	8	12	14	14	14
20-34	16	6.2	33	1	1	4	8	16	19	20
35-49	55	5.3	9	2	2	5	7	10	12	13
50-64	137	7.3	36	2	3	5	8	14	20	35
65+	374	8.1	42	2	3	7	10	14	20	33
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	15	7.0	70	1	1	4	8	12	29	35
50-64	45	12.2	154	2	2	9	17	24	35	71
65+	66	14.8	257	2	2	9	17	32	55	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.5	8	1	2	4	6	8	10	15
B. *Operated*	23	4.9	17	<1	1	3	6	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	585	7.6	38	2	3	6	9	14	19	32
B. *Operated*	128	12.8	200	2	2	8	15	30	38	72
1. SINGLE DX	155	4.5	9	1	2	4	6	9	11	17
2. MULTIPLE DX	713	8.5	71	2	2	6	10	16	22	44
A. NOT OPERATED	717	7.0	33	2	2	5	9	13	17	28
B. OPERATED	151	11.6	180	2	2	8	14	26	37	71
TOTAL 0-19 YRS	4	7.0	30	1	1	6	11	14	14	14
20-34	24	5.1	24	1	2	3	7	12	18	20
35-49	95	5.3	18	1	2	4	7	9	12	25
50-64	234	7.6	58	2	2	5	8	16	22	36
65+	511	8.5	72	2	2	6	10	15	22	48
GRAND TOTAL	**868**	**7.8**	**62**	**2**	**2**	**6**	**9**	**14**	**21**	**37**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.3	8	1	1	2	5	6	9	14
20-34	17	2.4	5	<1	1	2	3	5	8	10
35-49	28	4.8	25	1	1	3	5	11	14	25
50-64	42	4.5	20	1	1	3	5	10	13	22
65+	107	6.6	35	1	2	5	8	13	15	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	426	3.8	10	1	1	3	4	7	10	17
20-34	304	4.5	35	1	1	3	5	8	11	18
35-49	336	5.8	32	1	2	4	7	11	14	29
50-64	730	7.1	42	2	2	5	8	14	20	37
65+	3893	10.6	99	2	3	8	13	21	29	73
B. *Operated*										
0-19 YRS	11	16.4	363	3	3	14	46	99+	99+	99+
20-34	12	7.8	27	2	3	6	11	17	18	18
35-49	27	9.0	30	2	2	8	13	18	18	19
50-64	97	15.5	235	1	2	12	21	33	44	81
65+	369	22.0	331	4	6	17	30	56	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	5.0	25	1	1	3	6	10	14	25
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	5689	9.1	84	2	2	7	11	18	25	58
B. *Operated*	516	19.6	306	3	4	15	27	48	79	99+
1. SINGLE DX	258	5.0	25	1	1	3	6	10	14	25
2. MULTIPLE DX	6205	9.9	111	2	2	7	12	21	30	80
A. NOT OPERATED	5946	8.9	82	2	2	6	11	18	25	56
B. OPERATED	517	19.6	305	3	4	15	27	48	78	99+
TOTAL 0-19 YRS	500	4.0	20	1	1	3	5	7	11	25
20-34	333	4.5	34	1	1	3	5	8	11	18
35-49	391	5.9	32	1	2	4	7	12	17	28
50-64	870	7.9	70	2	2	5	9	17	23	47
65+	4369	11.5	128	2	3	8	14	24	35	92
GRAND TOTAL	**6463**	**9.7**	**108**	**2**	**2**	**7**	**12**	**21**	**29**	**79**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.4	12	<1	1	3	6	9	13	15
20-34	12	3.9	6	1	1	4	6	7	8	8
35-49	31	4.4	11	1	1	3	7	9	11	12
50-64	32	6.0	22	1	2	5	7	10	18	22
65+	89	5.6	42	1	1	4	7	11	17	37
B. *Operated*										
0-19 YRS	4	5.3	26	1	1	5	9	11	11	11
20-34	3	6.7	6	4	4	7	8	9	9	9
35-49	17	5.3	8	1	2	4	8	9	9	9
50-64	12	6.8	29	2	2	6	8	14	21	22
65+	23	7.8	15	3	3	7	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.4	22	1	2	4	7	11	14	28
20-34	67	6.2	35	1	1	5	7	11	15	39
35-49	148	6.1	20	1	2	5	8	11	14	21
50-64	261	6.9	33	1	2	6	9	13	16	23
65+	1510	8.8	70	1	2	7	11	17	22	56
B. *Operated*										
0-19 YRS	18	7.0	18	2	2	6	9	14	16	17
20-34	23	11.0	54	2	4	8	16	22	26	29
35-49	103	9.6	90	2	3	8	12	18	20	95
50-64	147	11.1	90	2	3	9	14	21	28	41
65+	623	13.6	120	4	5	11	16	24	33	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.2	27	1	1	4	7	10	14	28
B. *Operated*	59	6.6	16	1	2	7	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	2045	8.2	60	1	2	6	10	16	21	45
B. *Operated*	914	12.5	110	3	4	10	15	22	31	80
1. SINGLE DX	257	5.5	25	1	1	4	7	10	13	27
2. MULTIPLE DX	2959	9.5	80	2	2	8	12	18	24	54
A. NOT OPERATED	2243	7.9	58	1	2	6	10	15	21	43
B. OPERATED	973	12.2	107	3	4	10	15	22	29	78
TOTAL 0-19 YRS	115	5.4	19	1	1	4	7	11	14	21
20-34	105	7.0	40	1	1	6	8	15	20	35
35-49	299	7.1	46	1	2	6	9	12	18	29
50-64	452	8.2	54	2	2	7	10	15	21	37
65+	2245	10.0	87	2	2	8	12	19	26	57
GRAND TOTAL	**3216**	**9.2**	**76**	**1**	**2**	**7**	**11**	**18**	**23**	**51**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	4.7	13	1	1	4	6	9	10	16
20-34	404	6.6	25	1	2	6	8	11	14	29
35-49	115	7.6	27	1	2	7	9	13	17	28
50-64	8	9.1	44	4	4	6	13	20	21	21
65+										
B. *Operated*										
0-19 YRS	4	7.8	20	4	4	6	11	14	14	14
20-34	6	11.3	21	5	5	12	15	17	17	17
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	6.5	25	1	2	5	8	12	15	29
20-34	424	9.6	60	3	4	8	11	18	24	37
35-49	157	10.5	96	2	4	8	13	19	24	55
50-64	30	9.6	26	2	3	8	14	18	18	19
65+	5	8.4	8	6	6	8	10	13	13	13
B. *Operated*										
0-19 YRS	9	10.2	46	2	3	8	14	21	23	23
20-34	27	13.8	82	2	3	13	23	28	35	99+
35-49	26	17.7	351	3	3	12	22	37	49	94
50-64	3	7.3	85	2	2	2	14	18	18	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	6.0	22	1	2	5	8	11	14	27
B. *Operated*	12	8.6	28	2	2	7	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	916	8.8	56	2	3	7	11	17	22	34
B. *Operated*	65	14.6	188	2	3	11	21	28	38	99
1. SINGLE DX	891	6.0	22	1	2	5	8	11	14	26
2. MULTIPLE DX	981	9.1	66	2	3	7	11	18	24	38
A. NOT OPERATED	1795	7.4	41	1	2	6	9	14	18	31
B. OPERATED	77	13.6	167	2	3	11	18	28	36	98
TOTAL 0-19 YRS	665	5.6	20	1	2	5	7	10	13	25
20-34	861	8.3	47	2	3	7	10	15	23	34
35-49	300	10.0	98	2	3	8	12	19	24	48
50-64	41	9.3	31	2	3	8	14	18	19	21
65+	5	8.4	8	6	6	8	10	13	13	13
GRAND TOTAL	**1872**	**7.7**	**48**	**1**	**2**	**6**	**9**	**15**	**20**	**32**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	1.9	10	<1	<1	1	2	4	5	14
20-34	79	2.8	8	<1	<1	2	3	6	9	15
35-49	49	5.3	48	1	1	3	7	11	15	44
50-64	78	4.6	20	<1	<1	3	6	12	14	19
65+	345	4.2	26	<1	1	3	5	9	14	20
B. *Operated*										
0-19 YRS	35	6.0	30	<1	1	5	7	12	18	28
20-34	15	9.3	22	2	4	8	14	15	16	16
35-49	24	8.8	25	3	4	8	11	14	18	26
50-64	35	8.2	29	2	3	7	10	15	17	28
65+	76	9.7	53	2	3	8	12	17	22	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	3.8	49	<1	<1	1	5	8	15	25
20-34	158	6.0	47	<1	<1	4	8	13	18	38
35-49	222	5.5	26	1	1	4	8	11	16	22
50-64	663	6.7	57	1	1	5	9	15	19	38
65+	2941	7.9	76	1	1	5	10	17	23	51
B. *Operated*										
0-19 YRS	39	20.2	542	3	4	11	22	51	84	97
20-34	51	10.9	120	2	3	9	13	20	37	99
35-49	105	11.9	78	3	4	9	16	24	29	48
50-64	271	12.3	83	2	4	10	15	23	35	90
65+	1081	16.4	210	4	5	12	20	34	53	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	3.3	20	<1	<1	2	4	8	11	18
B. *Operated*	185	8.6	39	2	3	7	11	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	4322	7.2	69	<1	1	5	9	16	21	41
B. *Operated*	1547	15.3	188	3	4	12	19	31	47	96
1. SINGLE DX	1064	4.2	27	<1	<1	2	5	10	14	23
2. MULTIPLE DX	5869	9.4	113	1	1	6	12	20	29	67
A. NOT OPERATED	5201	6.6	63	<1	1	4	8	15	20	39
B. OPERATED	1732	14.6	177	3	4	11	18	29	44	94
TOTAL 0-19 YRS	740	3.9	72	<1	<1	1	4	8	15	45
20-34	303	6.1	54	<1	<1	4	8	14	17	42
35-49	400	7.4	50	1	1	5	10	16	20	35
50-64	1047	8.0	67	1	1	6	11	17	23	41
65+	4443	9.7	120	1	1	7	13	21	29	67
GRAND TOTAL	**6933**	**8.6**	**103**	**<1**	**1**	**6**	**11**	**19**	**26**	**60**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	4	<1	1	2	3	7	7	7
20-34	6	3.3	19	1	1	2	3	11	12	12
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.1	31	1	1	4	7	10	12	36
20-34	17	8.2	46	3	3	6	9	17	24	28
35-49	13	8.0	96	<1	1	4	7	27	32	33
50-64	14	7.5	35	1	3	6	8	15	23	25
65+	2	12.0	162	3	3	12	21	21	21	21
B. *Operated*										
0-19 YRS	4	12.3	21	6	6	13	15	17	17	17
20-34	5	10.4	164	2	2	5	14	33	33	33
35-49	3	18.3	137	5	5	23	26	27	27	27
50-64	2	18.5	221	8	8	18	29	29	29	29
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.7	7	<1	<1	2	3	7	9	12
B. *Operated*	2	27.0	98	20	20	27	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	119	6.2	42	1	1	4	7	12	19	36
B. *Operated*	14	13.8	107	2	4	10	23	29	32	33
1. SINGLE DX	26	4.6	54	<1	<1	2	3	12	23	34
2. MULTIPLE DX	133	7.0	54	1	1	5	8	15	25	35
A. NOT OPERATED	143	5.6	38	1	1	4	7	12	17	34
B. OPERATED	16	15.4	119	3	4	13	25	33	34	34
TOTAL 0-19 YRS	91	5.0	29	1	1	3	7	11	13	32
20-34	28	7.5	61	1	1	5	8	17	28	33
35-49	21	8.9	102	<1	<1	5	13	26	30	33
50-64	16	8.9	59	1	3	6	9	24	28	29
65+	3	19.3	242	3	3	21	31	34	34	34
GRAND TOTAL	**159**	**6.6**	**54**	**1**	**1**	**4**	**7**	**14**	**25**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	3.8	15	<1	1	3	5	7	10	16
20-34	42	5.0	16	1	1	4	6	9	14	22
35-49	41	5.1	12	<1	<1	4	8	10	12	13
50-64	33	5.0	15	1	1	4	7	9	12	19
65+	70	5.6	43	1	1	3	7	13	16	38
B. *Operated*										
0-19 YRS	103	5.0	11	1	2	5	6	8	10	20
20-34	78	8.1	30	2	3	7	9	13	22	29
35-49	59	6.0	19	2	3	8	10	12	17	25
50-64	39	11.2	88	3	3	8	13	29	34	38
65+	51	8.4	32	2	3	7	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.9	16	<1	1	4	7	10	12	21
20-34	134	6.1	35	1	2	5	8	10	13	41
35-49	162	7.2	55	1	2	5	9	12	16	51
50-64	340	8.1	61	1	2	6	10	16	22	45
65+	751	8.6	82	1	2	6	11	18	25	52
B. *Operated*										
0-19 YRS	81	9.8	135	<1	2	6	11	27	38	99+
20-34	128	10.8	80	2	3	8	13	22	30	45
35-49	130	10.6	59	2	3	9	13	18	22	49
50-64	234	13.7	162	3	4	10	17	28	46	99+
65+	478	15.9	169	4	5	12	20	34	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	4.4	20	<1	1	3	5	9	11	21
B. *Operated*	330	7.5	33	2	2	6	9	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	1694	7.5	61	1	1	5	9	15	21	46
B. *Operated*	1051	13.7	145	3	4	10	16	28	40	76
1. SINGLE DX	748	5.8	28	1	1	5	8	11	15	30
2. MULTIPLE DX	2745	9.9	103	1	2	7	12	21	29	57
A. NOT OPERATED	2112	6.9	55	1	1	5	9	14	19	44
B. OPERATED	1381	12.2	125	2	3	9	15	25	36	64
TOTAL 0-19 YRS	723	5.1	31	<1	1	4	6	10	13	34
20-34	382	8.0	52	1	2	6	9	15	22	40
35-49	392	8.2	49	2	2	7	10	14	19	47
50-64	646	10.2	105	1	2	7	12	21	29	62
65+	1350	11.0	122	1	2	8	14	23	34	62
GRAND TOTAL	**3493**	**9.0**	**89**	**1**	**2**	**6**	**11**	**19**	**27**	**54**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	749	2.2	2	1	1	2	3	4	5	7
20-34	156	2.3	2	1	1	2	3	4	5	6
35-49	37	3.1	5	1	1	2	4	6	7	11
50-64	6	4.0	15	1	1	2	6	10	11	11
65+	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	270	4.0	3	2	2	4	5	6	7	10
20-34	83	4.3	4	2	2	4	5	6	8	13
35-49	9	4.7	1	3	3	5	5	5	5	5
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	399	2.6	2	1	1	2	3	5	6	8
20-34	88	2.8	3	1	1	2	4	5	7	8
35-49	16	3.5	9	1	1	3	4	7	11	13
50-64	8	3.6	5	2	2	3	5	7	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	108	5.2	8	2	3	5	6	8	11	17
20-34	46	6.1	13	2	3	5	7	11	14	20
35-49	9	5.0	3	3	3	4	7	7	7	7
50-64	2	11.5	41	7	7	11	16	16	16	16
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	950	2.2	2	1	1	2	3	4	5	7
B. Operated	364	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	512	2.7	3	1	1	2	3	5	6	8
B. Operated	166	5.5	10	2	3	5	6	9	13	17
1. SINGLE DX	1314	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	678	3.4	6	1	1	3	4	6	7	14
A. NOT OPERATED	1462	2.4	2	1	1	2	3	4	5	8
B. OPERATED	530	4.6	6	2	3	4	5	7	9	16
TOTAL 0-19 YRS	1526	2.8	3	1	1	2	4	5	6	9
20-34	373	3.3	6	1	1	3	4	6	7	14
35-49	71	3.6	5	1	1	3	5	6	7	13
50-64	18	5.1	16	1	1	4	7	10	14	16
65+	4	2.3	4	1	1	2	3	5	5	5
GRAND TOTAL	**1992**	**3.0**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	4.9	9	1	2	4	6	9	11	13
20-34	19	4.2	5	<1	1	4	4	8	9	10
35-49	9	4.1	8	1	1	4	6	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	98	3.0	7	<1	<1	2	3	8	9	12
20-34	99	2.8	5	<1	<1	2	4	6	7	12
35-49	48	3.0	5	<1	<1	2	4	6	9	11
50-64	30	3.1	3	<1	1	3	4	6	7	7
65+	14	2.2	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	5.0	12	1	2	4	6	9	11	19
20-34	12	4.3	7	1	1	4	6	8	9	9
35-49	11	4.9	9	<1	1	4	7	9	11	11
50-64	9	5.7	18	<1	1	5	6	12	16	16
65+	8	8.9	65	1	2	5	15	21	22	22
B. Operated										
0-19 YRS	43	6.1	35	<1	1	5	8	12	17	31
20-34	45	5.4	21	<1	1	4	8	12	16	17
35-49	37	6.4	34	1	2	5	8	15	21	24
50-64	35	6.1	32	<1	1	3	9	14	16	25
65+	51	7.1	44	1	1	6	9	14	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	4.8	9	1	2	4	6	9	11	13
B. Operated	289	2.9	6	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. Not Operated	170	5.2	14	1	2	4	6	10	12	22
B. Operated	211	6.2	33	1	1	4	8	14	17	27
1. SINGLE DX	488	3.7	8	<1	1	3	5	8	9	12
2. MULTIPLE DX	381	5.8	25	1	1	4	7	12	16	26
A. NOT OPERATED	369	5.0	11	1	2	4	6	9	11	20
B. OPERATED	500	4.3	20	<1	<1	3	6	10	13	24
TOTAL 0-19 YRS	440	4.6	13	1	1	4	6	9	11	18
20-34	175	3.7	10	<1	<1	2	4	8	11	17
35-49	105	4.5	18	<1	1	3	5	10	11	22
50-64	75	4.8	20	<1	1	3	6	11	15	23
65+	74	6.3	41	<1	1	4	8	14	23	27
GRAND TOTAL	**869**	**4.6**	**16**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	72	<1	<1	2	15	19	19	19
20-34	26	17.8	364	1	2	11	29	57	80	99+
35-49	9	19.3	104	2	4	21	27	31	31	31
50-64	14	16.6	363	1	1	13	19	51	60	63
65+	27	11.8	96	1	2	8	17	30	32	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.4	188	1	2	5	19	36	40	40
20-34	37	26.8	600	2	3	21	41	82	99	99+
35-49	36	14.7	132	2	3	14	22	34	42	99+
50-64	59	14.9	237	2	3	8	22	38	57	97
65+	191	15.8	235	3	4	11	20	34	47	90
B. *Operated*										
0-19 YRS										
20-34	5	32.6	303	7	7	43	45	47	47	47
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	8	26.3	527	4	4	17	48	59	62	62
65+	12	29.1	599	2	3	20	45	72	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	15.1	230	1	2	12	23	32	54	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	332	16.6	273	2	3	11	22	40	59	99+
B. *Operated*	27	27.1	486	3	4	19	45	60	72	73
1. SINGLE DX	81	15.1	230	1	2	12	23	32	54	92
2. MULTIPLE DX	359	17.4	296	2	4	12	23	44	61	99+
A. NOT OPERATED	413	16.3	265	2	3	11	23	38	59	99+
B. OPERATED	27	27.1	486	3	4	19	45	60	72	73
TOTAL 0-19 YRS	14	10.6	144	<1	1	5	15	31	38	40
20-34	68	23.8	501	2	2	19	39	75	97	99+
35-49	47	15.2	126	2	3	14	24	32	39	99+
50-64	81	16.3	288	2	3	9	24	48	60	90
65+	230	16.0	246	2	3	11	21	34	47	87
GRAND TOTAL	**440**	**17.0**	**284**	**2**	**3**	**12**	**23**	**43**	**61**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.4	8	1	1	2	2	4	7	16
20-34	108	6.5	135	<1	1	3	6	13	21	70
35-49	48	8.9	126	1	2	5	10	22	30	59
50-64	59	12.6	226	2	2	6	17	27	40	80
65+	391	16.8	281	2	3	11	22	43	57	99+
B. *Operated*										
0-19 YRS										
20-34	7	4.9	14	1	1	3	7	11	12	12
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	8.6	43	4	4	6	11	20	20	20
65+	6	17.3	449	4	4	9	15	55	60	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	6.7	77	1	1	4	7	16	25	58
20-34	515	8.9	85	2	2	6	10	18	26	53
35-49	294	9.8	88	2	3	7	11	19	27	55
50-64	306	12.2	114	2	3	8	15	26	37	79
65+	2390	17.8	313	3	4	12	25	53	94	99+
B. *Operated*										
0-19 YRS	7	29.1	812	1	1	29	57	67	68	68
20-34	15	19.5	553	<1	1	14	26	82	95	99+
35-49	10	48.5	845	13	14	46	83	86	88	88
50-64	28	17.1	303	2	3	14	32	99+	99+	99+
65+	232	28.6	583	5	7	24	54	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	11.9	229	1	1	6	16	31	47	92
B. *Operated*	19	10.0	168	1	2	7	9	18	42	60
2. MULTIPLE DX										
A. *Not Operated*	3671	14.9	252	2	3	10	19	41	71	99+
B. *Operated*	292	27.7	590	3	6	23	53	99+	99+	99+
1. SINGLE DX	757	11.8	228	1	1	6	15	31	47	92
2. MULTIPLE DX	3963	15.9	288	2	3	10	21	46	84	99+
A. NOT OPERATED	4409	14.4	249	2	3	9	19	39	64	99+
B. OPERATED	311	26.6	581	3	5	21	51	99+	99+	99+
TOTAL 0-19 YRS	305	5.4	79	1	1	2	5	11	21	62
20-34	645	8.7	107	1	2	6	10	18	27	60
35-49	353	10.8	153	2	3	7	11	21	33	77
50-64	398	12.5	143	2	3	8	17	28	41	99+
65+	3019	18.5	338	3	4	13	26	56	98	99+
GRAND TOTAL	**4720**	**15.2**	**280**	**2**	**3**	**10**	**20**	**43**	**76**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	20.0	242	9	9	20	31	31	31	31
65+	33	19.5	394	2	2	16	26	45	49	97
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	26.0	162	17	17	26	35	35	35	35
50-64	12	22.0	349	2	3	17	34	48	63	66
65+	200	18.9	297	4	4	14	27	55	82	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	33.0		33	33	33	33	33	33	33
65+	18	40.6	1013	8	10	48	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	19.2	372	2	2	16	27	45	49	97
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	214	19.1	297	4	4	14	28	54	78	99+
B. *Operated*	19	40.2	959	8	10	40	90	99+	99+	99+
1. SINGLE DX	37	19.0	363	2	2	16	26	44	48	97
2. MULTIPLE DX	233	20.8	381	4	4	15	30	64	98	99+
A. NOT OPERATED	250	19.1	307	3	4	14	27	51	76	99+
B. OPERATED	20	38.8	946	8	10	33	86	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	19.3	214	6	6	17	30	35	35	35
50-64	15	22.5	300	2	4	17	34	41	60	66
65+	252	20.5	386	3	4	14	29	60	97	99+
GRAND TOTAL	**270**	**20.6**	**377**	**3**	**4**	**15**	**30**	**59**	**97**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	6	1	1	4	5	8	8	8
20-34	260	4.7	11	1	2	5	5	5	6	13
35-49	415	5.2	13	2	3	5	5	6	7	18
50-64	175	5.9	39	2	3	5	5	7	12	41
65+	29	6.8	18	1	2	6	8	13	21	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.8	13	1	4	5	6	8	15	18
20-34	792	5.5	11	2	3	5	6	8	10	24
35-49	1502	6.3	30	2	3	5	6	9	14	27
50-64	864	7.8	52	3	3	6	8	14	22	52
65+	270	12.0	177	3	4	7	14	25	43	93
B. *Operated*										
0-19 YRS										
20-34	16	8.8	22	3	5	8	10	16	19	21
35-49	29	14.0	334	4	5	9	14	20	53	97
50-64	37	14.2	190	4	4	12	18	28	94	99+
65+	24	26.9	479	6	8	19	39	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	5.2	18	2	3	5	5	6	8	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3445	7.0	45	2	3	5	7	11	17	38
B. *Operated*	106	16.2	299	4	5	12	18	45	89	99+
1. SINGLE DX	889	5.2	18	2	3	5	5	6	8	22
2. MULTIPLE DX	3551	7.2	55	2	3	5	7	12	19	50
A. NOT OPERATED	4334	6.6	40	2	3	5	6	10	16	35
B. OPERATED	106	16.2	299	4	5	12	18	45	89	99+
TOTAL 0-19 YRS	27	5.2	10	1	2	5	6	8	10	18
20-34	1068	5.4	11	2	3	5	6	8	9	23
35-49	1946	6.2	32	2	3	5	6	9	13	26
50-64	1076	7.7	56	2	3	5	8	14	22	54
65+	323	12.6	203	3	4	8	15	28	52	99+
GRAND TOTAL	**4440**	**6.8**	**48**	**2**	**3**	**5**	**7**	**11**	**17**	**45**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	10.1	89	<1	1	9	16	22	29	32
20-34	38	8.8	62	<1	1	6	13	21	22	36
35-49	12	8.3	52	2	3	6	10	19	27	28
50-64	4	9.5	34	4	4	9	14	15	15	15
65+	11	5.8	13	2	2	6	7	10	15	15
B. *Operated*										
0-19 YRS										
20-34	3	5.7	30	2	2	3	10	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	11.5	181	1	1	6	17	27	36	68
20-34	143	9.7	93	1	2	7	12	21	33	44
35-49	49	9.2	58	1	2	8	11	18	29	35
50-64	46	11.0	208	2	3	7	12	17	31	77
65+	126	10.3	109	2	3	7	12	19	32	57
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	3	17.7	289	1	1	17	30	35	35	35
35-49	2	17.0	50	12	12	17	22	22	22	22
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	5	28.4	660	2	2	17	50	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	8.6	57	<1	1	6	14	19	23	35
B. *Operated*	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	405	10.2	115	1	2	7	12	21	33	59
B. *Operated*	13	21.2	321	1	2	17	26	50	61	64
1. SINGLE DX	85	8.5	56	1	1	6	13	19	23	35
2. MULTIPLE DX	418	10.5	124	1	2	7	13	21	34	64
A. NOT OPERATED	487	9.9	105	1	2	7	12	20	32	54
B. OPERATED	16	18.3	300	1	2	15	22	45	59	64
TOTAL 0-19 YRS	59	11.3	152	1	1	7	17	26	33	65
20-34	187	9.6	88	1	1	7	13	21	33	42
35-49	63	9.3	57	2	2	8	12	18	28	35
50-64	52	10.9	187	2	3	7	13	17	21	77
65+	142	10.5	129	2	3	7	12	19	39	64
GRAND TOTAL	**503**	**10.2**	**113**	**1**	**2**	**7**	**13**	**21**	**33**	**59**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	28.0	443	4	6	24	37	62	77	99+
20-34	1030	19.1	228	2	4	15	26	39	50	79
35-49	533	18.1	184	2	4	15	24	37	47	66
50-64	202	19.1	226	2	4	16	24	37	50	87
65+	51	19.6	196	3	5	18	27	36	39	77
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	27.6	664	3	4	20	42	72	81	97
20-34	502	19.9	243	2	5	15	27	39	54	80
35-49	313	20.3	229	4	5	16	28	40	53	88
50-64	205	23.5	286	5	7	19	31	46	63	98
65+	92	26.7	419	4	6	21	33	60	83	99+
B. *Operated*										
0-19 YRS										
20-34	25	26.1	420	7	9	22	38	77	99+	99+
35-49	20	20.9	90	7	9	19	29	33	36	38
50-64	9	36.7	603	12	13	39	54	94	99+	99+
65+	4	47.0	683	18	18	44	65	81	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1892	19.2	226	2	4	16	25	39	50	78
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1151	21.5	279	3	5	17	29	43	59	91
B. *Operated*	58	27.4	384	8	10	22	38	76	93	99+
1. SINGLE DX	1892	19.2	226	2	4	16	25	39	50	78
2. MULTIPLE DX	1209	21.7	286	3	5	17	29	46	60	97
A. NOT OPERATED	3043	20.0	247	2	5	16	27	41	54	86
B. OPERATED	58	27.4	384	8	10	22	38	76	93	99+
TOTAL 0-19 YRS	115	27.8	513	3	5	21	38	69	77	99
20-34	1557	19.5	236	2	4	16	27	40	52	80
35-49	866	19.0	199	2	5	16	25	39	48	74
50-64	416	21.7	271	3	6	17	28	43	58	98
65+	147	24.8	368	4	5	20	31	55	77	99+
GRAND TOTAL	**3101**	**20.2**	**251**	**2**	**5**	**16**	**27**	**41**	**55**	**87**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	23.3	651	2	4	14	32	76	98	99+
20-34	73	16.7	122	3	4	15	23	31	35	50
35-49	19	15.1	104	2	4	14	18	28	38	45
50-64	7	16.6	182	1	2	10	26	36	38	38
65+	5	8.6	67	2	2	4	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	34.0	553	4	8	38	47	67	80	84
20-34	48	15.2	151	1	4	12	20	32	43	60
35-49	18	23.1	304	2	4	19	35	48	56	62
50-64	5	21.0	52	11	11	21	26	30	30	30
65+	5	20.8	385	5	5	14	32	53	53	53
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	1	26.0		26	26	26	26	26	26	26
35-49	2	10.0	98	3	3	10	17	17	17	17
50-64	1	57.0		57	57	57	57	57	57	57
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	17.6	244	2	3	14	24	34	50	99
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	91	20.5	288	3	4	15	27	46	54	77
B. *Operated*	5	25.2	394	3	3	23	34	57	57	57
1. SINGLE DX	134	17.6	244	2	3	14	24	34	50	99
2. MULTIPLE DX	96	20.7	291	3	4	15	27	47	56	76
A. NOT OPERATED	225	18.8	263	2	4	14	25	41	53	91
B. OPERATED	5	25.2	394	3	3	23	34	57	57	57
TOTAL 0-19 YRS	46	26.8	618	3	4	17	39	68	90	99+
20-34	122	16.2	133	3	4	14	23	31	38	54
35-49	39	18.5	207	2	4	15	23	44	48	62
50-64	13	21.4	227	2	5	21	27	42	54	57
65+	10	14.7	242	2	2	10	18	39	53	53
GRAND TOTAL	**230**	**18.9**	**265**	**2**	**4**	**15**	**25**	**42**	**53**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	21.1	281	1	4	18	30	50	73	99+
20-34	1568	18.8	234	1	3	15	25	40	52	82
35-49	812	17.7	198	1	3	14	24	35	47	77
50-64	379	19.2	179	2	5	17	25	35	48	70
65+	86	20.6	279	2	4	16	28	43	54	84
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	3	14.0	25	9	9	14	18	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	24.0	338	2	4	20	37	59	99	99+
20-34	943	21.1	277	2	5	16	29	46	60	99
35-49	673	19.5	257	3	5	15	26	42	54	87
50-64	449	20.5	218	4	6	17	27	43	51	99
65+	192	23.0	262	6	8	18	31	49	58	95
B. *Operated*										
0-19 YRS	4	19.8	68	14	14	16	24	32	32	32
20-34	38	36.1	518	7	11	33	59	84	99+	99+
35-49	33	27.4	291	4	8	24	39	52	59	67
50-64	33	39.8	633	8	13	32	62	81	85	99+
65+	13	37.8	432	10	14	44	56	80	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3035	18.8	222	1	3	15	25	39	51	86
B. *Operated*	4	15.5	26	9	9	16	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2386	20.8	263	3	5	16	28	45	57	99+
B. *Operated*	121	34.4	482	8	10	29	52	76	85	99+
1. SINGLE DX	3039	18.8	222	1	3	15	25	39	51	86
2. MULTIPLE DX	2507	21.5	282	3	5	17	29	46	60	99+
A. NOT OPERATED	5421	19.7	241	2	4	16	27	42	54	93
B. OPERATED	125	33.8	478	8	10	28	52	75	85	99+
TOTAL 0-19 YRS	323	22.3	302	1	4	19	34	54	77	99+
20-34	2550	19.9	259	2	4	16	27	43	56	90
35-49	1521	18.7	228	2	4	15	25	39	50	85
50-64	861	20.7	231	3	5	17	27	42	54	88
65+	291	22.9	284	4	7	18	31	51	58	95
GRAND TOTAL	**5546**	**20.0**	**251**	**2**	**4**	**16**	**27**	**43**	**56**	**96**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	29.6	1016	1	1	15	54	79	89	92
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	16.6	586	1	1	9	15	80	95	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	29.6	1016	1	1	15	54	79	89	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	16.6	586	1	1	9	15	80	95	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	15	29.6	1016	1	1	15	54	79	89	92
2. MULTIPLE DX	18	15.9	562	1	1	7	15	78	95	99+
A. NOT OPERATED	32	22.7	804	1	1	11	41	81	91	99+
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	33	22.1	791	1	1	10	40	80	91	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**33**	**22.1**	**791**	**1**	**1**	**10**	**40**	**80**	**51**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	16.2	213	1	2	11	24	34	43	73
20-34	635	15.6	155	2	3	13	21	32	41	66
35-49	711	16.3	156	2	4	14	21	31	40	70
50-64	691	18.2	195	2	4	15	25	35	44	72
65+	643	22.3	234	3	6	20	29	43	53	79
B. *Operated*										
0-19 YRS										
20-34	3	46.0	28	40	40	41	49	50	50	50
35-49	2	21.0	242	10	10	11	32	32	32	32
50-64	4	16.3	166	3	3	15	26	32	32	32
65+	2	31.5	85	25	25	31	38	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	26.3	540	2	3	20	42	74	98	99+
20-34	1020	18.3	234	2	3	15	25	37	49	83
35-49	1136	18.6	217	3	4	15	26	39	47	68
50-64	1256	21.0	234	4	6	18	27	40	53	87
65+	1591	25.1	317	4	7	21	34	51	63	99
B. *Operated*										
0-19 YRS	10	26.9	188	7	9	27	35	46	54	54
20-34	51	23.0	277	2	5	22	31	41	49	96
35-49	62	28.1	369	7	12	24	35	59	76	99
50-64	97	31.7	428	6	11	28	40	65	82	96
65+	147	36.7	457	9	15	33	60	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2780	18.0	192	2	4	15	24	35	45	73
B. *Operated*	11	28.0	253	3	7	32	39	49	50	50
2. MULTIPLE DX										
A. *Not Operated*	5164	21.4	273	3	5	18	29	43	57	92
B. *Operated*	367	31.7	422	7	11	28	46	73	97	99+
1. SINGLE DX	2791	18.0	192	2	4	15	24	36	46	73
2. MULTIPLE DX	5531	22.1	290	3	5	18	29	45	60	98
A. NOT OPERATED	7944	20.2	247	3	4	17	27	41	53	85
B. OPERATED	378	31.6	417	6	10	28	45	71	95	99+
TOTAL 0-19 YRS	271	22.6	428	2	3	18	33	57	80	99+
20-34	1709	17.5	209	2	3	14	23	36	45	81
35-49	1911	18.1	203	3	4	15	25	37	46	70
50-64	2048	20.6	237	3	5	18	27	40	52	84
65+	2383	25.1	313	4	7	21	34	51	65	99+
GRAND TOTAL	**8322**	**20.7**	**261**	**3**	**5**	**17**	**28**	**42**	**56**	**92**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	89	18.6	213	1	2	17	25	45	51	84
20-34	719	16.9	167	2	4	14	22	35	42	67
35-49	527	16.9	177	3	5	14	22	32	43	69
50-64	372	17.9	175	3	5	14	24	37	44	66
65+	167	19.2	269	1	4	14	26	44	60	98
B. *Operated*										
0-19 YRS.										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	44.0		44	44	44	44	44	44	44
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	87	24.7	404	3	4	23	37	56	77	99+
20-34	572	19.7	249	2	4	16	27	44	55	82
35-49	546	19.3	195	3	5	16	27	39	48	72
50-64	500	21.1	253	3	5	18	28	41	53	84
65+	334	25.4	306	3	6	22	35	51	63	89
B. *Operated*										
0-19 YRS.										
20-34	25	34.8	327	9	14	36	47	65	78	99+
35-49	34	26.5	279	8	9	24	36	40	54	92
50-64	33	28.8	408	10	12	23	35	67	96	99+
65+	47	38.6	485	11	15	34	62	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1870	17.4	183	2	4	14	23	35	44	69
B. *Operated*	2	23.5	841	3	3	23	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*	2039	21.1	256	3	5	17	29	44	56	85
B. *Operated*	139	32.6	405	9	12	28	44	67	93	99+
1. SINGLE DX	1872	17.4	183	2	4	14	23	35	44	69
2. MULTIPLE DX	2178	21.8	273	3	5	18	29	45	58	94
A. NOT OPERATED	3909	19.3	224	3	5	16	26	40	51	81
B. OPERATED	141	32.5	407	9	12	28	44	67	93	99+
TOTAL 0-19 YRS.	176	21.6	315	2	3	18	31	51	63	99+
20-34	1313	18.4	213	2	4	15	25	39	49	81
35-49	1107	18.4	192	3	5	15	24	36	46	70
50-64	906	20.1	231	3	5	16	27	39	49	84
65+	548	24.6	335	3	5	20	35	53	67	99+
GRAND TOTAL	4050	19.8	236	3	5	16	27	41	53	85

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	66	15.6	211	1	2	12	23	31	35	81
20-34	257	11.8	143	<1	1	8	17	27	35	50
35-49	153	11.2	87	1	1	10	16	27	31	39
50-64	98	12.7	81	1	2	12	16	26	33	37
65+	92	10.0	66	1	2	7	14	22	26	35
B. *Operated*										
0-19 YRS.										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	48.0		48	48	48	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	48	18.2	433	1	2	13	24	41	85	99+
20-34	298	15.0	180	1	3	11	20	35	46	61
35-49	174	12.2	85	1	3	11	16	25	29	50
50-64	213	15.2	159	2	3	12	20	31	39	62
65+	537	14.6	203	2	3	10	19	35	52	99+
B. *Operated*										
0-19 YRS.	2	11.0	18	8	8	11	14	14	14	14
20-34	9	15.2	207	2	4	12	18	38	51	51
35-49	6	24.0	280	2	4	28	46	90	99+	99+
50-64	11	18.1	200	5	6	14	32	65	95	99+
65+	67	21.1	193	5	8	18	33	42	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	11.9	118	1	1	9	17	27	33	44
B. *Operated*	2	31.0	578	14	14	31	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*	1270	14.6	183	2	3	11	19	31	46	80
B. *Operated*	95	20.2	196	4	7	17	31	48	68	99+
1. SINGLE DX	668	12.0	120	1	1	9	17	27	33	45
2. MULTIPLE DX	1365	15.0	186	2	3	11	20	32	47	90
A. NOT OPERATED	1936	13.7	163	1	2	10	18	29	39	73
B. OPERATED	97	20.4	200	5	7	17	32	48	65	99+
TOTAL 0-19 YRS.	116	16.6	299	1	2	13	23	35	56	96
20-34	564	13.5	166	1	2	10	18	30	41	58
35-49	333	12.0	91	1	2	10	16	25	31	51
50-64	323	14.5	137	1	3	12	19	30	36	62
65+	697	14.7	192	2	3	10	20	35	48	99+
GRAND TOTAL	2033	14.0	166	1	2	10	19	30	42	79

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	7	<1	<1	2	4	7	9	12
20-34	142	5.6	31	1	1	4	8	12	16	31
35-49	152	5.8	30	1	1	4	7	13	17	26
50-64	64	4.8	19	1	1	4	7	9	11	27
65+	42	5.8	60	1	1	3	7	12	21	41
B. *Operated*										
0-19 YRS										
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	10.0	294	<1	1	3	6	30	42	89
20-34	291	7.9	93	1	1	4	10	18	25	49
35-49	385	7.4	67	1	2	5	9	17	25	33
50-64	303	6.5	54	1	1	4	7	14	20	39
65+	312	7.9	87	1	2	5	10	16	25	51
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	71	2.6	9	1	1	2	2	5	10	16
35-49	40	6.6	78	1	1	2	8	20	29	31
50-64	20	14.2	166	4	4	9	17	35	43	49
65+	16	15.4	419	2	3	8	12	39	68	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	5.4	30	1	1	4	7	12	15	31
B. *Operated*	4	9.5	57	1	1	9	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1344	7.5	83	1	1	4	9	17	25	48
B. *Operated*	148	6.6	113	1	1	2	8	17	30	50
1. SINGLE DX	438	5.4	30	1	1	4	7	12	15	31
2. MULTIPLE DX	1492	7.4	86	1	1	4	9	17	25	48
A. NOT OPERATED	1778	7.0	71	1	1	4	8	15	23	40
B. OPERATED	152	6.7	112	1	1	2	8	17	30	49
TOTAL 0-19 YRS	88	7.3	189	<1	1	3	5	21	36	80
20-34	506	6.5	66	1	1	4	8	15	20	42
35-49	579	7.0	58	1	1	4	8	17	24	32
50-64	387	6.6	57	1	1	4	8	14	21	39
65+	370	8.0	100	1	2	5	9	16	26	51
GRAND TOTAL	**1930**	**7.0**	**74**	**1**	**1**	**4**	**8**	**15**	**23**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	22.7	746	2	2	13	51	91	99+	99+
20-34	304	11.2	125	1	2	8	14	24	34	51
35-49	272	9.3	73	1	2	7	12	20	29	41
50-64	154	11.4	104	2	2	8	16	23	30	52
65+	102	11.6	83	2	3	9	15	23	33	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	32.0	877	1	3	23	58	84	36	99+
20-34	656	13.6	144	1	2	10	21	28	37	56
35-49	530	15.0	177	2	3	12	21	29	40	66
50-64	409	13.8	98	2	3	12	21	28	34	43
65+	459	13.1	140	2	3	9	18	28	40	76
B. *Operated*										
0-19 YRS	4	43.8	1313	12	12	36	72	91	91	91
20-34	16	28.2	351	3	4	27	37	58	66	69
35-49	21	20.9	313	3	4	17	28	44	59	73
50-64	20	14.4	79	3	4	11	21	26	31	35
65+	38	25.8	346	3	5	22	38	49	65	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	11.8	174	1	2	8	15	26	37	91
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2239	15.4	228	2	3	11	21	32	46	87
B. *Operated*	99	23.6	344	3	5	19	34	48	65	82
1. SINGLE DX	921	11.8	174	1	2	8	15	26	37	91
2. MULTIPLE DX	2338	15.7	236	2	3	11	21	34	48	87
A. NOT OPERATED	3160	14.3	215	1	2	10	20	30	44	90
B. OPERATED	99	23.6	344	3	5	19	34	48	65	82
TOTAL 0-19 YRS	278	29.2	855	2	3	18	57	86	99	99+
20-34	976	13.1	146	1	2	10	20	28	36	58
35-49	823	13.3	154	1	2	10	19	28	36	57
50-64	583	13.2	100	2	3	11	20	27	32	44
65+	599	13.6	153	2	3	9	18	29	42	68
GRAND TOTAL	**3259**	**14.6**	**221**	**1**	**2**	**10**	**20**	**32**	**45**	**90**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	10.9	200	1	1	6	14	28	42	84
20-34	361	11.0	124	1	1	7	15	28	37	53
35-49	183	10.4	151	1	1	6	14	25	32	76
50-64	55	9.5	127	<1	1	6	11	19	39	57
65+	33	12.4	299	2	3	7	14	20	40	98
B. *Operated*										
0-19 YRS	6	5.0	12	<1	<1	4	9	9	9	9
20-34	22	8.8	19	3	4	8	11	15	17	19
35-49	20	9.3	45	2	3	8	10	15	24	33
50-64	20	6.4	8	3	3	6	9	10	11	11
65+	15	5.0	3	1	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	16.8	466	1	1	7	26	60	93	99+
20-34	699	11.2	147	1	1	7	15	27	38	61
35-49	386	12.8	172	1	2	9	17	29	46	63
50-64	210	13.4	233	1	2	8	17	34	48	77
65+	186	12.5	150	2	2	8	16	30	42	91
B. *Operated*										
0-19 YRS	6	5.8	15	2	2	7	11	82	99+	99+
20-34	36	16.3	229	2	3	10	24	37	64	99+
35-49	33	16.1	182	3	3	11	24	35	45	54
50-64	38	11.8	98	3	5	8	14	29	36	39
65+	26	10.7	74	3	3	8	14	27	29	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	807	10.8	153	1	1	6	14	27	37	71
B. *Operated*	83	7.4	22	2	3	7	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	1680	12.6	204	1	2	8	16	31	47	91
B. *Operated*	139	13.5	149	3	3	9	20	33	38	99+
1. SINGLE DX	890	10.5	142	1	1	6	14	26	36	63
2. MULTIPLE DX	1819	12.7	200	1	2	8	16	31	46	93
A. NOT OPERATED	2487	12.1	188	1	1	7	15	30	43	86
B. OPERATED	222	11.2	110	3	3	8	13	28	35	84
TOTAL 0-19 YRS	386	13.8	341	1	1	6	20	43	80	99+
20-34	1118	11.2	141	1	1	7	15	28	37	61
35-49	622	12.2	164	1	2	8	16	28	42	63
50-64	323	12.1	189	1	2	7	15	29	42	65
65+	260	11.8	154	2	3	8	15	26	37	95
GRAND TOTAL	**2709**	**12.0**	**182**	**1**	**1**	**7**	**15**	**29**	**43**	**85**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	5.3	38	<1	<1	3	7	16	21	24
20-34	1254	7.0	35	1	2	5	7	14	21	29
35-49	1556	6.9	31	1	3	5	7	14	21	28
50-64	629	7.3	37	1	2	5	7	16	21	30
65+	151	7.0	34	1	2	5	8	16	21	28
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	392	14.6	147	<1	1	10	27	32	34	39
20-34	3628	10.1	83	2	3	7	12	27	28	35
35-49	4694	8.9	54	2	3	7	9	20	27	32
50-64	2719	9.4	71	2	3	7	11	23	28	36
65+	948	10.3	86	2	3	7	13	24	29	42
B. *Operated*										
0-19 YRS	7	14.0	128	<1	1	12	25	28	28	28
20-34	93	14.3	108	2	3	12	21	28	31	45
35-49	130	14.6	138	4	5	11	18	27	42	65
50-64	109	18.3	202	3	6	14	27	45	67	99+
65+	60	21.3	231	5	7	17	33	52	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3706	6.9	34	1	2	5	7	15	21	29
B. *Operated*	4	6.8	68	1	1	3	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	12381	9.6	73	2	3	7	11	25	28	35
B. *Operated*	399	16.6	168	3	5	13	23	34	49	99+
1. SINGLE DX	3710	6.9	34	1	2	5	7	15	21	29
2. MULTIPLE DX	12780	9.9	77	2	3	7	11	25	28	37
A. NOT OPERATED	16087	9.0	65	2	3	6	10	22	28	34
B. OPERATED	403	16.5	167	3	5	13	23	34	49	99+
TOTAL 0-19 YRS	516	12.5	137	<1	1	7	22	29	34	38
20-34	4977	9.4	74	2	3	6	10	25	28	34
35-49	6381	8.5	51	2	3	6	9	19	27	31
50-64	3457	9.3	72	2	3	6	11	22	28	38
65+	1159	10.5	94	2	3	7	13	24	30	51
GRAND TOTAL	**16490**	**9.2**	**69**	**2**	**3**	**6**	**10**	**23**	**28**	**35**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	10.7	21	2	3	11	14	16	16	16
20-34	239	10.4	28	2	3	11	13	17	19	22
35-49	57	11.5	28	2	5	11	15	17	20	27
50-64	3	7.7	20	3	3	8	11	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.8	14	5	7	13	16	17	18	18
20-34	956	12.9	34	4	6	13	15	17	20	36
35-49	382	13.1	25	5	7	13	16	17	19	30
50-64	43	12.3	28	3	4	13	15	18	22	26
65+	6	13.0	24	7	7	13	17	19	19	19
B. *Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	66	14.6	46	8	9	14	16	17	18	55
35-49	27	19.7	152	8	13	16	19	30	56	62
50-64	2	11.5	1	11	11	11	12	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	10.6	28	2	3	11	14	17	19	26
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1410	12.9	31	4	6	13	16	17	20	33
B. *Operated*	96	16.3	87	8	10	15	17	19	34	61
1. SINGLE DX	311	10.6	28	2	3	11	14	17	19	26
2. MULTIPLE DX	1506	13.1	35	4	6	13	16	17	20	36
A. NOT OPERATED	1721	12.5	31	3	6	13	15	17	20	31
B. OPERATED	96	16.3	87	8	10	15	17	19	34	61
TOTAL 0-19 YRS	35	13.0	44	4	6	13	16	17	18	43
20-34	1261	12.5	35	3	5	13	15	17	20	35
35-49	466	13.3	35	5	7	13	16	17	21	31
50-64	48	12.0	27	3	4	13	14	18	21	26
65+	7	11.6	35	3	4	10	17	19	19	19
GRAND TOTAL	**1817**	**12.7**	**35**	**3**	**6**	**13**	**15**	**17**	**20**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	7.7	8	2	6	7	9	12	13	13
20-34	68	6.6	16	<1	<1	7	9	12	15	16
35-49	21	9.2	34	2	3	9	11	20	21	21
50-64	4	10.5	81	3	3	8	17	23	23	23
65+	2	13.5	5	12	12	13	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	17.4	195	2	2	12	28	33	37	60
20-34	221	13.4	94	2	3	12	18	26	30	54
35-49	77	14.2	60	2	5	14	19	23	28	39
50-64	27	14.9	74	2	5	14	21	30	41	99+
65+	10	14.7	67	4	5	14	18	26	32	32
B. *Operated*										
0-19 YRS										
20-34	10	13.5	34	1	4	14	17	20	22	22
35-49	3	13.3	37	8	8	12	18	20	20	20
50-64	4	19.0	38	15	15	17	23	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.5	21	<1	1	7	10	13	16	22
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	372	14.1	95	2	3	13	20	28	31	56
B. *Operated*	17	14.8	37	3	8	15	18	22	26	28
1. SINGLE DX	111	7.5	21	<1	1	7	10	13	16	22
2. MULTIPLE DX	389	14.1	92	2	3	14	19	28	31	53
A. NOT OPERATED	482	12.6	86	1	3	11	18	25	29	42
B. OPERATED	18	14.2	41	2	5	15	18	21	26	28
TOTAL 0-19 YRS	52	14.6	159	2	3	8	28	29	34	60
20-34	300	11.9	82	1	3	10	16	23	28	39
35-49	101	13.1	58	2	4	12	18	21	25	37
50-64	35	14.8	71	2	5	15	21	28	34	99+
65+	12	14.5	55	4	6	14	18	24	31	32
GRAND TOTAL	**500**	**12.7**	**84**	**1**	**3**	**11**	**18**	**25**	**29**	**41**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	1.4	6	<1	<1	1	1	2	2	7
20-34	97	1.9	2	<1	<1	1	2	4	5	7
35-49	44	3.0	11	<1	<1	2	3	7	9	18
50-64	33	2.7	20	<1	<1	1	2	5	6	26
65+	16	2.5	3	<1	<1	2	4	5	6	6
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	2.6	18	<1	<1	1	2	5	9	25
20-34	332	6.6	60	<1	1	5	8	11	21	35
35-49	292	6.1	38	1	1	5	8	9	16	34
50-64	135	5.4	22	1	1	5	8	9	11	28
65+	69	5.8	37	1	1	3	8	16	20	27
B. Operated										
0-19 YRS	13	3.2	25	<1	<1	1	2	14	15	15
20-34	12	5.7	15	<1	1	7	8	10	12	12
35-49	8	9.9	37	2	2	11	14	18	19	19
50-64	5	17.8	207	6	6	10	30	38	38	38
65+	5	13.6	150	<1	<1	9	21	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	467	1.8	7	<1	<1	1	2	3	5	9
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	993	5.6	42	<1	1	4	8	9	17	31
B. Operated	43	8.0	76	<1	<1	7	11	17	30	38
1. SINGLE DX	468	1.8	7	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1036	5.7	43	<1	1	4	8	10	18	31
A. NOT OPERATED	1460	4.4	34	<1	<1	2	6	8	13	30
B. OPERATED	44	7.9	74	<1	<1	6	11	17	29	38
TOTAL 0-19 YRS	455	1.9	11	<1	<1	1	2	3	5	23
20-34	441	5.6	50	<1	<1	4	8	9	17	31
35-49	344	5.8	36	<1	1	4	8	10	16	32
50-64	174	5.2	31	<1	1	4	7	9	12	28
65+	90	5.6	41	1	1	3	8	15	20	31
GRAND TOTAL	**1504**	**4.5**	**35**	**<1**	**<1**	**2**	**6**	**8**	**13**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.3	49	<1	<1	2	5	7	23	33
20-34	63	5.0	35	<1	1	2	7	13	20	25
35-49	16	7.5	131	<1	<1	3	6	30	37	39
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	10.8	195	1	1	4	15	33	40	65
20-34	314	9.7	99	1	1	7	12	23	31	48
35-49	91	8.7	69	1	1	7	10	22	26	41
50-64	33	10.9	84	1	2	8	15	28	29	30
65+	13	12.5	491	2	2	6	8	31	75	85
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	14.6	196	<1	2	11	13	38	50	51
35-49	3	11.0	37	7	7	8	15	18	18	18
50-64	4	23.0	161	4	4	29	30	30	30	30
65+	2	7.5	61	2	2	7	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	5.1	51	<1	<1	3	6	12	24	35
B. Operated										
2. MULTIPLE DX										
A. Not Operated	530	9.8	116	1	1	7	12	25	31	49
B. Operated	21	14.5	157	1	2	11	20	30	40	51
1. SINGLE DX	120	5.1	51	<1	<1	3	6	12	24	35
2. MULTIPLE DX	551	10.0	118	1	1	7	12	26	31	49
A. NOT OPERATED	650	8.9	107	1	1	6	11	24	30	48
B. OPERATED	21	14.5	157	1	2	11	20	30	40	51
TOTAL 0-19 YRS	117	8.7	156	<1	1	3	9	30	38	53
20-34	388	9.1	95	1	1	6	12	23	29	49
35-49	110	8.6	76	1	1	7	10	22	27	43
50-64	40	11.5	101	1	2	7	18	29	30	30
65+	16	11.4	403	2	2	6	9	17	65	85
GRAND TOTAL	**671**	**9.1**	**109**	**1**	**1**	**6**	**11**	**24**	**30**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.7	8	1	1	3	5	6	7	17
20-34	55	4.1	7	1	2	3	6	7	9	14
35-49	56	3.8	14	1	1	3	4	8	13	21
50-64	26	3.8	5	1	2	3	6	7	8	8
65+	19	6.4	55	1	1	4	8	11	24	34
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	6	3.2	7	<1	<1	2	4	8	8	8
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	2	6.5	25	3	3	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.0	101	1	2	3	7	9	35	97
20-34	104	5.4	27	1	1	4	6	12	18	27
35-49	110	5.3	11	2	2	5	7	10	13	16
50-64	144	5.1	17	1	1	4	6	10	12	22
65+	173	6.8	34	1	2	5	8	13	18	28
B. *Operated*										
0-19 YRS	6	10.2	234	1	1	3	13	37	40	40
20-34	5	6.4	37	2	2	2	12	14	14	14
35-49	16	12.8	137	2	2	9	17	26	40	46
50-64	7	10.3	40	4	4	8	16	20	20	20
65+	9	15.7	250	4	5	9	31	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	4.1	13	1	1	3	5	7	10	19
B. *Operated*	14	4.4	7	<1	1	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	587	5.8	31	1	2	5	7	11	15	28
B. *Operated*	43	11.9	141	1	2	8	16	32	48	99+
1. SINGLE DX	211	4.1	13	1	1	3	5	7	10	19
2. MULTIPLE DX	630	6.2	41	1	2	5	7	12	17	46
A. NOT OPERATED	784	5.4	27	1	2	4	7	10	14	27
B. OPERATED	57	10.0	118	1	2	7	13	26	44	96
TOTAL 0-19 YRS	105	5.4	70	1	1	3	6	8	14	79
20-34	170	5.0	20	1	1	4	6	9	15	26
35-49	186	5.5	27	1	2	4	7	11	14	26
50-64	179	5.2	17	1	1	4	6	10	13	21
65+	201	7.2	48	1	2	5	8	13	21	50
GRAND TOTAL	**841**	**5.7**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**34**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	11.0	158	1	1	7	14	28	35	58
20-34	480	6.9	53	1	1	5	9	15	21	35
35-49	270	7.9	76	<1	1	5	10	18	26	46
50-64	98	8.7	69	1	1	6	13	21	27	39
65+	67	12.6	146	1	2	10	17	28	33	97
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34										
35-49										
50-64	2	7.0	8	5	5	7	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	15.3	334	1	1	8	20	41	60	88
20-34	994	9.6	86	1	2	7	12	21	27	43
35-49	583	9.5	67	1	2	7	13	20	26	40
50-64	257	10.9	144	2	2	7	14	23	30	73
65+	224	12.7	117	2	3	10	18	25	35	62
B. *Operated*										
0-19 YRS	11	16.3	575	1	1	9	26	88	98	99+
20-34	26	12.3	73	2	3	9	19	26	27	30
35-49	24	15.6	144	1	3	14	23	32	41	46
50-64	10	19.4	126	8	8	16	27	37	38	38
65+	11	22.5	138	10	12	17	27	43	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	8.7	97	1	1	6	11	21	28	51
B. *Operated*	4	7.0	19	2	2	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2522	11.0	141	1	2	7	14	24	33	63
B. *Operated*	82	16.0	177	1	3	14	24	32	43	94
1. SINGLE DX	1282	8.7	97	1	1	6	11	21	28	51
2. MULTIPLE DX	2604	11.2	142	1	2	8	14	25	34	63
A. NOT OPERATED	3800	10.2	127	1	1	7	13	23	31	61
B. OPERATED	86	15.6	173	1	3	13	23	31	42	94
TOTAL 0-19 YRS	840	13.4	264	1	1	7	17	34	51	86
20-34	1500	8.8	76	1	1	6	11	20	26	38
35-49	877	9.1	74	1	1	7	12	20	27	42
50-64	367	10.6	126	1	2	7	14	23	29	60
65+	302	13.0	126	2	3	10	18	26	37	80
GRAND TOTAL	**3886**	**10.4**	**129**	**1**	**1**	**7**	**13**	**24**	**31**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	467	18.4	500	1	2	9	30	69	99+	99+
20-34	229	10.9	158	1	1	5	17	29	44	99+
35-49	145	8.3	88	1	1	5	10	20	29	44
50-64	84	12.0	181	1	2	8	15	26	32	80
65+	92	14.4	173	2	2	9	21	34	42	53
B. *Operated*										
0-19 YRS	7	11.4	391	<1	<1	5	7	46	56	56
20-34	11	5.2	64	1	1	4	6	50	93	99+
35-49	12	5.7	22	2	2	4	8	13	16	16
50-64	4	6.3	9	3	3	6	8	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	560	25.7	796	1	3	15	58	95	99+	99+
20-34	453	11.8	203	1	2	7	15	32	50	99+
35-49	318	10.9	145	1	2	7	14	26	36	58
50-64	320	11.3	114	2	2	8	15	24	34	51
65+	456	15.2	228	2	3	10	21	35	49	95
B. *Operated*										
0-19 YRS	19	43.0	1192	2	6	64	99+	99+	99+	99+
20-34	34	14.0	221	1	2	9	20	44	48	57
35-49	22	17.3	300	1	2	12	29	34	53	75
50-64	26	22.8	328	3	5	17	38	53	78	99+
65+	38	27.0	493	6	7	20	44	70	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1017	14.4	323	1	2	7	20	46	70	99+
B. *Operated*	35	6.7	102	1	2	4	7	16	48	99+
2. MULTIPLE DX										
A. *Not Operated*	2127	16.1	384	2	2	8	21	52	84	99+
B. *Operated*	141	23.7	527	2	3	17	41	90	99+	99+
1. SINGLE DX	1052	14.1	318	1	2	7	19	46	70	99+
2. MULTIPLE DX	2268	16.6	396	2	2	9	22	57	88	99+
A. NOT OPERATED	3144	15.6	365	1	2	8	21	50	82	99+
B. OPERATED	176	20.3	488	2	2	12	33	78	99+	99+
TOTAL 0-19 YRS	1073	22.7	691	1	2	12	47	90	99+	99+
20-34	727	11.5	188	1	2	6	16	31	48	99+
35-49	497	10.3	136	1	2	6	13	24	35	56
50-64	436	12.1	146	2	2	8	16	28	38	61
65+	587	15.8	244	2	3	10	22	36	53	98
GRAND TOTAL	**3320**	**15.8**	**373**	**1**	**2**	**8**	**21**	**51**	**84**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.7	13	<1	<1	1	4	14	78	99+
20-34	11	6.2	93	1	1	3	15	23	29	30
35-49	3	12.7	105	4	4	10	20	24	24	24
50-64	3	7.7	37	1	1	9	12	13	13	13
65+	1	4.0		4	4	99+	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	11.7	267	1	1	5	16	27	41	66
20-34	60	11.2	142	1	1	7	16	24	41	98
35-49	16	15.7	350	1	2	8	20	33	64	77
50-64	16	12.1	139	1	2	6	17	33	36	37
65+	5	10.2	172	1	1	7	33	93	99+	99+
B. *Operated*										
0-19 YRS	8	13.8	308	2	2	9	15	43	55	55
20-34	11	4.0	44	2	2	2	2	11	23	24
35-49	3	6.0	48	2	2	2	11	14	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	6.0	56	<1	1	3	12	30	99+	99+
B. *Operated*	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	139	11.9	200	1	2	7	16	29	41	99+
B. *Operated*	22	7.8	150	2	2	2	10	18	36	55
1. SINGLE DX	36	5.6	51	<1	1	2	10	28	99+	99+
2. MULTIPLE DX	161	11.3	194	1	2	6	16	28	41	98
A. NOT OPERATED	171	10.8	178	1	1	6	16	29	52	99+
B. OPERATED	26	6.9	130	2	2	2	9	15	30	55
TOTAL 0-19 YRS	65	9.8	224	<1	1	4	14	27	55	98
20-34	83	9.7	126	1	1	6	15	22	33	89
35-49	24	13.0	264	1	2	7	16	25	47	77
50-64	19	11.4	123	1	2	6	16	32	36	37
65+	6	9.2	144	1	1	8	99+	99+	99+	99+
GRAND TOTAL	**197**	**10.3**	**173**	**1**	**1**	**6**	**15**	**28**	**48**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	11.5	24	3	5	11	14	16	18	29
20-34	50	7.6	24	1	2	7	11	13	14	26
35-49	42	8.7	65	<1	1	7	11	20	30	32
50-64	19	9.6	42	2	2	7	16	19	20	21
65+	15	11.0	80	1	2	9	14	21	32	36
B. *Operated*										
0-19 YRS	34	13.4	66	3	4	12	15	28	31	35
20-34	27	7.6	72	2	2	6	9	12	18	46
35-49	33	6.4	32	1	2	5	9	16	17	25
50-64	22	11.1	195	1	2	7	11	30	49	57
65+	4	14.8	213	2	2	12	26	33	33	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	11.6	30	2	4	12	14	17	20	33
20-34	46	11.7	102	2	3	9	15	25	36	45
35-49	62	13.1	103	3	4	11	17	27	41	94
50-64	65	16.0	206	3	5	13	18	26	43	81
65+	53	18.1	183	4	6	14	22	41	47	67
B. *Operated*										
0-19 YRS	49	22.3	324	3	7	16	27	43	69	80
20-34	34	22.9	379	2	4	16	32	69	72	99+
35-49	58	16.1	283	2	2	11	26	52	83	99+
50-64	53	23.7	428	3	5	19	35	58	92	99+
65+	45	36.0	581	9	10	37	54	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	10.6	33	2	3	11	13	16	19	31
B. *Operated*	120	9.8	91	2	2	8	12	19	30	49
2. MULTIPLE DX										
A. *Not Operated*	474	13.1	92	3	4	12	15	22	31	64
B. *Operated*	239	23.8	430	2	4	18	37	68	95	99+
1. SINGLE DX	528	10.4	46	2	2	11	13	17	20	35
2. MULTIPLE DX	713	16.7	230	3	4	12	19	39	57	99+
A. NOT OPERATED	882	12.0	66	2	3	11	14	19	25	47
B. OPERATED	359	19.1	360	2	3	13	27	51	73	99+
TOTAL 0-19 YRS	613	12.5	60	3	5	12	14	18	24	45
20-34	157	12.1	165	2	2	9	14	27	43	73
35-49	195	11.9	148	1	2	9	15	31	43	99+
50-64	159	17.1	282	2	3	13	20	44	58	99
65+	117	24.0	414	3	6	17	38	62	92	99+
GRAND TOTAL	**1241**	**14.0**	**161**	**2**	**3**	**11**	**16**	**28**	**44**	**96**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	11.0	98	4	4	11	18	18	18	18
35-49	6	17.7	189	2	2	16	28	36	37	37
50-64	50	10.0	72	1	2	8	13	26	30	31
65+	144	11.3	75	2	3	9	15	23	31	51
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	17.8	37	10	10	17	20	27	27	27
50-64	5	12.6	88	3	3	12	21	24	24	24
65+	6	21.8	257	3	5	20	44	90	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	17.0	333	5	5	8	30	38	38	38
35-49	17	22.1	573	4	6	9	37	61	76	83
50-64	138	16.6	156	4	5	13	23	32	42	80
65+	1054	16.5	205	3	4	13	21	35	52	99+
B. *Operated*										
0-19 YRS										
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	2	14.5	1	14	14	14	15	15	15	15
50-64	21	22.3	349	4	5	17	33	61	83	99+
65+	143	20.7	273	3	6	17	31	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	11.1	78	2	3	8	14	24	30	45
B. *Operated*	16	17.7	134	3	3	17	25	46	82	99+
2. MULTIPLE DX										
A. *Not Operated*	1213	16.6	204	3	4	13	21	35	51	99+
B. *Operated*	168	20.7	277	4	5	17	31	69	99+	99+
1. SINGLE DX	220	11.6	85	2	3	9	16	25	31	64
2. MULTIPLE DX	1381	17.1	215	3	5	13	22	37	60	99+
A. NOT OPERATED	1417	15.8	190	3	4	12	20	33	49	99+
B. OPERATED	184	20.4	265	3	5	17	30	67	99+	99+
TOTAL 0-19 YRS	3	6.3	70	1	1	2	12	16	16	16
20-34	7	12.4	151	4	4	8	16	34	38	38
35-49	30	20.0	360	3	6	14	27	45	63	83
50-64	214	15.5	164	3	4	12	21	31	43	85
65+	1347	16.4	203	3	4	13	21	36	58	99+
GRAND TOTAL	**1601**	**16.3**	**201**	**3**	**4**	**13**	**21**	**35**	**55**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	31	1	1	5	10	15	16	16
20-34	191	8.5	42	1	1	8	12	16	19	27
35-49	256	10.3	48	1	2	10	14	20	23	30
50-64	100	10.6	56	1	2	8	15	23	26	29
65+	8	10.5	37	5	6	8	12	21	24	24
B. *Operated*										
0-19 YRS										
20-34	28	7.9	53	2	2	6	11	15	18	37
35-49	27	9.3	104	2	2	5	12	17	34	47
50-64	12	8.8	41	1	2	8	14	18	19	19
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.0	17	2	4	9	10	15	18	18
20-34	166	11.9	123	2	3	9	15	25	31	56
35-49	295	15.4	200	2	4	11	19	29	42	92
50-64	194	13.4	101	2	3	11	17	26	31	53
65+	51	13.4	197	2	3	9	15	28	63	99
B. *Operated*										
0-19 YRS	3	19.0	156	9	9	15	28	33	33	33
20-34	40	24.0	438	2	3	18	37	64	75	99+
35-49	98	19.1	325	3	4	13	23	42	59	90
50-64	62	19.3	258	3	4	18	31	60	99+	99+
65+	23	23.0	504	1	3	19	34	75	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	9.7	48	1	2	9	14	19	23	29
B. *Operated*	68	8.7	69	2	2	6	12	16	20	45
2. MULTIPLE DX										
A. *Not Operated*	717	13.8	154	2	3	11	18	27	36	71
B. *Operated*	226	20.4	341	3	4	15	30	57	78	99+
1. SINGLE DX	630	9.6	50	1	2	8	13	19	23	31
2. MULTIPLE DX	943	15.4	206	2	3	11	20	32	48	99
A. NOT OPERATED	1279	12.0	111	2	2	10	15	24	29	60
B. OPERATED	294	17.7	302	2	3	13	23	45	70	99+
TOTAL 0-19 YRS	21	9.4	51	1	2	9	11	17	25	33
20-34	425	11.2	130	1	2	8	14	23	33	70
35-49	676	13.7	167	2	3	11	17	26	38	77
50-64	368	13.5	121	2	3	11	18	28	36	99+
65+	83	15.8	280	2	3	10	20	40	71	99+
GRAND TOTAL	**1573**	**13.1**	**152**	**2**	**3**	**10**	**16**	**26**	**37**	**80**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	560	4.0	13	1	1	3	5	8	11	19
20-34	441	4.2	16	1	1	3	5	9	12	20
35-49	230	4.3	22	1	1	3	5	9	11	19
50-64	134	4.0	10	1	1	3	5	9	10	18
65+	91	5.7	35	1	2	4	7	10	13	39
B. *Operated*										
0-19 YRS	3	6.7	16	2	2	9	9	9	9	9
20-34	18	7.9	40	<1	1	6	14	18	19	20
35-49	10	11.9	321	1	1	6	8	40	61	61
50-64	5	5.0	46	1	1	2	6	17	17	17
65+	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	645	5.4	34	1	1	3	6	11	17	33
20-34	524	5.7	49	1	1	4	7	11	16	46
35-49	498	6.9	61	1	2	5	8	13	20	39
50-64	610	7.1	42	2	2	6	9	14	18	36
65+	840	9.6	103	2	2	7	12	18	26	58
B. *Operated*										
0-19 YRS	19	18.6	520	2	3	12	20	79	94	99+
20-34	46	9.2	72	2	2	6	12	24	28	38
35-49	46	12.4	133	2	2	10	16	23	41	56
50-64	58	17.5	309	2	3	12	24	40	62	99+
65+	70	24.3	304	5	7	22	28	61	68	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1456	4.2	17	1	1	3	5	9	11	19
B. *Operated*	40	8.1	105	<1	1	5	9	18	19	61
2. MULTIPLE DX										
A. *Not Operated*	3117	7.1	63	1	2	5	9	14	20	41
B. *Operated*	239	17.0	272	2	3	12	23	39	64	99+
1. SINGLE DX	1496	4.3	19	1	1	3	5	9	11	20
2. MULTIPLE DX	3356	7.9	85	1	2	5	9	16	24	52
A. NOT OPERATED	4573	6.2	50	1	1	4	8	13	17	37
B. OPERATED	279	15.7	258	2	2	11	21	36	60	99
TOTAL 0-19 YRS	1227	4.9	35	1	1	3	6	10	15	31
20-34	1029	5.2	37	1	1	4	6	11	15	29
35-49	784	6.5	60	1	1	4	8	13	19	43
50-64	807	7.3	65	1	2	5	9	15	20	42
65+	1005	10.2	126	2	2	7	12	21	31	65
GRAND TOTAL	**4852**	**6.8**	**67**	**1**	**1**	**4**	**8**	**14**	**20**	**44**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.5	14	<1	<1	2	4	7	11	21
20-34	220	4.4	21	1	1	3	6	9	13	33
35-49	165	5.8	100	1	1	3	6	11	15	85
50-64	144	7.7	48	1	1	5	10	17	23	40
65+	265	9.9	138	1	2	7	11	21	40	96
B. *Operated*										
0-19 YRS	166	6.9	82	1	1	4	7	18	27	44
20-34	161	8.8	113	1	2	4	10	18	38	55
35-49	155	9.2	147	1	2	5	10	22	31	71
50-64	157	7.1	61	1	2	4	8	16	25	41
65+	133	9.2	60	1	2	7	12	20	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	370	6.6	108	<1	1	4	7	13	21	73
20-34	315	8.3	120	1	1	5	9	19	31	56
35-49	380	9.4	130	1	2	6	12	21	29	98
50-64	629	13.1	246	2	3	8	15	31	59	96
65+	1995	14.3	179	3	4	10	18	33	50	99+
B. *Operated*										
0-19 YRS	294	10.1	186	1	2	5	12	24	35	96
20-34	290	11.7	216	1	2	7	14	28	46	99+
35-49	301	13.5	265	2	2	8	17	35	57	99+
50-64	476	15.5	288	2	3	11	19	46	82	99+
65+	811	19.6	314	2	3	15	28	50	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	6.4	73	1	1	4	7	13	20	74
B. *Operated*	772	8.2	94	1	2	5	10	18	27	50
2. MULTIPLE DX										
A. *Not Operated*	3689	12.3	181	2	2	8	15	28	47	99+
B. *Operated*	2172	15.5	283	2	2	10	20	43	70	99+
1. SINGLE DX	1767	7.2	83	1	1	4	8	15	24	52
2. MULTIPLE DX	5861	13.5	221	2	2	9	17	34	53	99+
A. NOT OPERATED	4684	11.0	164	1	2	7	13	25	42	99+
B. OPERATED	2944	13.6	244	1	2	8	18	36	56	99+
TOTAL 0-19 YRS	1031	7.0	113	<1	1	4	8	16	25	72
20-34	986	8.5	131	1	1	5	10	19	33	85
35-49	1001	10.0	175	1	2	6	12	24	38	99
50-64	1406	12.7	228	2	2	8	15	31	58	99+
65+	3204	15.0	214	2	3	10	19	37	54	99+
GRAND TOTAL	**7628**	**12.0**	**196**	**1**	**2**	**8**	**15**	**29**	**48**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.7	4	1	1	2	4	6	7	9
20-34	395	3.2	4	1	1	3	4	6	7	10
35-49	241	3.9	7	1	1	3	5	7	9	14
50-64	98	4.0	8	1	1	3	5	7	9	17
65+	22	5.1	10	1	2	4	7	10	11	12
B. *Operated*										
0-19 YRS	6	3.5	10	2	2	2	3	9	10	10
20-34	16	3.1	5	1	2	3	3	5	9	10
35-49	20	3.6	2	2	2	3	5	6	7	7
50-64	9	6.0	20	2	2	6	7	13	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	3.9	27	1	1	3	5	7	8	25
20-34	350	4.5	12	1	2	4	6	8	11	18
35-49	341	4.7	13	1	1	4	6	9	11	21
50-64	234	5.2	15	1	2	4	7	11	14	19
65+	69	5.4	14	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	34	6.4	30	<1	1	5	8	15	18	25
35-49	31	7.3	23	1	2	6	9	15	18	19
50-64	33	7.5	35	2	2	6	10	14	17	29
65+	21	7.9	60	1	2	6	10	20	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	3.4	6	1	1	3	5	6	8	11
B. *Operated*	51	3.9	7	2	2	3	5	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	1118	4.7	15	1	1	4	6	9	11	19
B. *Operated*	122	7.2	33	1	2	6	9	15	18	29
1. SINGLE DX	1001	3.4	6	1	1	3	5	6	8	12
2. MULTIPLE DX	1240	4.9	17	1	2	4	6	9	13	21
A. NOT OPERATED	2068	4.1	11	1	1	3	5	8	10	16
B. OPERATED	173	6.2	28	2	2	5	8	14	16	29
TOTAL 0-19 YRS	327	3.2	13	1	1	2	4	6	8	15
20-34	795	3.9	9	1	1	3	5	7	9	16
35-49	633	4.5	11	1	1	4	6	8	11	18
50-64	374	5.1	16	1	2	4	6	10	14	20
65+	112	5.8	22	1	2	4	7	11	13	28
GRAND TOTAL	**2241**	**4.3**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	4	2.5	1	2	2	2	3	4	4	4
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	24	4.5	146	<1	1	2	3	4	21	61
20-34	418	1.9	1	<1	<1	2	2	3	3	4
35-49	835	2.0	1	<1	<1	2	2	3	4	6
50-64	990	2.1	1	<1	<1	2	2	3	4	6
65+	600	2.3	2	<1	1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	7	3.0	4	1	1	3	5	6	6	6
35-49	21	3.2	10	<1	<1	2	4	9	11	12
50-64	36	3.9	11	<1	<1	3	5	9	12	13
65+	26	7.2	31	1	2	6	9	14	18	27
B. *Operated*										
0-19 YRS	19	3.5	8	1	2	3	3	6	11	14
20-34	165	2.8	11	<1	1	2	3	4	6	15
35-49	361	3.1	9	<1	1	2	3	5	8	20
50-64	765	3.2	15	<1	1	2	3	5	7	17
65+	633	3.5	13	1	1	2	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.7	3	1	1	2	3	4	7	8
B. *Operated*	2867	2.1	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	92	4.6	18	<1	1	3	7	10	12	22
B. *Operated*	1943	3.2	13	1	1	2	3	5	8	19
1. SINGLE DX	2882	2.1	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2035	3.3	13	1	1	2	3	6	8	19
A. NOT OPERATED	107	4.4	16	<1	1	3	6	10	12	21
B. OPERATED	4810	2.5	7	<1	<1	2	3	4	5	13
TOTAL 0-19 YRS	45	4.1	80	<1	1	2	3	5	9	61
20-34	595	2.1	4	<1	<1	2	2	3	4	7
35-49	1220	2.3	4	<1	<1	2	3	4	5	11
50-64	1795	2.6	8	<1	1	2	3	4	5	13
65+	1262	3.0	9	1	1	2	3	5	8	18
GRAND TOTAL	**4917**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	6.4	57	1	1	4	7	12	23	41
20-34	149	6.4	63	1	1	4	7	11	23	42
35-49	155	5.8	27	1	1	5	8	11	16	28
50-64	163	7.6	116	1	2	5	8	16	25	59
65+	128	6.1	24	1	1	4	8	12	15	26
B. *Operated*										
0-19 YRS	123	3.4	14	1	1	3	4	6	8	17
20-34	498	3.7	11	1	1	3	4	7	9	14
35-49	550	4.0	19	1	1	3	5	7	10	21
50-64	506	4.1	28	1	1	3	4	8	11	20
65+	222	4.6	20	1	2	3	5	9	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.9	70	1	1	4	7	17	22	42
20-34	153	7.9	75	1	1	6	9	18	29	51
35-49	269	7.9	60	1	2	6	10	17	24	55
50-64	487	8.5	71	1	2	6	10	17	26	49
65+	684	10.2	87	2	3	8	12	20	28	64
B. *Operated*										
0-19 YRS	58	4.1	14	1	1	3	5	8	10	23
20-34	279	6.4	97	1	2	4	7	11	17	46
35-49	394	6.8	64	1	2	4	9	13	21	78
50-64	452	8.1	128	2	2	4	9	19	32	88
65+	417	14.1	266	2	2	8	20	37	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	6.5	60	1	1	4	8	12	20	40
B. *Operated*	1899	4.0	19	1	1	3	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1647	9.0	77	1	2	7	11	18	27	55
B. *Operated*	1600	8.9	149	2	2	4	10	21	35	93
1. SINGLE DX	2555	4.6	31	1	1	3	5	9	12	28
2. MULTIPLE DX	3247	9.0	112	1	2	6	11	20	30	81
A. NOT OPERATED	2303	8.3	73	1	2	6	10	17	25	52
B. OPERATED	3499	6.2	84	1	2	3	6	13	22	60
TOTAL 0-19 YRS	296	4.8	35	1	1	3	5	8	15	39
20-34	1079	5.4	52	1	1	3	6	10	15	41
35-49	1368	5.8	43	1	2	4	7	12	18	37
50-64	1608	6.9	81	1	2	4	8	14	23	53
65+	1451	10.1	133	2	2	7	12	22	34	83
GRAND TOTAL	**5802**	**7.0**	**81**	**1**	**2**	**4**	**8**	**15**	**23**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	4.3	4	2	2	4	5	7	8	12
20-34	114	3.9	3	2	2	4	5	6	7	9
35-49	118	4.3	5	1	2	4	5	7	8	11
50-64	406	4.2	4	1	2	4	5	7	8	10
65+	365	4.8	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	7	2.6	6	<1	<1	1	5	6	6	6
35-49	4	7.0	41	1	1	7	12	13	13	13
50-64	7	2.0	2	1	1	1	3	4	4	4
65+	13	4.0	17	<1	1	3	4	10	15	16
B. *Operated*										
0-19 YRS	22	4.4	8	1	2	4	5	7	11	15
20-34	60	4.9	11	2	2	4	6	9	11	20
35-49	80	6.1	21	1	2	5	8	10	12	27
50-64	414	5.3	9	2	3	5	6	8	11	13
65+	536	6.2	16	3	3	5	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	4	<1	<1	1	2	6	6	6
B. *Operated*	1043	4.4	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	38	3.2	13	<1	<1	2	4	8	13	16
B. *Operated*	1112	5.8	14	2	3	5	7	9	12	22
1. SINGLE DX	1049	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX	1150	5.7	14	2	3	5	7	9	12	22
A. NOT OPERATED	44	3.1	12	<1	<1	2	4	7	12	16
B. OPERATED	2155	5.1	10	2	2	4	6	8	10	17
TOTAL 0-19 YRS	71	4.0	6	1	2	3	5	7	8	14
20-34	182	4.2	6	2	2	4	5	6	8	14
35-49	205	5.0	13	1	2	4	6	8	10	24
50-64	827	4.7	7	2	2	4	6	8	9	14
65+	914	5.6	13	2	3	5	7	9	12	20
GRAND TOTAL	**2199**	**5.1**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	3.7	8	1	1	3	4	8	9	9
50-64	16	1.8	2	<1	<1	1	2	3	5	6
65+	27	1.7	1	<1	<1	2	2	2	3	5
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.7	9	<1	<1	3	6	7	7	7
35-49	18	3.7	8	1	1	3	4	8	10	12
50-64	83	2.7	2	1	1	2	3	4	5	9
65+	190	2.9	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	13	1	1	3	6	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	2.3	2	1	1	3	3	4	4	4
50-64	9	2.4	3	1	1	2	4	5	5	5
65+	38	4.4	16	1	1	3	5	11	15	16
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	17	3.1	3	1	2	3	3	6	7	8
50-64	92	3.9	39	1	1	2	4	7	10	39
65+	324	4.6	23	1	2	3	5	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.9	2	<1	<1	2	2	3	5	9
B. *Operated*	296	2.9	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	59	3.7	12	1	1	3	4	9	13	16
B. *Operated*	441	4.3	25	1	2	3	5	9	12	22
1. SINGLE DX	347	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	500	4.3	23	1	1	3	5	9	12	21
A. NOT OPERATED	110	2.9	8	<1	1	2	3	6	9	15
B. OPERATED	737	3.8	17	1	1	3	4	7	10	18
TOTAL 0-19 YRS	9	3.1	6	1	1	2	3	7	9	9
20-34	11	2.6	4	<1	<1	2	3	6	7	7
35-49	48	3.3	5	1	1	3	3	7	8	12
50-64	200	3.2	19	1	1	2	4	5	7	12
65+	579	3.9	16	1	1	3	4	8	11	20
GRAND TOTAL	**847**	**3.7**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**16**

123 Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	10	4.4	24	1	1	2	5	13	16	16
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	3.1	3	1	1	3	4	6	6	6
35-49	19	3.4	3	1	1	3	4	6	7	8
50-64	50	3.4	9	1	1	3	3	7	11	15
65+	145	3.2	6	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	3	1	1	1	2	5	6	6
20-34	5	1.6	2	<1	<1	1	2	4	4	4
35-49	7	5.3	21	1	1	4	6	13	15	15
50-64	12	8.4	166	2	2	4	6	24	45	48
65+	29	5.0	47	<1	1	3	4	12	16	35
B. *Operated*										
0-19 YRS	6	3.3	5	1	1	3	5	7	7	7
20-34	14	4.4	21	2	2	3	3	14	16	16
35-49	17	4.8	16	1	1	3	6	12	13	13
50-64	77	4.1	11	1	1	3	5	8	12	16
65+	206	4.5	19	1	2	3	5	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.7	21	1	1	2	3	12	15	16
B. *Operated*	224	3.3	6	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	60	5.1	61	<1	1	3	5	12	15	47
B. *Operated*	320	4.4	17	1	2	3	5	9	13	23
1. SINGLE DX	244	3.3	7	1	1	2	4	6	9	15
2. MULTIPLE DX	380	4.5	24	1	1	3	5	9	13	25
A. NOT OPERATED	80	4.7	51	1	1	3	5	12	15	44
B. OPERATED	544	3.9	13	1	1	3	5	8	11	17
TOTAL 0-19 YRS	16	2.3	4	1	1	1	3	6	7	7
20-34	29	3.4	12	1	1	2	4	6	14	16
35-49	46	4.3	14	1	1	3	5	11	13	15
50-64	143	4.1	24	1	1	3	4	8	13	18
65+	390	4.0	17	1	1	3	5	8	12	23
GRAND TOTAL	**624**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	20	2.0	1	<1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	445	2.4	2	1	1	2	3	3	4	9
50-64	3138	2.3	1	1	2	2	3	3	4	5
65+	13081	2.4	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	21	2.0	3	<1	<1	1	2	5	7	7
50-64	130	3.2	38	<1	<1	1	3	7	10	41
65+	591	2.6	9	<1	1	2	3	6	9	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	309	2.9	4	1	2	2	3	5	6	10
50-64	2955	2.8	6	1	2	2	3	4	5	12
65+	15978	3.1	10	2	2	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.8	1	<1	<1	2	2	3	3	5
B. *Operated*	16664	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	742	2.7	14	<1	1	2	3	6	9	16
B. *Operated*	19242	3.1	9	2	2	2	3	4	6	15
1. SINGLE DX	16692	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX	19984	3.0	9	1	2	2	3	4	6	15
A. NOT OPERATED	770	2.7	14	<1	<1	2	3	6	9	16
B. OPERATED	35906	2.7	6	2	2	2	3	4	5	11
TOTAL 0-19 YRS										
20-34										
35-49	777	2.6	3	1	2	2	3	4	5	10
50-64	6229	2.6	4	1	2	2	3	3	4	10
65+	29670	2.8	6	1	2	2	3	4	5	12
GRAND TOTAL	**36676**	**2.7**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	58	2.2	1	1	1	2	2	4	4	5
20-34	44	2.1	1	<1	1	2	2	3	4	5
35-49	30	2.2	1	1	1	2	3	4	4	5
50-64	96	2.2	1	1	1	2	2	3	4	6
65+	113	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	28	2.6	4	<1	1	2	3	6	7	8
20-34	25	2.4	1	1	2	2	3	3	4	5
35-49	50	3.2	12	2	2	2	3	5	7	25
50-64	95	2.7	2	1	2	2	3	4	6	9
65+	231	3.0	15	1	2	2	3	4	6	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*	341	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	12	1.4		<1	<1	1	2	3	3	3
B. *Operated*	429	2.9	10	1	2	2	3	4	6	19
1. SINGLE DX	344	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX	441	2.9	10	1	1	2	3	4	6	19
A. NOT OPERATED	15	1.9	2	<1	<1	1	3	4	5	5
B. OPERATED	770	2.6	6	1	1	2	3	4	5	11
TOTAL 0-19 YRS	91	2.3	2	<1	1	2	3	4	5	8
20-34	69	2.2	1	1	1	2	3	3	4	5
35-49	81	2.8	8	1	1	2	3	4	6	20
50-64	192	2.4	2	1	1	2	3	4	4	7
65+	352	2.7	10	1	1	2	3	4	5	19
GRAND TOTAL	**785**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.0	3	<1	<1	1	3	4	6	7
20-34	11	3.0	9	<1	<1	2	4	8	10	10
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	12	4.8	10	1	1	4	6	10	11	11
65+	9	3.8	8	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	1487	1.6	1	<1	<1	2	2	2	2	3
20-34	246	1.9	1	<1	1	2	2	2	3	4
35-49	106	1.9	1	1	1	2	2	2	3	7
50-64	49	2.4	5	1	1	2	2	3	6	17
65+	40	2.0	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.5	2	<1	<1	1	1	3	6	9
20-34	15	2.9	8	<1	1	1	5	7	9	10
35-49	12	5.6	22	2	2	4	8	14	15	15
50-64	31	6.7	22	1	2	6	8	14	17	20
65+	57	8.4	58	2	3	6	11	18	23	41
B. *Operated*										
0-19 YRS	415	1.6		<1	<1	2	2	2	2	4
20-34	85	2.4	4	<1	1	2	2	3	5	13
35-49	50	3.5	63	1	1	2	2	3	10	38
50-64	56	3.4	23	<1	1	2	3	5	11	33
65+	42	5.0	61	1	2	2	3	12	20	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.3	7	<1	1	2	5	7	10	11
B. *Operated*	1928	1.7	1	<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	207	4.5	31	<1	<1	2	6	11	15	29
B. *Operated*	648	2.2	11	<1	<1	2	2	3	4	19
1. SINGLE DX	1980	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	855	2.8	17	<1	<1	2	2	5	9	20
A. NOT OPERATED	259	4.3	26	<1	<1	2	6	10	13	24
B. OPERATED	2576	1.8	3	<1	<1	2	2	2	3	5
TOTAL 0-19 YRS	2010	1.6	1	<1	<1	2	2	2	2	3
20-34	357	2.1	2	<1	1	2	2	3	4	8
35-49	172	2.7	16	1	1	2	2	3	5	29
50-64	148	3.9	18	1	1	2	4	8	12	20
65+	148	5.4	47	1	1	3	6	12	19	41
GRAND TOTAL	**2835**	**2.0**	**6**	**<1**	**<1**	**2**	**2**	**2**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	2.6	4	<1	<1	2	4	6	7	10
20-34	17	3.1	5	<1	1	2	5	7	7	7
35-49	14	3.2	3	1	2	3	3	7	7	7
50-64	17	3.7	9	1	1	3	4	7	11	13
65+	48	4.5	11	<1	1	4	6	8	12	16
B. *Operated*										
0-19 YRS	220	1.5	1	<1	<1	1	2	2	3	7
20-34	155	2.0	2	<1	<1	2	2	3	5	8
35-49	336	2.0	2	<1	<1	2	2	3	4	7
50-64	461	1.9	1	<1	<1	2	2	3	3	5
65+	676	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	3.5	7	<1	<1	3	5	7	9	14
20-34	16	5.9	37	<1	1	4	8	12	21	25
35-49	30	5.6	23	<1	1	4	9	12	17	17
50-64	59	4.4	24	<1	1	2	6	11	15	22
65+	124	6.9	58	<1	1	5	8	16	19	43
B. *Operated*										
0-19 YRS	74	2.4	5	<1	<1	2	3	5	7	13
20-34	86	3.5	25	1	1	2	3	6	8	35
35-49	299	2.6	5	<1	1	2	3	4	6	11
50-64	629	2.9	12	1	1	2	3	4	6	11
65+	934	3.5	17	1	1	2	4	6	8	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	3.1	6	<1	<1	2	4	6	7	13
B. *Operated*	1848	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	389	5.0	30	<1	1	3	6	11	16	28
B. *Operated*	2022	3.1	14	1	1	2	3	5	7	17
1. SINGLE DX	2128	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2411	3.4	17	1	1	2	4	6	9	21
A. NOT OPERATED	669	4.2	21	<1	<1	3	5	8	13	22
B. OPERATED	3870	2.6	9	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	638	2.4	5	<1	<1	2	3	5	7	10
20-34	274	2.8	12	<1	<1	2	3	5	8	22
35-49	679	2.5	5	<1	<1	2	3	4	6	11
50-64	1166	2.6	9	<1	1	2	3	4	5	12
65+	1782	3.4	16	1	1	2	4	6	8	19
GRAND TOTAL	**4539**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	3.9	5	1	2	3	5	7	8	12
20-34	69	3.9	4	1	1	4	5	6	7	10
35-49	34	4.9	8	1	2	5	7	8	9	15
50-64	34	3.4	8	<1	1	3	4	7	10	13
65+	58	5.4	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	49	2.6	5	1	1	2	3	6	7	11
20-34	41	3.5	7	1	2	3	4	6	9	14
35-49	78	3.4	7	2	2	3	4	6	7	18
50-64	221	2.5	2	1	1	2	3	4	5	9
65+	799	2.4	2	1	2	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	5.1	14	1	2	4	6	10	11	19
20-34	76	4.3	15	1	1	4	5	7	13	23
35-49	51	5.9	14	2	2	5	8	11	14	16
50-64	124	5.7	17	1	1	5	8	11	14	21
65+	235	7.4	41	1	2	6	10	14	18	25
B. *Operated*										
0-19 YRS	53	6.4	48	1	1	4	8	16	24	32
20-34	70	5.1	18	1	2	4	6	9	13	26
35-49	82	6.0	61	1	2	4	7	13	18	49
50-64	335	4.5	27	1	2	3	5	9	15	34
65+	1127	3.7	14	1	2	2	4	7	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	4.1	7	1	1	3	5	7	9	14
B. *Operated*	1188	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	790	5.8	23	1	2	5	8	11	15	23
B. *Operated*	1667	4.1	21	1	2	2	4	8	12	22
1. SINGLE DX	1702	3.0	5	1	1	2	3	5	7	12
2. MULTIPLE DX	2457	4.7	22	1	2	3	6	10	13	23
A. NOT OPERATED	1304	5.2	18	1	2	4	7	10	12	21
B. OPERATED	2855	3.4	14	1	2	2	3	6	10	20
TOTAL 0-19 YRS	725	4.5	13	1	2	4	6	8	11	18
20-34	256	4.3	12	1	1	3	5	7	10	16
35-49	245	5.0	28	1	2	4	6	10	13	22
50-64	714	4.0	18	1	1	2	5	8	11	21
65+	2219	3.7	15	1	2	2	4	7	11	20
GRAND TOTAL	**4159**	**4.0**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	1	1	1	2	2	4	4	4
20-34	9	3.1	2	1	1	3	4	5	6	6
35-49	5	2.8	6	1	1	2	4	7	7	7
50-64	6	2.5	3	1	1	2	4	5	5	5
65+	9	3.0	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	10	1.7		1	1	2	2	3	3	3
50-64	10	2.5	4	<1	<1	2	2	6	7	7
65+	9	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.4	6	<1	1	2	6	7	7	8
20-34	18	3.6	4	1	1	3	5	7	7	7
35-49	26	4.6	11	1	1	4	6	11	12	14
50-64	37	3.8	7	1	1	3	4	9	10	11
65+	52	6.1	17	1	2	5	8	13	15	21
B. *Operated*										
0-19 YRS	16	3.4	7	<1	1	3	4	8	9	10
20-34	11	2.8	1	1	1	3	4	5	5	5
35-49	13	4.8	18	1	1	3	6	12	14	15
50-64	29	4.0	5	1	1	3	6	7	9	9
65+	38	7.1	37	1	2	6	8	11	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	3	1	1	2	4	5	7	7
B. *Operated*	36	2.3	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	163	4.5	11	1	1	4	6	9	12	16
B. *Operated*	107	5.0	20	1	2	4	7	10	11	26
1. SINGLE DX	83	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX	270	4.7	15	1	1	4	6	9	11	21
A. NOT OPERATED	210	4.1	10	1	1	4	5	8	11	15
B. OPERATED	143	4.3	17	1	1	3	5	8	10	23
TOTAL 0-19 YRS	67	2.9	5	<1	1	2	4	7	7	10
20-34	42	3.2	3	1	1	3	4	6	6	7
35-49	54	3.9	11	1	1	3	5	8	12	15
50-64	82	3.6	6	1	1	3	4	7	9	11
65+	108	5.9	24	1	2	4	8	11	15	26
GRAND TOTAL	**353**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	779	3.1	3	1	1	3	4	5	6	8
20-34	14	5.6	27	1	1	4	6	12	19	21
35-49	9	3.4	3	1	1	3	4	6	7	7
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	4	8.0	44	3	3	6	13	17	17	17
B. *Operated*										
0-19 YRS	3532	1.1		<1	<1	<1	<1	1	2	3
20-34	169	2.2	7	<1	<1	2	3	3	4	8
35-49	146	2.0	1	<1	<1	2	2	3	3	6
50-64	167	2.3	2	<1	<1	2	3	3	4	8
65+	89	2.5	12	<1	1	2	3	3	4	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2029	3.4	5	1	1	3	4	6	8	12
20-34	33	4.8	11	<1	1	4	7	11	12	13
35-49	29	4.9	19	1	1	4	6	7	14	23
50-64	48	4.9	14	1	1	4	7	12	13	14
65+	41	8.0	40	1	2	7	11	18	21	26
B. *Operated*										
0-19 YRS	2198	1.5	2	<1	<1	1	2	2	3	6
20-34	243	2.4	2	<1	1	2	3	4	5	8
35-49	190	2.8	13	1	1	2	3	4	5	17
50-64	247	3.0	5	1	2	3	3	4	5	19
65+	114	3.3	12	1	1	3	3	5	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	3.1	4	1	1	3	4	5	6	10
B. *Operated*	4103	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2180	3.6	7	1	1	3	4	6	9	14
B. *Operated*	2992	1.8	3	<1	<1	1	2	3	4	8
1. SINGLE DX	4912	1.6	2	<1	<1	<1	2	3	4	6
2. MULTIPLE DX	5172	2.6	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	2989	3.5	6	1	1	3	4	6	8	13
B. OPERATED	7095	1.5	2	<1	<1	<1	2	3	3	6
TOTAL 0-19 YRS	8538	1.9	3	<1	<1	1	2	4	5	9
20-34	459	2.6	6	<1	<1	2	3	4	6	12
35-49	374	2.7	9	<1	1	2	3	4	5	14
50-64	465	2.9	5	<1	1	2	3	4	7	13
65+	248	3.9	21	1	1	2	4	8	13	26
GRAND TOTAL	**10084**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.8	8	1	1	3	5	7	9	15
20-34	54	4.6	7	2	2	4	6	8	9	16
35-49	17	5.3	19	1	2	4	6	8	16	21
50-64	12	5.2	12	<1	2	5	6	9	14	15
65+	8	7.6	29	3	3	6	8	17	20	20
B. *Operated*										
0-19 YRS	423	1.4	4	<1	<1	<1	1	2	3	8
20-34	48	3.0	4	1	1	3	4	6	7	10
35-49	29	3.9	17	<1	<1	2	4	11	15	15
50-64	38	3.6	12	<1	1	3	4	7	13	16
65+	26	5.5	17	<1	2	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	3.7	8	<1	1	3	5	7	9	15
20-34	62	5.0	10	1	2	4	7	8	10	18
35-49	34	5.3	13	1	1	5	7	11	11	16
50-64	51	5.9	15	1	2	5	8	11	14	20
65+	53	9.5	83	3	4	6	10	19	33	45
B. *Operated*										
0-19 YRS	408	2.1	11	<1	<1	1	2	4	5	19
20-34	76	3.8	15	1	1	3	4	7	14	20
35-49	74	4.1	10	1	2	3	4	8	12	17
50-64	85	6.8	158	1	2	3	5	16	22	82
65+	60	13.5	254	1	2	6	20	37	48	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	4.5	10	1	1	4	6	8	9	19
B. *Operated*	564	2.0	7	<1	<1	<1	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	387	5.1	23	1	1	4	6	10	12	23
B. *Operated*	703	4.0	60	<1	<1	2	3	8	16	44
1. SINGLE DX	742	2.6	9	<1	<1	1	3	6	8	15
2. MULTIPLE DX	1090	4.4	47	<1	<1	3	5	9	13	37
A. NOT OPERATED	565	4.9	19	1	1	4	6	9	11	21
B. OPERATED	1267	3.1	38	<1	<1	1	3	5	11	34
TOTAL 0-19 YRS	1105	2.2	9	<1	<1	1	2	5	6	13
20-34	240	4.2	10	1	1	3	5	8	9	18
35-49	154	4.5	13	1	1	3	5	9	14	17
50-64	186	5.8	80	1	1	3	6	11	16	47
65+	147	10.3	146	1	2	6	11	28	38	60
GRAND TOTAL	**1832**	**3.7**	**33**	**<1**	**<1**	**2**	**4**	**8**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.7	9	<1	1	3	4	7	12	13
20-34	99	3.9	16	1	1	3	5	7	8	24
35-49	162	3.7	7	1	1	3	5	7	8	14
50-64	263	3.7	9	1	1	3	5	7	9	12
65+	274	3.7	7	1	1	3	5	7	8	16
B. *Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	3	3	3
20-34	29	3.7	5	2	2	3	4	7	8	12
35-49	35	3.5	3	2	2	3	4	6	8	9
50-64	47	4.1	5	2	2	4	5	7	9	13
65+	20	4.8	11	2	3	3	5	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.9	2	1	1	3	4	5	6	6
20-34	112	4.8	9	1	2	4	6	9	11	15
35-49	223	4.9	12	1	2	4	6	9	11	17
50-64	704	5.0	11	1	2	4	6	9	11	16
65+	1246	5.8	15	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	4.4	3	2	2	4	6	7	7	7
35-49	29	6.5	36	2	3	5	8	10	14	34
50-64	57	8.1	72	2	2	6	9	15	26	50
65+	87	9.6	45	3	3	7	13	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	3.7	9	1	1	3	5	7	8	14
B. *Operated*	138	3.9	5	2	2	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2309	5.4	13	1	2	5	7	10	12	18
B. *Operated*	191	8.2	50	2	3	6	10	16	20	36
1. SINGLE DX	962	3.7	8	1	1	3	5	7	8	13
2. MULTIPLE DX	2500	5.6	17	1	2	5	7	10	13	20
A. NOT OPERATED	3133	5.0	13	1	2	4	6	9	12	17
B. OPERATED	329	6.4	36	2	2	4	7	13	17	34
TOTAL 0-19 YRS	58	3.2	5	1	1	3	4	5	7	13
20-34	257	4.3	11	1	2	4	5	7	10	15
35-49	449	4.5	11	1	2	4	6	8	10	15
50-64	1071	4.8	14	1	2	4	6	9	11	19
65+	1627	5.7	17	1	2	5	7	11	13	20
GRAND TOTAL	**3462**	**5.1**	**15**	**1**	**2**	**4**	**6**	**10**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.5	1	1	2	2	3	4	5	5
20-34	161	2.8	2	2	2	3	3	4	5	7
35-49	232	2.6	1	2	2	2	3	4	4	5
50-64	261	2.7	1	1	2	3	3	4	4	5
65+	112	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	5.0	16	1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	7	3.3	1	2	2	3	4	5	5	5
20-34	33	2.6	1	2	2	2	3	4	5	6
35-49	63	2.8	2	2	2	3	3	4	5	8
50-64	80	2.7	1	2	2	3	3	3	4	5
65+	50	3.0	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	783	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	2.5	7	<1	<1	1	4	7	9	9
B. *Operated*	233	2.8	1	2	2	3	3	4	5	8
1. SINGLE DX	783	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX	243	2.8	1	1	2	3	3	4	5	8
A. NOT OPERATED	10	2.5	7	<1	<1	1	4	7	9	9
B. OPERATED	1016	2.7	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	24	2.8	1	1	2	3	3	5	5	5
20-34	196	2.8	2	2	2	3	3	4	5	7
35-49	298	2.6	1	1	2	2	3	4	4	6
50-64	343	2.7	1	2	2	3	3	4	4	5
65+	165	2.9	1	2	2	3	3	4	5	8
GRAND TOTAL	**1026**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	10	<1	<1	2	5	9	10	10
20-34	14	4.8	26	1	1	3	8	9	18	20
35-49	16	3.8	4	1	1	3	6	7	7	7
50-64	21	3.9	6	<1	<1	4	6	7	8	8
65+	11	3.7	7	1	1	2	7	8	8	8
B. *Operated*										
0-19 YRS	471	1.9	1	<1	<1	2	2	3	3	4
20-34	237	2.4	1	1	1	2	3	3	4	9
35-49	236	2.5	2	1	1	2	3	4	6	7
50-64	199	2.4	1	1	1	2	3	3	4	6
65+	84	3.3	13	1	2	2	3	5	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.6	14	<1	<1	3	4	8	12	19
20-34	22	3.0	4	<1	<1	3	5	6	7	7
35-49	26	4.5	14	<1	1	3	7	10	11	15
50-64	37	4.5	16	1	1	4	5	9	13	20
65+	50	6.4	29	<1	1	4	10	14	17	23
B. *Operated*										
0-19 YRS	352	2.3	3	<1	<1	2	3	3	5	10
20-34	209	2.5	3	<1	1	2	3	4	5	9
35-49	186	3.0	7	1	1	2	3	5	7	17
50-64	209	3.4	25	1	1	2	3	5	10	18
65+	106	3.8	28	1	2	3	4	6	9	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.9	10	<1	1	3	6	8	8	18
B. *Operated*	1227	2.3	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	174	4.6	19	<1	1	3	6	10	14	20
B. *Operated*	1062	2.8	11	<1	1	2	3	4	6	14
1. SINGLE DX	1301	2.4	3	<1	1	2	3	3	5	9
2. MULTIPLE DX	1236	3.1	12	<1	1	2	3	5	8	17
A. NOT OPERATED	248	4.4	16	<1	1	3	6	9	13	20
B. OPERATED	2289	2.5	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	874	2.1	2	<1	<1	2	2	3	4	9
20-34	482	2.5	3	<1	1	2	3	4	5	9
35-49	464	2.9	5	1	1	2	3	5	7	11
50-64	466	3.0	14	1	1	2	3	5	8	16
65+	251	4.2	23	1	1	3	4	9	12	23
GRAND TOTAL	**2537**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	7.2	16	2	3	6	9	13	15	19
20-34	13	6.7	9	1	3	7	9	10	11	11
35-49	4	12.0	236	3	3	5	20	35	35	35
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	9.0	57	2	2	8	15	17	17	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.2	497	3	4	7	17	57	70	89
20-34	13	11.2	119	2	3	6	13	33	34	34
35-49	15	7.5	25	1	2	8	11	13	17	18
50-64	34	7.9	35	2	2	7	10	12	23	28
65+	71	11.0	69	2	3	9	13	24	30	40
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	12.8	184	2	2	4	26	30	30	30
35-49	5	10.4	71	1	1	14	16	20	20	20
50-64	18	15.6	278	2	2	13	20	32	57	71
65+	20	18.9	223	2	2	17	23	44	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.3	25	2	3	6	9	13	16	30
B. *Operated*	6	3.7	7	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	157	11.0	132	2	3	8	12	24	32	62
B. *Operated*	49	16.0	217	2	2	14	21	33	51	71
1. SINGLE DX	87	7.0	24	2	2	6	9	12	16	29
2. MULTIPLE DX	206	12.2	156	2	2	9	15	25	35	66
A. NOT OPERATED	238	9.7	98	2	3	7	11	18	28	57
B. OPERATED	55	14.7	208	2	2	12	21	30	48	70
TOTAL 0-19 YRS	84	10.0	170	2	3	6	10	16	29	80
20-34	32	9.5	79	2	3	7	10	26	33	34
35-49	25	8.6	61	1	2	6	13	18	24	35
50-64	57	9.9	122	2	2	8	12	22	27	68
65+	95	12.5	109	2	3	9	17	26	35	54
GRAND TOTAL	**293**	**10.6**	**122**	**2**	**2**	**8**	**12**	**22**	**30**	**60**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	25	4.0	8	1	1	4	5	9	10	12
35-49	23	5.0	5	2	2	4	6	8	10	12
50-64	22	4.7	16	<1	1	3	7	11	13	16
65+	14	4.8	5	1	2	4	5	8	9	9
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	15	5.6	31	<1	<1	2	12	13	16	17
35-49	51	5.4	33	2	2	2	5	16	17	18
50-64	93	7.0	44	2	2	3	11	17	20	26
65+	60	8.1	49	2	2	4	13	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.6	94	2	2	12	18	29	31	31
20-34	59	6.5	31	1	2	5	9	12	14	35
35-49	125	6.8	43	2	2	5	8	13	20	33
50-64	325	8.0	37	2	2	7	10	15	19	30
65+	510	10.7	78	2	3	9	13	19	24	51
B. *Operated*										
0-19 YRS	7	17.6	32	11	11	21	22	23	23	23
20-34	38	14.4	131	1	2	11	19	31	40	46
35-49	134	13.2	134	2	2	12	19	26	39	56
50-64	427	13.5	185	2	2	11	19	28	39	71
65+	373	15.6	200	2	2	13	22	35	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.6	9	1	1	4	6	9	11	15
B. *Operated*	221	6.8	43	2	2	2	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	1026	9.1	61	2	2	7	12	17	22	44
B. *Operated*	979	14.3	181	2	2	12	20	31	40	65
1. SINGLE DX	308	6.2	34	1	2	3	11	15	17	24
2. MULTIPLE DX	2005	11.7	126	2	2	9	16	24	34	60
A. NOT OPERATED	1113	8.8	58	2	2	7	11	17	21	44
B. OPERATED	1200	12.9	164	2	2	11	19	28	38	64
TOTAL 0-19 YRS	19	12.9	70	2	3	12	20	23	28	31
20-34	137	8.2	70	1	1	5	11	17	26	43
35-49	333	9.0	87	2	2	5	13	20	26	44
50-64	867	10.5	119	2	2	7	14	23	30	61
65+	957	12.4	130	2	2	9	16	25	36	61
GRAND TOTAL	**2313**	**10.9**	**117**	**2**	**2**	**8**	**15**	**23**	**32**	**57**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	13	1	1	3	4	8	14	18
20-34	98	5.3	40	1	1	4	6	10	13	37
35-49	257	4.9	11	1	2	4	5	9	12	17
50-64	341	5.1	13	1	2	4	7	9	11	18
65+	252	5.5	28	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	10	2.6	1	2	2	2	3	4	5	5
20-34	23	4.5	15	1	1	2	7	11	13	14
35-49	26	4.3	10	1	2	3	6	8	11	13
50-64	45	4.6	10	1	2	4	5	10	12	14
65+	26	8.0	64	2	2	5	9	21	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.3	13	<1	1	3	6	8	11	17
20-34	289	5.9	27	2	2	5	7	11	14	31
35-49	1045	6.3	33	2	2	5	8	11	15	26
50-64	2104	6.7	31	2	2	5	8	12	16	29
65+	2857	8.4	61	2	3	6	10	16	22	46
B. *Operated*										
0-19 YRS	16	6.4	79	1	1	3	8	17	29	34
20-34	46	11.3	95	2	2	8	16	23	31	49
35-49	135	11.7	119	2	3	9	14	28	35	99+
50-64	266	10.1	97	2	2	8	12	19	28	49
65+	347	14.0	148	2	3	11	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	5.1	19	1	2	4	7	9	12	18
B. *Operated*	130	5.0	23	2	2	3	6	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	6336	7.4	45	2	2	6	9	14	19	37
B. *Operated*	810	12.1	125	2	2	9	15	26	37	87
1. SINGLE DX	1115	5.1	19	1	2	4	7	10	12	19
2. MULTIPLE DX	7146	7.9	56	2	2	6	9	15	21	44
A. NOT OPERATED	7321	7.1	42	2	2	5	9	13	18	35
B. OPERATED	940	11.1	117	2	2	8	14	24	35	76
TOTAL 0-19 YRS	104	4.5	22	1	1	3	5	9	15	25
20-34	456	6.3	38	1	2	5	8	11	17	37
35-49	1463	6.6	39	2	2	5	8	12	16	33
50-64	2756	6.8	36	2	2	5	8	13	17	31
65+	3482	8.8	71	2	2	6	10	17	24	52
GRAND TOTAL	**8261**	**7.5**	**52**	**2**	**2**	**6**	**9**	**14**	**20**	**41**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	4.1	3	2	2	4	5	7	7	7
35-49	39	6.8	33	2	3	5	8	13	18	32
50-64	94	6.7	30	2	2	5	8	14	17	32
65+	184	7.2	20	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	12	4.5	12	2	2	2	7	10	11	11
50-64	16	5.5	36	1	2	2	8	15	19	21
65+	8	11.3	241	2	2	5	12	37	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	12.4	109	5	5	7	18	30	30	30
20-34	20	6.3	22	2	3	4	7	12	17	22
35-49	292	7.8	31	2	3	6	9	15	18	31
50-64	1020	8.8	47	2	3	7	11	15	21	38
65+	3496	11.1	88	3	4	9	13	20	28	67
B. *Operated*										
0-19 YRS	3	9.7	44	4	4	8	15	17	17	17
20-34	8	16.0	142	3	4	14	19	35	42	42
35-49	39	10.6	72	2	2	8	15	18	31	39
50-64	161	11.9	146	2	2	9	15	22	33	67
65+	393	17.9	253	3	5	13	22	39	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	6.9	24	2	3	6	8	13	16	29
B. *Operated*	38	6.3	71	2	2	2	8	13	19	48
2. MULTIPLE DX										
A. *Not Operated*	4833	10.4	77	3	4	8	13	19	26	54
B. *Operated*	604	15.8	218	2	3	12	19	33	50	99
1. SINGLE DX	363	6.9	29	2	2	6	8	13	16	31
2. MULTIPLE DX	5437	11.0	96	3	4	8	13	21	29	66
A. NOT OPERATED	5158	10.2	74	3	3	8	12	19	25	52
B. OPERATED	642	15.2	214	2	3	11	18	33	48	98
TOTAL 0-19 YRS	9	11.1	68	4	4	8	15	25	30	30
20-34	37	7.8	60	2	2	5	10	17	21	42
35-49	382	7.9	35	2	3	6	10	16	18	34
50-64	1291	9.0	60	2	3	7	11	16	22	42
65+	4081	11.6	106	3	4	9	14	22	31	74
GRAND TOTAL	**5800**	**10.8**	**92**	**3**	**3**	**8**	**13**	**20**	**29**	**64**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	58	1	1	5	12	17	17	17
20-34	16	5.4	23	1	1	4	8	14	15	16
35-49	39	6.4	23	2	2	5	9	12	14	28
50-64	35	8.5	61	1	2	6	11	20	24	36
65+	22	9.6	123	2	2	6	11	21	35	52
B. *Operated*										
0-19 YRS	4	6.0	5	4	4	6	8	8	8	8
20-34	23	5.8	37	1	1	4	6	18	20	23
35-49	41	7.9	77	1	2	5	9	17	26	46
50-64	41	8.6	63	<1	1	7	12	20	32	99+
65+	32	8.4	52	2	2	5	13	20	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	17	1	1	2	3	11	12	12
20-34	30	8.1	123	1	1	5	8	18	25	58
35-49	108	8.2	50	1	2	6	11	18	23	32
50-64	195	11.0	80	2	3	9	14	21	27	58
65+	548	14.2	160	3	4	11	18	27	41	99
B. *Operated*										
0-19 YRS	12	6.3	43	2	2	3	8	18	21	22
20-34	78	11.1	215	2	2	7	13	23	40	85
35-49	136	13.2	198	2	2	9	16	30	41	67
50-64	308	14.5	195	2	3	11	20	31	45	91
65+	299	20.5	309	3	4	16	27	51	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	7.5	55	1	2	5	9	16	21	41
B. *Operated*	141	7.8	58	1	2	5	10	18	25	50
2. MULTIPLE DX										
A. *Not Operated*	887	12.5	132	2	3	10	16	25	34	81
B. *Operated*	833	16.0	248	2	3	11	21	35	57	97
1. SINGLE DX	257	7.7	57	1	2	5	10	17	24	45
2. MULTIPLE DX	1720	14.2	191	2	3	10	18	31	46	88
A. NOT OPERATED	1003	11.9	126	2	3	9	15	24	33	77
B. OPERATED	974	14.8	229	2	3	10	20	33	53	96
TOTAL 0-19 YRS	26	5.7	31	1	1	3	8	16	18	22
20-34	147	9.0	151	1	2	5	10	19	25	65
35-49	324	10.0	119	2	2	7	13	21	31	63
50-64	579	12.5	144	2	3	9	17	27	36	85
65+	901	15.9	216	3	4	12	20	34	57	99+
GRAND TOTAL	**1977**	**13.3**	**179**	**2**	**3**	**9**	**17**	**29**	**43**	**86**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	77	10.5	14	3	6	11	13	15	17	20
35-49	758	11.1	14	4	7	11	13	15	18	22
50-64	1808	11.8	16	6	7	12	14	17	19	24
65+	1469	12.4	26	5	7	12	15	16	21	28
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	13.0	13	9	9	14	15	16	16	16
35-49	51	11.7	28	2	3	12	15	17	17	32
50-64	139	12.6	26	2	2	13	15	19	20	23
65+	73	16.4	64	6	10	15	19	29	33	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	21.7	199	8	9	17	28	38	56	60
20-34	129	11.3	37	4	5	11	13	17	20	38
35-49	1970	11.9	25	4	6	12	14	18	20	28
50-64	7709	13.1	34	6	7	12	15	19	22	33
65+	13719	14.8	64	6	8	13	17	23	29	48
B. *Operated*										
0-19 YRS	3	25.3	472	9	9	17	42	50	50	50
20-34	49	14.9	114	2	3	14	19	33	42	99+
35-49	538	13.9	73	2	3	13	17	24	29	52
50-64	1665	16.1	98	2	7	14	20	27	35	63
65+	2013	20.7	161	8	10	18	25	37	47	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4115	11.8	20	5	7	12	14	17	19	25
B. *Operated*	267	13.4	40	2	5	13	16	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	23540	14.0	52	6	8	13	16	21	26	43
B. *Operated*	4268	18.0	132	3	8	16	22	31	41	83
1. SINGLE DX	4382	11.9	21	5	7	12	14	17	20	26
2. MULTIPLE DX	27808	14.6	66	6	8	13	17	23	29	49
A. NOT OPERATED	27655	13.6	48	6	7	13	16	21	25	41
B. OPERATED	4535	17.7	128	3	8	15	21	31	40	80
TOTAL 0-19 YRS	20	19.3	223	2	5	15	26	41	55	60
20-34	258	11.8	48	3	5	11	14	18	25	44
35-49	3317	12.0	31	4	6	12	14	18	21	31
50-64	11321	13.3	42	5	7	12	15	20	24	37
65+	17274	15.3	77	6	8	13	18	24	31	54
GRAND TOTAL	**32190**	**14.2**	**61**	**6**	**8**	**13**	**16**	**22**	**28**	**47**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	40	4.0	7	1	1	3	5	8	10	12
35-49	401	4.0	6	1	2	4	5	7	9	13
50-64	806	4.3	7	1	2	4	6	8	9	14
65+	721	4.8	12	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS										
20-34	8	2.6	1	2	2	2	3	5	5	5
35-49	88	3.8	16	1	2	2	3	10	11	22
50-64	192	3.4	11	2	2	2	3	7	12	17
65+	55	3.9	13	2	2	2	4	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.3	30	3	3	5	8	17	20	20
20-34	137	4.8	7	2	2	4	7	8	10	12
35-49	1761	5.1	12	1	2	4	6	9	11	17
50-64	5460	5.7	17	2	2	5	7	10	12	19
65+	8407	6.9	27	2	3	6	9	13	16	27
b. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	7.1	36	2	2	5	10	15	19	26
35-49	700	6.3	32	2	2	3	10	13	17	25
50-64	2348	7.5	55	2	2	4	11	16	20	34
65+	1453	10.7	106	2	2	9	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969	4.4	9	1	2	4	6	8	10	15
B. *Operated*	343	3.5	12	2	2	2	3	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	15773	6.2	22	2	2	5	8	11	14	23
B. *Operated*	4543	8.3	70	2	2	6	12	18	23	40
1. SINGLE DX	2312	4.3	9	1	2	3	6	8	10	15
2. MULTIPLE DX	20316	6.7	34	2	2	5	9	13	17	29
A. NOT OPERATED	17742	6.0	21	2	2	5	8	11	14	22
B. OPERATED	4886	8.0	68	2	2	5	11	17	23	39
TOTAL 0-19 YRS	11	5.7	28	1	1	4	7	13	19	20
20-34	225	5.0	13	1	2	4	7	10	12	19
35-49	2950	5.2	16	2	2	4	7	10	13	19
50-64	8806	6.0	27	2	2	4	8	12	15	24
65+	10636	7.3	39	2	2	6	9	14	18	33
GRAND TOTAL	**22628**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	4.7	6	1	2	4	7	8	9	10
35-49	407	4.8	8	1	2	4	6	8	10	14
50-64	934	5.6	11	2	2	5	7	10	11	17
65+	1002	6.3	26	2	2	5	8	11	13	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	30	6.2	23	2	2	4	9	13	16	20
50-64	96	8.2	35	2	2	8	11	14	20	29
65+	31	7.7	22	2	2	8	11	14	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.6	15	4	4	9	11	14	15	15
20-34	90	6.3	22	2	2	6	8	10	12	31
35-49	1606	6.0	15	2	2	5	7	11	13	19
50-64	6638	6.9	21	2	3	6	9	12	14	22
65+	11838	8.2	35	3	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	2	14.5	313	2	2	14	27	27	27	27
20-34	19	8.3	22	2	3	7	11	14	18	21
35-49	432	9.9	61	2	2	9	13	17	21	40
50-64	1562	11.5	83	2	2	10	15	21	28	48
65+	1434	15.6	128	2	4	14	20	29	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2379	5.7	17	2	2	5	7	10	12	19
B. *Operated*	160	7.6	30	2	2	8	11	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	20180	7.6	29	2	3	6	9	13	17	27
B. *Operated*	3449	13.0	104	2	2	11	17	25	32	54
1. SINGLE DX	2539	5.9	18	2	2	5	7	10	13	20
2. MULTIPLE DX	23629	8.4	44	2	3	7	10	15	20	35
A. NOT OPERATED	22559	7.4	28	2	3	6	9	13	16	27
B. OPERATED	3609	12.8	102	2	2	11	16	25	32	53
TOTAL 0-19 YRS	11	9.1	53	2	2	9	11	20	26	27
20-34	147	6.1	19	2	2	5	8	10	13	26
35-49	2475	6.5	24	2	2	5	8	12	15	23
50-64	9230	7.5	34	2	3	6	9	14	17	29
65+	14305	8.8	49	3	3	7	11	16	21	38
GRAND TOTAL	**26168**	**8.1**	**42**	**2**	**3**	**7**	**10**	**15**	**19**	**34**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	4.6	15	<1	<1	3	7	11	12	12
35-49	111	4.0	8	1	2	3	5	7	9	16
50-64	320	4.4	12	1	2	3	6	9	10	17
65+	263	5.0	14	1	2	4	6	10	12	19
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	32	4.4	30	1	2	2	3	16	16	22
35-49	620	4.8	21	2	2	2	8	12	13	20
50-64	1755	6.1	36	2	2	2	10	14	17	24
65+	623	7.6	59	2	2	3	12	17	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.4	15	1	1	7	8	12	13	13
20-34	34	4.9	8	2	2	4	7	9	10	12
35-49	552	5.4	23	1	2	4	7	10	12	22
50-64	2068	6.2	23	1	2	5	8	12	14	23
65+	4177	9.3	72	2	3	7	11	17	24	53
B. *Operated*										
0-19 YRS	10	7.6	35	2	2	6	11	16	19	19
20-34	76	5.9	41	2	2	3	9	12	15	39
35-49	1499	6.7	43	2	2	3	11	15	18	29
50-64	5058	8.3	63	2	2	6	12	17	22	37
65+	2669	12.0	125	2	2	10	17	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	703	4.6	12	1	2	4	6	9	11	18
B. *Operated*	3032	6.1	38	2	2	2	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	6839	8.0	56	2	2	6	10	15	20	42
B. *Operated*	9312	9.1	81	2	2	7	13	19	25	43
1. SINGLE DX	3735	5.8	34	2	2	2	9	14	17	25
2. MULTIPLE DX	16151	8.6	71	2	2	6	12	18	23	43
A. NOT OPERATED	7542	7.7	53	2	2	6	9	15	19	40
B. OPERATED	12344	8.4	72	2	2	5	12	18	23	40
TOTAL 0-19 YRS	21	7.0	23	1	2	8	9	13	16	19
20-34	150	5.3	30	2	2	3	7	11	15	26
35-49	2782	5.9	33	2	2	3	9	13	16	26
50-64	9201	7.3	48	2	2	5	11	15	19	32
65+	7732	10.0	91	2	2	7	13	20	27	51
GRAND TOTAL	**19886**	**8.1**	**65**	**2**	**2**	**6**	**11**	**17**	**22**	**40**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7		10	10	11	11	11	11	11
20-34	79	9.8	17	4	5	9	12	15	17	21
35-49	99	10.8	22	2	5	11	14	16	19	26
50-64	132	10.6	20	5	6	10	12	16	19	27
65+	131	12.0	24	5	7	11	14	18	21	27
B. *Operated*										
0-19 YRS										
20-34	19	9.3	14	2	3	9	12	14	15	15
35-49	28	13.7	78	5	6	11	16	24	31	47
50-64	21	15.5	121	4	6	14	19	30	41	51
65+	14	17.0	53	9	9	15	22	27	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.4	17	5	5	11	15	17	18	18
20-34	109	11.0	23	3	5	11	14	18	19	25
35-49	253	12.1	41	3	5	11	15	20	25	36
50-64	576	13.5	55	5	7	12	16	21	24	39
65+	1140	15.6	86	5	7	14	19	25	33	53
B. *Operated*										
0-19 YRS	9	14.7	169	5	5	11	15	35	48	48
20-34	46	17.1	152	4	6	13	21	31	49	62
35-49	91	18.6	171	7	8	15	20	34	40	78
50-64	158	16.9	118	7	8	14	21	28	39	78
65+	287	21.2	207	8	9	17	26	38	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	10.9	21	4	6	10	13	17	20	26
B. *Operated*	82	13.7	75	4	6	11	16	24	31	50
2. MULTIPLE DX										
A. *Not Operated*	2088	14.4	70	5	7	13	17	23	28	51
B. *Operated*	591	19.2	176	7	8	15	23	36	46	84
1. SINGLE DX	526	11.3	31	4	6	10	14	17	21	30
2. MULTIPLE DX	2679	15.4	98	5	7	13	18	26	33	62
A. NOT OPERATED	2532	13.8	63	5	7	12	16	22	27	49
B. OPERATED	673	18.5	166	7	8	15	22	34	45	81
TOTAL 0-19 YRS	22	12.6	75	5	6	11	15	16	30	48
20-34	253	11.6	50	3	5	10	14	18	21	49
35-49	471	13.2	71	4	6	12	15	21	29	47
50-64	887	13.7	65	5	7	12	16	22	26	49
65+	1572	16.4	108	6	8	14	19	28	37	64
GRAND TOTAL	**3205**	**14.8**	**89**	**5**	**7**	**13**	**17**	**24**	**31**	**58**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	23.0	62	14	14	24	30	32	32	32
20-34	11	22.3	215	3	8	16	29	42	57	58
35-49	7	16.7	135	3	4	14	26	34	35	35
50-64	8	24.0	75	10	11	28	30	32	33	33
65+	14	25.9	154	3	5	30	34	38	43	44
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	31.0	98	24	24	31	38	38	38	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	21.5	301	2	2	18	39	42	43	43
20-34	105	30.1	207	4	7	31	40	46	50	87
35-49	61	26.5	180	4	6	29	34	43	47	56
50-64	82	27.3	115	9	12	29	34	42	44	49
65+	137	32.9	224	6	11	32	42	52	58	69
B. *Operated*										
0-19 YRS	3	44.3	114	32	32	50	51	51	51	51
20-34	36	39.1	221	14	17	42	46	58	66	77
35-49	19	39.6	380	14	20	36	47	72	78	82
50-64	30	38.6	369	8	22	35	42	60	86	99
65+	68	42.5	413	15	17	40	59	87	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	22.9	140	3	7	25	31	35	39	58
B. *Operated*	2	31.0	98	24	24	31	38	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	396	29.7	199	4	8	30	38	45	52	68
B. *Operated*	156	40.6	346	14	18	39	50	71	87	99+
1. SINGLE DX	47	23.3	138	3	8	25	31	35	39	58
2. MULTIPLE DX	552	32.8	264	6	10	32	42	52	64	99
A. NOT OPERATED	441	29.0	197	4	8	30	37	45	51	65
B. OPERATED	158	40.5	344	14	19	39	50	71	87	99+
TOTAL 0-19 YRS	19	25.5	265	2	2	29	39	47	51	51
20-34	152	31.7	230	4	8	31	42	48	58	77
35-49	89	28.6	252	4	7	29	37	46	54	79
50-64	120	29.9	199	9	12	30	35	43	47	90
65+	219	35.4	302	8	15	33	44	60	72	99+
GRAND TOTAL	**599**	**32.0**	**261**	**6**	**10**	**31**	**42**	**51**	**62**	**98**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	5	<1	1	2	5	6	7	8
20-34	39	2.3	4	<1	1	1	3	5	7	10
35-49	85	2.8	4	<1	1	2	4	5	6	9
50-64	105	3.2	6	1	1	3	4	6	9	13
65+	92	3.6	11	1	1	3	4	7	9	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	10.5	12	7	7	10	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	5	2	2	2	5	7	8	9
20-34	57	3.2	5	1	1	3	3	7	9	10
35-49	140	3.9	12	1	1	3	5	7	10	16
50-64	394	4.9	12	1	1	4	7	9	11	18
65+	736	7.1	41	2	2	5	9	14	18	39
B. *Operated*										
0-19 YRS										
20-34	2	10.5	5	9	9	10	12	12	12	12
35-49	11	9.1	74	2	2	5	13	21	30	31
50-64	20	11.4	78	2	3	9	15	26	31	31
65+	54	13.6	115	3	4	10	17	32	36	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.1	7	1	1	3	4	6	8	11
B. *Operated*	8	7.6	21	2	2	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	1347	5.9	30	1	2	4	7	11	15	29
B. *Operated*	87	12.5	99	3	4	10	16	30	32	85
1. SINGLE DX	351	3.2	7	1	1	3	4	6	9	14
2. MULTIPLE DX	1434	6.3	36	1	2	5	8	13	16	33
A. NOT OPERATED	1690	5.3	26	1	1	4	7	11	14	26
B. OPERATED	95	12.1	94	2	3	9	15	30	32	82
TOTAL 0-19 YRS	43	3.3	5	1	1	2	5	6	8	9
20-34	98	3.0	6	<1	1	2	3	7	9	11
35-49	237	3.8	13	1	1	3	5	7	10	17
50-64	521	4.8	15	1	1	4	7	9	12	20
65+	886	7.2	46	1	2	5	9	14	18	39
GRAND TOTAL	**1785**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	128	2.6	10	<1	1	2	3	5	6	13
35-49	220	2.7	4	<1	1	2	3	5	7	10
50-64	379	3.4	8	<1	1	3	4	7	9	13
65+	459	4.6	16	1	1	3	6	8	12	23
B. *Operated*										
0-19 YRS										
20-34	2	6.0		6	6	6	6	6	6	6
35-49	8	4.4	12	1	1	3	6	10	11	11
50-64	13	7.6	51	2	2	5	9	17	26	28
65+	13	7.2	31	2	2	5	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	6	<1	<1	2	5	6	7	7
20-34	120	3.6	8	1	1	3	5	8	9	14
35-49	402	4.7	17	1	1	4	6	9	12	22
50-64	1896	5.9	23	1	2	5	8	12	15	24
65+	5377	8.4	67	2	2	7	10	16	21	49
B. *Operated*										
0-19 YRS	3	7.7	96	2	2	2	15	19	19	19
20-34	10	4.4	13	1	1	3	7	10	12	12
35-49	22	7.1	28	1	2	6	9	14	19	22
50-64	157	11.7	89	2	3	9	15	24	29	54
65+	636	16.2	183	3	5	12	20	33	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	3.6	11	<1	1	3	5	7	9	17
B. *Operated*	36	6.6	32	1	2	5	8	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	7806	7.6	54	1	2	6	9	14	19	39
B. *Operated*	828	14.9	165	3	4	12	18	31	45	99+
1. SINGLE DX	1226	3.7	12	1	1	3	5	7	9	18
2. MULTIPLE DX	8634	8.3	70	1	2	6	10	16	22	50
A. NOT OPERATED	8996	7.0	50	1	2	5	9	14	18	37
B. OPERATED	864	14.6	162	2	4	11	18	30	44	97
TOTAL 0-19 YRS	18	3.6	19	<1	<1	2	5	7	14	19
20-34	260	3.1	10	<1	1	2	4	6	8	12
35-49	652	4.1	14	1	1	3	5	8	11	19
50-64	2445	5.9	28	1	1	4	8	12	15	26
65+	6485	8.9	81	2	2	7	11	17	24	60
GRAND TOTAL	**9860**	**7.7**	**65**	**1**	**2**	**6**	**9**	**15**	**21**	**47**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.7	19	1	1	2	4	8	9	30
20-34	139	3.1	6	1	1	2	4	6	8	12
35-49	290	4.1	19	1	1	3	5	8	10	21
50-64	345	4.6	12	1	1	4	6	9	11	17
65+	425	5.3	19	1	1	4	7	10	13	22
B. *Operated*										
0-19 YRS	9	3.6	13	<1	<1	2	5	9	12	12
20-34	19	6.4	15	1	1	6	9	12	14	14
35-49	28	6.2	23	1	2	5	8	12	15	23
50-64	90	6.7	30	2	2	5	9	13	17	31
65+	462	8.0	27	3	3	7	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	5.2	27	1	1	4	6	10	18	26
20-34	353	4.4	13	1	1	4	6	9	11	19
35-49	896	5.2	18	1	2	4	7	9	12	18
50-64	2835	6.5	25	2	2	5	8	12	15	25
65+	6634	8.6	54	2	3	7	11	16	21	41
B. *Operated*										
0-19 YRS	31	9.8	103	2	2	7	11	23	28	49
20-34	28	8.6	41	2	3	7	10	17	25	30
35-49	149	10.4	102	2	2	8	13	23	36	74
50-64	743	11.8	95	2	4	9	14	23	28	61
65+	3872	13.4	109	4	5	11	16	25	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1255	4.5	16	1	1	3	6	9	11	19
B. *Operated*	608	7.6	27	2	3	6	10	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	10817	7.6	44	2	2	6	9	14	19	35
B. *Operated*	4823	13.0	107	4	4	10	16	24	33	68
1. SINGLE DX	1863	5.5	22	1	1	4	7	11	14	24
2. MULTIPLE DX	15640	9.3	69	2	3	7	11	18	24	49
A. NOT OPERATED	12072	7.3	42	1	2	6	9	14	18	33
B. OPERATED	5431	12.4	101	3	4	10	15	23	31	61
TOTAL 0-19 YRS	195	5.4	40	1	1	3	6	11	19	30
20-34	539	4.4	14	1	1	3	6	9	11	20
35-49	1363	5.6	31	1	2	4	7	11	13	29
50-64	4013	7.3	41	2	2	6	9	14	18	31
65+	11393	10.1	76	2	3	8	12	19	26	53
GRAND TOTAL	**17503**	**8.9**	**65**	**2**	**2**	**7**	**11**	**17**	**23**	**47**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	160	1	1	2	9	30	30	30
20-34	7	6.3	41	1	1	3	11	16	17	17
35-49	29	8.1	101	2	2	6	9	15	19	55
50-64	216	7.3	22	2	3	6	9	14	17	24
65+	1084	7.9	47	2	3	6	10	14	19	40
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	4	9.5	58	2	2	8	15	19	19	19
65+	19	12.3	71	2	3	8	18	22	29	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.4	32	2	2	4	8	13	16	33
20-34	104	9.3	60	2	3	7	12	17	21	44
35-49	699	9.2	55	2	3	7	11	17	23	39
50-64	5220	9.7	52	3	3	8	12	18	23	38
65+	27963	11.5	94	3	4	9	14	22	29	63
B. *Operated*										
0-19 YRS	20	12.3	206	1	2	7	15	22	45	66
20-34	30	11.8	106	1	2	10	14	28	34	42
35-49	120	11.7	86	2	2	10	15	19	31	46
50-64	623	16.5	176	3	4	13	22	33	47	87
65+	2791	20.6	234	5	7	16	26	43	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1341	7.8	44	2	2	6	10	14	19	35
B. *Operated*	24	11.5	66	2	3	8	18	21	26	34
2. MULTIPLE DX										
A. *Not Operated*	34079	11.2	87	3	4	9	14	21	28	58
B. *Operated*	3584	19.5	223	4	6	16	25	41	56	99+
1. SINGLE DX	1365	7.9	45	2	2	6	10	15	19	35
2. MULTIPLE DX	37663	12.0	106	3	4	9	14	23	31	66
A. NOT OPERATED	35420	11.0	86	3	4	9	13	21	27	57
B. OPERATED	3608	19.4	222	4	6	16	25	40	56	99+
TOTAL 0-19 YRS	118	7.4	69	1	2	5	9	15	22	48
20-34	142	9.7	69	2	2	7	12	18	28	42
35-49	848	9.5	61	2	3	8	12	17	24	46
50-64	6063	10.3	68	3	3	8	13	19	26	47
65+	31857	12.2	112	3	4	9	15	23	32	69
GRAND TOTAL	**39028**	**11.8**	**104**	**3**	**4**	**9**	**14**	**23**	**31**	**66**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	4.5	14	1	1	4	5	8	15	18
20-34	224	4.5	14	1	2	4	6	8	10	14
35-49	297	4.9	16	1	2	4	6	9	12	23
50-64	259	5.7	23	1	2	5	7	11	13	28
65+	146	7.2	35	2	2	6	9	12	17	36
B. *Operated*										
0-19 YRS	30	6.1	39	1	1	2	9	16	21	24
20-34	62	6.8	74	1	2	2	10	15	21	49
35-49	123	4.9	41	1	1	2	5	11	15	33
50-64	237	5.0	26	1	2	2	7	13	15	24
65+	149	7.6	69	1	2	2	12	19	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	7.6	72	2	2	5	9	14	23	52
20-34	362	6.7	52	1	2	5	8	12	18	43
35-49	817	7.0	42	2	2	5	8	13	17	37
50-64	1590	8.5	44	2	3	7	11	16	21	36
65+	2505	10.6	87	2	3	8	13	21	28	51
B. *Operated*										
0-19 YRS	31	8.2	135	2	2	3	11	17	21	63
20-34	104	13.7	181	1	2	10	17	33	51	80
35-49	341	10.3	97	2	2	8	14	22	29	52
50-64	896	11.6	127	2	2	9	16	26	35	51
65+	1061	15.6	202	2	2	13	20	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	998	5.3	21	1	2	4	7	10	12	24
B. *Operated*	601	5.8	46	1	2	2	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	5387	9.1	67	2	3	7	11	18	24	44
B. *Operated*	2433	13.2	162	2	2	11	18	29	39	71
1. SINGLE DX	1599	5.5	31	1	2	4	7	12	16	28
2. MULTIPLE DX	7820	10.4	100	2	2	8	13	21	29	53
A. NOT OPERATED	6385	8.5	62	2	2	6	10	17	23	43
B. OPERATED	3034	11.7	148	2	2	9	16	26	36	65
TOTAL 0-19 YRS	246	6.6	60	1	2	4	8	14	19	50
20-34	752	7.0	66	1	2	5	8	14	21	51
35-49	1578	7.2	52	2	2	5	9	15	20	37
50-64	2982	8.9	70	2	2	6	12	18	25	43
65+	3861	11.7	122	2	2	9	15	25	33	65
GRAND TOTAL	**9419**	**9.6**	**92**	**2**	**2**	**7**	**12**	**20**	**28**	**49**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	5.9	13	3	3	5	9	12	12	12
65+	19	6.9	32	<1	1	6	10	17	18	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	5.2	9	2	2	4	7	10	10	10
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	26	5.4	10	2	2	5	8	9	13	13
50-64	143	6.7	34	2	2	5	9	13	15	33
65+	665	10.5	109	2	3	8	13	21	30	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	8.0	235	2	2	3	5	26	52	54
50-64	69	7.7	81	2	2	5	10	15	25	54
65+	131	16.4	213	2	2	13	21	42	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.4	26	1	1	5	10	15	17	19
B. *Operated*	9	4.7	7	2	2	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	837	9.7	95	2	3	7	12	20	26	69
B. *Operated*	211	13.1	187	2	2	9	17	32	47	85
1. SINGLE DX	36	6.0	22	1	2	5	8	12	17	19
2. MULTIPLE DX	1048	10.4	115	2	2	7	13	21	32	73
A. NOT OPERATED	864	9.6	93	2	3	7	12	19	25	68
B. OPERATED	220	12.8	183	2	2	9	16	30	47	83
TOTAL 0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	39	6.0	71	2	2	4	6	9	13	54
50-64	225	7.0	47	2	2	5	9	14	16	39
65+	817	11.4	129	2	3	8	14	22	35	81
GRAND TOTAL	**1084**	**10.2**	**113**	**2**	**2**	**7**	**13**	**21**	**31**	**73**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	10.1	158	1	1	5	17	31	34	34
35-49	11	8.8	102	1	1	5	13	23	34	35
50-64	9	2.7	6	<1	<1	1	6	6	6	6
65+	13	10.4	259	2	2	5	10	24	55	62
B. *Operated*										
0-19 YRS	3	7.3	25	2	2	8	11	12	12	12
20-34	23	16.7	63	5	7	17	19	25	31	41
35-49	28	19.3	132	3	5	19	24	39	55	99+
50-64	21	25.9	469	3	6	19	41	74	91	99+
65+	6	14.7	70	2	3	15	16	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	<1	<1	3	5	6	6	6
20-34	9	11.4	135	3	3	6	17	30	38	38
35-49	14	12.0	164	<1	2	5	22	33	37	38
50-64	16	15.3	248	<1	1	12	15	41	54	59
65+	42	22.2	350	3	5	21	32	92	99+	99+
B. *Operated*										
0-19 YRS	4	28.3	1173	1	1	19	54	74	74	74
20-34	27	23.6	158	9	11	21	30	40	54	54
35-49	55	30.4	473	8	11	22	40	85	97	99+
50-64	75	29.5	291	9	13	24	39	65	77	99+
65+	43	34.2	413	12	14	33	58	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	8.0	138	<1	1	4	7	18	34	62
B. *Operated*	81	19.5	204	3	6	17	24	41	59	99+
2. MULTIPLE DX										
A. *Not Operated*	85	17.2	284	1	3	13	28	40	93	99+
B. *Operated*	204	29.9	364	8	13	24	40	73	99+	99+
1. SINGLE DX	122	15.6	210	1	2	13	20	36	47	99+
2. MULTIPLE DX	289	26.2	373	3	6	23	38	66	99+	99+
A. NOT OPERATED	126	14.2	253	1	1	10	22	36	62	99+
B. OPERATED	285	27.0	340	7	10	23	38	65	98	99+
TOTAL 0-19 YRS	12	12.7	461	<1	1	4	10	47	70	74
20-34	66	18.1	142	3	3	17	23	37	40	54
35-49	108	22.9	370	2	3	19	33	56	92	99+
50-64	121	25.0	352	1	4	22	37	62	73	99+
65+	104	25.3	413	2	5	22	39	97	99+	99+
GRAND TOTAL	**411**	**23.1**	**348**	**2**	**3**	**20**	**34**	**62**	**93**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34										
35-49										
50-64	3	10.7	80	5	5	6	17	21	21	21
65+	3	34.7	81	26	26	34	41	44	44	44
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	3	23.3	76	16	16	21	30	33	33	33
35-49	6	38.2	343	19	19	42	84	99+	99+	99+
50-64	7	27.0	99	10	14	29	37	82	99+	99+
65+	2	50.5	613	33	33	68	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	22.4	198	5	5	21	32	42	44	44
B. *Operated*	19	32.8	244	14	18	35	62	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	26	30.0	245	6	13	33	44	99+	99+	99+
A. NOT OPERATED	7	22.4	198	5	5	21	32	42	44	44
B. OPERATED	19	32.8	244	14	18	35	62	99+	99+	99+
TOTAL 0-19 YRS	2	28.0	98	21	21	28	35	35	35	35
20-34	3	23.3	76	16	16	21	30	33	33	33
35-49	6	38.2	343	19	19	42	84	99+	99+	99+
50-64	10	22.1	146	5	6	24	34	64	97	99+
65+	5	41.0	269	26	27	39	68	97	99+	99+
GRAND TOTAL	**26**	**30.0**	**245**	**6**	**13**	**33**	**44**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	4.0	7	1	1	2	5	6	6	6
35-49	7	6.4	38	1	1	3	11	16	17	17
50-64	17	10.6	71	2	2	9	15	23	28	30
65+	28	11.9	115	1	3	9	15	25	38	45
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	12.5	201	2	3	7	15	31	51	53
35-49	17	9.1	55	1	2	8	14	19	25	28
50-64	29	16.7	239	3	4	13	24	38	79	99+
65+	56	15.5	275	4	6	10	16	25	51	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.6	23	<1	2	7	8	15	17	17
20-34	8	12.0	239	2	2	6	14	39	48	48
35-49	20	13.3	136	<1	1	10	15	32	43	44
50-64	108	18.3	245	4	4	13	24	40	51	99
65+	320	19.9	238	4	6	15	26	47	60	99+
B. *Operated*										
0-19 YRS	13	13.2	53	6	6	12	13	28	30	30
20-34	18	23.3	190	2	4	26	36	43	74	99+
35-49	29	24.8	495	6	9	15	33	69	84	99+
50-64	101	21.6	336	6	7	18	27	58	99	99+
65+	199	28.3	419	6	8	23	43	72	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	10.0	89	<1	1	7	13	23	28	44
B. *Operated*	115	14.3	226	2	4	10	16	26	51	99
2. MULTIPLE DX										
A. *Not Operated*	466	18.8	235	3	5	14	25	44	57	99+
B. *Operated*	360	25.4	389	6	8	21	36	64	98	99+
1. SINGLE DX	172	12.9	184	2	3	10	16	25	37	94
2. MULTIPLE DX	826	21.7	312	4	6	17	30	51	76	99+
A. NOT OPERATED	523	17.9	227	2	4	14	23	42	53	99+
B. OPERATED	475	22.7	371	4	6	17	31	59	89	99+
TOTAL 0-19 YRS	27	9.4	50	<1	1	8	13	16	27	30
20-34	40	16.6	222	2	2	11	29	42	50	99+
35-49	73	16.2	297	1	2	11	19	43	63	96
50-64	255	18.9	275	3	5	14	25	43	64	99+
65+	603	21.9	319	4	6	17	30	53	75	99+
GRAND TOTAL	**998**	**20.2**	**301**	**3**	**5**	**15**	**27**	**49**	**73**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	22.3	142	9	9	26	30	32	32	32
50-64	33	30.4	398	4	8	28	45	59	68	77
65+	101	31.2	467	6	9	28	50	86	99+	99+
B. *Operated*										
0-19 YRS	4	43.5	529	16	16	44	61	70	70	70
20-34	3	46.7	508	25	25	45	64	70	70	70
35-49	6	59.7	1134	18	21	87	96	99+	99+	99+
50-64	18	42.7	699	9	13	52	82	99+	99+	99+
65+	48	38.5	405	11	13	36	59	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	137	30.8	440	6	8	28	47	79	99+	99+
B. *Operated*	79	41.6	535	11	15	44	70	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	216	34.8	500	8	10	33	58	90	99+	99+
A. NOT OPERATED	137	30.8	440	6	8	28	47	79	99+	99+
B. OPERATED	79	41.6	535	11	15	44	70	99+	99+	99+
TOTAL 0-19 YRS	4	43.5	529	16	16	44	61	70	70	70
20-34	3	46.7	508	25	25	45	64	70	70	70
35-49	9	47.2	1093	9	14	44	92	99+	99+	99+
50-64	51	34.7	527	8	9	33	59	82	99+	99+
65+	149	33.6	456	8	10	30	54	87	99+	99+
GRAND TOTAL	**216**	**34.8**	**500**	**8**	**10**	**33**	**58**	**90**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	9.0	39	2	2	11	13	14	14	14
50-64	29	5.9	156	1	2	3	6	6	12	70
65+	43	3.6	7	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.8	2	6	6	6	8	9	9	9
35-49	55	7.8	32	2	2	6	10	17	20	23
50-64	406	7.2	27	2	2	6	9	13	18	25
65+	543	7.4	29	2	2	6	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	19	11.3	57	1	3	10	13	25	27	27
50-64	194	7.6	71	1	2	6	10	14	19	51
65+	491	9.2	79	2	2	7	11	19	25	56
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	20.5	15	15	15	21	23	24	24	24
35-49	114	9.7	79	2	2	8	12	17	27	51
50-64	1249	9.2	51	2	2	7	12	17	23	36
65+	2233	10.7	86	2	3	8	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.6	64	1	1	3	5	7	11	55
B. *Operated*	1009	7.4	28	2	2	6	9	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	705	8.8	76	1	2	7	11	18	24	56
B. *Operated*	3602	10.2	74	2	3	8	13	20	26	45
1. SINGLE DX	1086	7.2	31	2	2	6	9	13	17	26
2. MULTIPLE DX	4307	10.0	75	2	2	8	12	19	26	48
A. NOT OPERATED	782	8.4	77	1	2	6	10	17	23	56
B. OPERATED	4611	9.6	65	2	2	7	12	18	24	43
TOTAL 0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	10	11.8	63	4	4	8	21	23	24	24
35-49	191	9.3	63	2	2	7	12	18	23	44
50-64	1878	8.6	50	2	2	7	11	17	21	35
65+	3310	9.9	77	2	2	8	12	19	26	51
GRAND TOTAL	**5393**	**9.4**	**67**	**2**	**2**	**7**	**12**	**18**	**24**	**44**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	16.5	41	12	12	16	21	21	21	21
50-64	5	19.4	788	2	2	6	28	69	69	69
65+	33	19.8	399	2	3	12	30	41	69	84
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	4	14.8	140	4	4	18	47	99+	99+	99+
50-64	68	18.5	351	3	4	13	21	57	76	99+
65+	101	21.6	267	2	5	18	33	51	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	19.1	408	1	2	12	23	46	69	84
B. *Operated*	175	20.0	297	2	4	15	30	54	74	99+
1. SINGLE DX										
2. MULTIPLE DX	216	19.9	316	2	4	14	29	54	71	99+
A. NOT OPERATED	41	19.1	408	1	2	12	23	46	69	84
B. OPERATED	175	20.0	297	2	4	15	30	54	74	99+
TOTAL 0-19 YRS										
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	6	15.3	93	4	5	18	28	86	99+	99+
50-64	73	18.6	371	3	4	13	21	57	75	99+
65+	134	21.1	297	2	4	17	32	51	64	99+
GRAND TOTAL	**216**	**19.9**	**316**	**2**	**4**	**14**	**29**	**54**	**71**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	7.1	29	2	2	6	11	15	16	16
35-49	21	8.8	52	2	2	6	12	17	26	31
50-64	78	9.9	68	2	3	8	12	26	34	82
65+	209	13.1	109	3	4	10	17	28	34	88
B. *Operated*										
0-19 YRS	3	8.7	49	2	2	8	14	16	16	16
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	13	13.2	60	2	4	12	18	22	29	31
50-64	17	6.9	25	1	2	7	11	17	68	99+
65+	22	14.2	425	2	2	8	11	33	62	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	15	1	1	3	7	10	10	10
20-34	25	12.4	108	4	4	9	15	29	38	42
35-49	92	13.0	149	3	4	9	14	29	47	99+
50-64	684	13.1	126	3	4	10	16	26	34	71
65+	2870	17.1	233	4	5	12	21	38	58	99+
B. *Operated*										
0-19 YRS	3	19.3	146	10	10	15	28	33	33	33
20-34	12	19.6	690	3	3	10	15	64	88	92
35-49	25	15.8	386	2	3	10	18	51	95	99+
50-64	186	18.2	356	3	4	11	22	54	71	99+
65+	451	23.9	381	5	7	19	36	67	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	11.9	96	2	3	9	15	27	33	86
B. *Operated*	57	11.2	192	2	2	8	12	24	36	99+
2. MULTIPLE DX										
A. *Not Operated*	3675	16.2	213	4	5	12	20	35	53	99+
B. *Operated*	677	21.9	384	4	5	16	31	60	92	99+
1. SINGLE DX	373	11.8	110	2	3	9	15	27	33	98
2. MULTIPLE DX	4352	17.1	244	4	5	12	21	39	60	99+
A. NOT OPERATED	3991	15.9	205	4	5	12	19	34	51	99+
B. OPERATED	734	21.1	377	3	5	15	30	59	92	99+
TOTAL 0-19 YRS	11	9.5	87	1	2	8	14	23	32	33
20-34	46	13.2	249	3	3	8	13	29	44	92
35-49	151	12.9	168	2	3	9	14	29	47	99+
50-64	965	13.7	170	3	4	10	16	29	44	84
65+	3552	17.7	252	4	5	13	22	41	63	99+
GRAND TOTAL	**4725**	**16.7**	**235**	**3**	**5**	**12**	**21**	**38**	**58**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.2	75	1	1	14	19	24	25	25
20-34	2	16.5	5	15	15	16	18	18	18	18
35-49	26	21.1	348	5	5	14	32	49	57	74
50-64	199	23.2	338	5	6	17	32	50	66	99
65+	1158	22.5	278	6	8	18	29	48	66	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	13.5	41	9	9	18	79	99+	99+	99+
35-49	13	18.4	110	4	6	17	23	35	38	39
50-64	61	31.3	534	7	8	25	47	81	94	99+
65+	158	35.2	480	8	12	33	59	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1391	22.5	286	6	7	18	30	49	65	99+
B. *Operated*	235	32.9	487	7	10	30	53	90	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	1626	24.0	328	6	7	19	33	55	81	99+
A. NOT OPERATED	1391	22.5	286	6	7	18	30	49	65	99+
B. OPERATED	235	32.9	487	7	10	30	53	90	99+	99+
TOTAL 0-19 YRS	7	12.0	72	1	2	14	18	24	25	25
20-34	4	15.0	18	9	9	18	39	99+	99+	99+
35-49	39	20.2	266	5	6	15	29	45	51	74
50-64	260	25.1	394	6	7	19	35	58	79	99+
65+	1316	24.0	319	6	8	19	32	55	81	99+
GRAND TOTAL	**1626**	**24.0**	**328**	**6**	**7**	**19**	**33**	**55**	**81**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	16	4.8	9	1	2	4	6	9	11	12
35-49	88	4.5	8	1	1	4	6	9	10	11
50-64	312	4.9	11	1	2	4	7	9	11	17
65+	860	5.7	30	1	2	5	7	10	13	29
B. *Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	39	5.6	13	2	2	5	7	11	13	15
50-64	115	5.1	9	2	2	4	7	9	11	15
65+	97	6.0	17	2	2	5	8	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.7	15	3	3	7	10	14	14	14
20-34	41	5.4	16	1	1	4	7	12	15	16
35-49	277	6.1	22	1	2	5	8	10	13	23
50-64	1666	6.8	29	2	2	6	8	12	15	26
65+	8984	9.1	78	2	3	7	11	16	24	62
B. *Operated*										
0-19 YRS										
20-34	7	7.1	8	4	4	6	9	11	12	12
35-49	83	8.3	37	2	2	7	11	17	21	28
50-64	521	9.1	42	2	2	7	12	18	23	31
65+	1333	14.0	180	3	4	10	17	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	5.4	23	1	2	4	7	10	12	26
B. *Operated*	253	5.5	13	2	2	5	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	10974	8.7	69	2	3	7	10	16	22	56
B. *Operated*	1944	12.4	142	2	3	9	15	25	36	95
1. SINGLE DX	1531	5.5	22	1	2	4	7	10	12	21
2. MULTIPLE DX	12918	9.2	82	2	3	7	11	17	25	66
A. NOT OPERATED	12252	8.3	66	2	2	6	10	15	21	52
B. OPERATED	2197	11.6	132	2	3	9	14	23	35	85
TOTAL 0-19 YRS	8	6.3	18	2	2	5	9	13	14	14
20-34	66	5.5	13	1	2	5	7	10	14	16
35-49	487	6.2	23	1	2	5	8	11	15	23
50-64	2614	6.9	30	2	2	6	9	13	16	27
65+	11274	9.4	89	2	3	7	11	18	26	70
GRAND TOTAL	**14449**	**8.8**	**77**	**2**	**3**	**7**	**11**	**16**	**24**	**62**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	5.3	10	3	3	4	8	9	9	9
35-49	28	9.1	130	1	2	6	10	20	27	60
50-64	174	10.1	59	1	2	8	14	21	24	43
65+	707	13.7	164	3	4	10	17	30	43	73
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	10	6.7	8	3	3	6	10	11	11	11
50-64	20	6.9	13	1	2	6	9	12	13	14
65+	26	16.1	274	1	2	10	23	40	81	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	12	<1	<1	4	7	10	11	11
20-34	24	13.3	119	3	3	9	18	30	39	41
35-49	143	12.6	102	3	4	10	15	25	39	61
50-64	1134	14.8	174	3	4	11	19	32	47	99+
65+	6003	17.6	238	4	5	13	22	42	62	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	9.0	36	2	2	8	15	17	17	17
35-49	44	15.8	235	2	4	11	23	39	58	99+
50-64	241	17.6	265	3	5	13	24	49	84	99+
65+	805	29.2	510	6	8	25	49	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	916	12.8	145	2	3	9	16	27	37	68
B. *Operated*	62	10.6	141	2	2	7	12	25	37	97
2. MULTIPLE DX										
A. *Not Operated*	7315	17.1	226	4	5	13	22	40	59	99+
B. *Operated*	1097	26.0	471	4	7	20	43	85	99+	99+
1. SINGLE DX	978	12.7	145	2	3	9	16	27	37	72
2. MULTIPLE DX	8412	18.2	267	4	5	13	24	46	70	99+
A. NOT OPERATED	8231	16.6	219	3	5	12	21	39	56	99+
B. OPERATED	1159	25.1	465	4	6	19	40	84	99+	99+
TOTAL 0-19 YRS	20	4.1	9	<1	<1	4	6	9	10	11
20-34	35	11.6	94	2	3	9	15	28	36	41
35-49	225	12.5	131	2	3	9	14	25	39	86
50-64	1569	14.6	177	3	4	11	19	32	48	99+
65+	7541	18.5	275	4	5	13	24	46	72	99+
GRAND TOTAL	**9390**	**17.7**	**257**	**3**	**5**	**13**	**23**	**44**	**66**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.7	160	5	5	10	24	29	29	29
20-34	5	41.8	596	14	14	45	62	70	70	70
35-49	57	21.2	308	3	4	15	31	48	60	68
50-64	392	20.8	312	4	6	15	26	48	61	99+
65+	2201	21.6	274	5	7	17	29	52	79	99+
B. *Operated*										
0-19 YRS										
20-34	4	28.0	249	13	13	24	38	50	50	50
35-49	21	29.6	539	7	10	28	57	94	99+	99+
50-64	91	29.3	451	6	7	25	45	65	85	99+
65+	333	32.5	439	9	12	30	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2658	21.5	281	5	7	17	29	51	75	99+
B. *Operated*	449	31.7	444	7	10	29	53	99	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	3107	23.0	317	5	7	18	32	58	89	99+
A. NOT OPERATED	2658	21.5	281	5	7	17	29	51	75	99+
B. OPERATED	449	31.7	444	7	10	29	53	99	99+	99+
TOTAL 0-19 YRS	3	14.7	160	5	5	10	24	29	29	29
20-34	9	35.7	444	13	13	27	52	66	70	70
35-49	78	23.4	378	3	5	17	36	58	66	99+
50-64	483	22.4	348	4	6	16	30	53	66	99+
65+	2534	23.1	309	5	7	19	32	59	96	99+
GRAND TOTAL	**3107**	**23.0**	**317**	**5**	**7**	**18**	**32**	**58**	**89**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	7	6.1	95	1	1	2	5	24	28	28
35-49	30	3.9	7	1	1	3	5	8	10	11
50-64	76	5.9	21	1	2	5	7	12	15	25
65+	173	8.1	88	2	2	6	9	16	18	49
B. *Operated*										
0-19 YRS	6	7.5	31	1	1	7	11	15	16	16
20-34	16	7.9	38	1	2	8	11	16	20	22
35-49	34	11.0	93	2	2	9	15	25	34	39
50-64	44	9.3	89	1	2	6	13	22	23	50
65+	37	8.8	85	1	1	4	11	25	31	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	18.0	1022	1	2	8	51	97	99+	99+
20-34	23	6.9	28	1	1	6	11	16	17	17
35-49	109	6.9	47	1	2	5	8	14	17	38
50-64	448	9.3	82	2	3	7	11	18	24	65
65+	2720	12.5	161	3	3	9	15	27	48	99+
B. *Operated*										
0-19 YRS	4	9.0	11	5	5	9	11	13	13	13
20-34	14	15.4	143	2	2	13	21	35	41	43
35-49	51	11.7	151	2	2	8	16	26	31	99+
50-64	164	11.9	102	2	2	11	14	22	32	97
65+	433	18.9	319	3	4	14	26	52	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	7.0	63	2	2	5	8	14	16	39
B. *Operated*	137	9.3	80	1	2	7	12	22	27	40
2. MULTIPLE DX										
A. *Not Operated*	3307	11.9	149	2	3	8	14	25	42	99+
B. *Operated*	666	16.5	258	2	3	12	21	42	72	99+
1. SINGLE DX	425	7.8	70	2	2	5	10	16	22	40
2. MULTIPLE DX	3973	12.6	170	2	3	9	15	28	48	99+
A. NOT OPERATED	3595	11.5	144	2	3	8	14	24	40	99+
B. OPERATED	803	15.3	234	2	2	11	19	37	60	99+
TOTAL 0-19 YRS	19	11.3	381	1	2	8	11	53	95	99+
20-34	60	9.1	74	1	1	7	13	20	25	42
35-49	224	8.2	78	1	2	6	10	18	23	64
50-64	732	9.5	83	2	2	7	12	19	24	65
65+	3363	13.1	183	3	3	9	16	30	51	99+
GRAND TOTAL	**4398**	**12.2**	**163**	**2**	**3**	**8**	**15**	**26**	**44**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	21	6.4	67	<1	1	3	8	19	29	30
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	20	6.5	28	1	1	5	11	12	17	21
50-64	97	6.6	27	1	2	5	10	14	16	23
65+	103	9.5	91	1	2	8	13	18	23	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	4.4	7	1	1	4	7	8	9	9
50-64	71	8.2	82	2	2	6	10	18	23	57
65+	416	12.2	184	2	3	8	14	28	46	99+
B. *Operated*										
0-19 YRS	3	10.7	200	2	2	3	21	27	27	27
20-34	10	13.1	214	2	2	6	20	38	44	44
35-49	67	14.2	228	2	2	10	17	41	53	95
50-64	596	14.2	164	2	2	12	18	30	41	90
65+	1412	21.1	324	2	4	16	28	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.0	58	<1	1	3	8	13	28	30
B. *Operated*	221	8.0	59	1	2	7	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	500	11.4	168	2	3	8	13	26	40	99
B. *Operated*	2088	18.9	285	2	3	14	25	43	63	99+
1. SINGLE DX	247	7.8	59	1	2	6	11	16	20	30
2. MULTIPLE DX	2588	17.4	271	2	3	13	23	41	60	99+
A. NOT OPERATED	526	11.1	163	2	2	7	13	26	39	98
B. OPERATED	2309	17.8	273	2	2	13	24	42	60	99+
TOTAL 0-19 YRS	3	10.7	200	2	2	3	21	27	27	27
20-34	11	13.3	193	2	2	9	19	37	43	44
35-49	102	11.3	172	2	2	8	13	26	46	86
50-64	767	12.7	147	2	2	10	16	27	34	77
65+	1952	18.4	298	2	3	13	25	44	66	99+
GRAND TOTAL	**2835**	**16.6**	**260**	**2**	**2**	**12**	**21**	**38**	**58**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	4.1	20	1	1	2	5	11	15	15
65+	38	4.9	12	<1	<1	4	7	10	11	15
B. *Operated*										
0-19 YRS										
20-34	3	6.0	48	2	2	2	11	14	14	14
35-49	5	9.6	22	2	2	10	13	14	14	14
50-64	81	11.3	28	4	7	11	13	16	18	38
65+	188	13.1	45	2	4	12	16	21	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	2.3		2	2	2	3	3	3	3
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	49	6.8	38	2	2	5	9	15	28	99+
65+	384	8.5	59	1	2	7	11	16	24	64
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	19.6	395	9	9	12	55	95	99+	99+
35-49	23	13.2	129	2	2	12	17	24	37	52
50-64	497	16.7	200	3	6	13	18	31	42	85
65+	1321	19.0	188	4	8	16	22	35	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.7	14	<1	1	4	7	10	12	15
B. *Operated*	277	12.4	41	2	5	12	15	19	23	44
2. MULTIPLE DX										
A. *Not Operated*	441	8.2	56	1	2	7	11	15	24	67
B. *Operated*	1847	18.3	192	3	7	15	21	34	50	96
1. SINGLE DX	325	11.3	44	2	2	11	14	18	22	42
2. MULTIPLE DX	2288	16.4	181	2	4	13	20	31	44	95
A. NOT OPERATED	489	7.9	53	1	2	6	10	15	22	64
B. OPERATED	2124	17.5	176	3	7	14	20	32	45	92
TOTAL 0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	11	11.2	235	2	2	9	14	68	95	99+
35-49	33	11.1	106	2	2	10	14	22	28	52
50-64	636	15.1	174	2	4	12	17	28	40	80
65+	1931	16.1	165	2	4	13	20	31	43	95
GRAND TOTAL	**2613**	**15.7**	**167**	**2**	**4**	**13**	**19**	**30**	**42**	**91**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	6.8	44	1	1	5	11	16	16	16
65+	5	7.4	31	2	2	8	11	15	15	15
B. *Operated*										
0-19 YRS	6	2.2		2	2	2	2	3	3	3
20-34	13	9.4	202	<1	1	4	11	23	48	54
35-49	19	10.3	94	1	2	7	17	21	32	39
50-64	76	11.0	83	2	3	9	13	19	27	56
65+	44	10.4	72	2	3	10	13	17	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	11	5.1	24	<1	<1	2	10	12	13	13
65+	19	7.1	38	1	1	4	11	16	20	23
B. *Operated*										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	13	16.5	187	2	3	9	31	36	37	37
35-49	28	22.1	339	3	4	19	28	54	64	75
50-64	123	15.1	168	2	2	13	20	29	44	99+
65+	248	17.5	232	3	4	13	20	33	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.8	30	1	1	5	10	15	16	16
B. *Operated*	158	10.3	88	2	2	8	13	19	26	53
2. MULTIPLE DX										
A. *Not Operated*	35	5.9	30	<1	1	4	9	14	16	23
B. *Operated*	416	16.9	219	2	3	13	21	34	47	95
1. SINGLE DX	168	10.1	85	2	2	8	13	19	24	52
2. MULTIPLE DX	451	16.1	213	2	3	13	20	32	46	93
A. NOT OPERATED	45	6.1	29	<1	1	4	9	14	16	23
B. OPERATED	574	15.1	192	2	3	12	19	30	41	89
TOTAL 0-19 YRS	10	3.1	3	2	2	3	3	6	8	8
20-34	29	11.8	190	<1	1	5	14	34	38	54
35-49	50	16.6	264	2	2	12	21	36	61	75
50-64	214	13.0	135	2	2	11	17	28	36	99
65+	316	15.7	206	2	3	12	19	30	41	83
GRAND TOTAL	**619**	**14.4**	**185**	**2**	**2**	**11**	**18**	**29**	**39**	**82**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	24	2	2	4	9	14	14	14
35-49	11	5.8	27	2	2	3	10	14	15	15
50-64	34	4.0	14	1	1	2	5	9	13	16
65+	34	5.4	22	<1	<1	3	9	12	14	17
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	14	5.4	20	<1	1	3	10	11	13	13
35-49	97	8.1	53	1	2	7	12	16	17	41
50-64	354	9.0	52	2	2	9	12	16	19	29
65+	392	9.7	52	2	2	9	14	18	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	6.3	14	1	1	6	8	12	13	13
35-49	29	7.9	42	1	2	7	11	14	18	32
50-64	111	6.8	30	1	1	6	10	15	17	24
65+	304	10.7	114	2	2	9	13	20	24	74
B. *Operated*										
0-19 YRS	3	19.3	16	15	15	20	22	23	23	23
20-34	34	13.5	141	2	2	11	14	34	40	52
35-49	267	12.7	109	2	2	11	15	25	36	57
50-64	1501	14.0	126	2	3	12	17	27	38	67
65+	2671	17.4	212	2	4	14	21	36	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.0	20	<1	1	3	8	12	14	17
B. *Operated*	858	9.2	52	2	2	9	13	17	20	34
2. MULTIPLE DX										
A. *Not Operated*	453	9.5	89	1	2	8	12	18	22	62
B. *Operated*	4476	15.9	179	2	3	13	19	33	47	99+
1. SINGLE DX	942	8.8	50	1	2	8	12	17	19	31
2. MULTIPLE DX	4929	15.3	174	2	3	12	19	32	45	97
A. NOT OPERATED	537	8.8	81	1	2	7	11	17	21	54
B. OPERATED	5334	14.8	165	2	3	12	18	30	43	92
TOTAL 0-19 YRS	5	15.8	38	7	7	15	21	23	23	23
20-34	61	10.1	100	1	2	8	12	23	34	51
35-49	404	11.1	93	2	2	10	14	21	30	53
50-64	2000	12.5	113	2	2	11	15	23	32	63
65+	3401	15.8	192	2	3	12	19	33	48	99+
GRAND TOTAL	**5871**	**14.3**	**160**	**2**	**2**	**12**	**17**	**29**	**41**	**91**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	7.6	26	2	2	7	11	14	17	25
20-34	26	6.2	26	1	1	5	9	14	16	19
35-49	24	3.8	12	<1	1	3	5	6	11	17
50-64	48	6.0	61	1	1	3	7	12	20	48
65+	99	7.0	62	1	1	4	9	16	25	41
B. *Operated*										
0-19 YRS	21	4.0	11	<1	1	2	6	10	10	11
20-34	29	7.0	29	2	2	6	9	14	16	24
35-49	81	7.2	53	1	2	4	10	20	22	31
50-64	203	6.6	34	1	2	5	9	14	17	31
65+	285	9.6	88	1	1	7	13	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	8.2	36	1	2	7	12	16	19	30
20-34	28	6.1	32	1	1	4	8	14	15	25
35-49	90	7.2	54	1	2	5	9	14	18	44
50-64	301	7.9	101	1	2	6	9	15	21	57
65+	809	10.7	121	2	2	8	13	22	33	91
B. *Operated*										
0-19 YRS	28	12.3	246	2	2	7	13	41	52	62
20-34	54	11.7	194	1	2	6	14	35	47	60
35-49	185	12.4	159	2	2	9	18	28	41	92
50-64	861	14.3	192	2	2	11	19	32	48	99+
65+	1759	17.8	296	2	3	13	23	44	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.7	43	1	1	5	9	14	20	29
B. *Operated*	619	8.0	62	1	2	6	11	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	1288	9.6	108	1	2	7	12	19	28	70
B. *Operated*	2887	16.2	258	2	2	12	21	39	58	99+
1. SINGLE DX	915	7.6	56	1	2	5	10	17	22	38
2. MULTIPLE DX	4175	14.2	221	2	2	10	18	33	51	99+
A. NOT OPERATED	1584	9.0	97	1	2	6	11	18	26	63
B. OPERATED	3506	14.8	233	2	2	11	19	35	52	99+
TOTAL 0-19 YRS	208	8.0	60	2	2	6	10	15	19	50
20-34	137	8.5	99	1	2	5	10	17	28	57
35-49	380	9.5	110	1	2	6	12	21	31	65
50-64	1413	11.6	158	2	2	8	15	26	39	80
65+	2952	14.7	235	2	2	10	18	35	53	99+
GRAND TOTAL	**5090**	**13.0**	**198**	**2**	**2**	**9**	**17**	**30**	**47**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	7.9	27	1	2	7	11	14	17	25
20-34	303	7.8	18	2	3	7	10	13	16	21
35-49	441	8.5	24	2	3	8	11	15	18	24
50-64	491	9.1	25	2	4	8	12	15	17	22
65+	424	9.3	27	3	4	9	11	14	17	25
B. *Operated*										
0-19 YRS	16	5.7	14	3	3	5	6	11	15	17
20-34	133	7.5	30	1	2	6	11	15	20	24
35-49	189	8.6	29	2	3	8	11	15	17	29
50-64	196	8.8	27	2	3	8	11	15	20	26
65+	121	10.4	35	3	4	10	13	18	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	10.3	51	2	3	9	12	20	27	34
20-34	323	10.0	36	3	4	9	13	16	19	32
35-49	713	10.2	41	3	4	9	13	17	22	35
50-64	1399	10.7	37	4	4	10	13	17	21	31
65+	2289	12.0	57	4	5	10	14	20	25	43
B. *Operated*										
0-19 YRS	14	9.9	39	1	1	10	14	19	21	21
20-34	146	11.6	67	3	4	10	14	20	23	35
35-49	302	11.8	90	2	3	10	15	20	25	61
50-64	567	12.8	86	3	4	11	16	22	28	52
65+	936	14.7	101	4	6	13	18	27	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	8.7	24	2	3	8	11	15	17	23
B. *Operated*	655	8.7	30	2	2	8	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	4760	11.2	48	4	5	10	14	19	23	38
B. *Operated*	1965	13.5	94	3	5	11	16	24	31	62
1. SINGLE DX	2364	8.7	26	2	3	8	11	15	18	25
2. MULTIPLE DX	6725	11.8	62	3	5	10	14	20	26	46
A. NOT OPERATED	6469	10.5	43	3	4	9	13	18	22	36
B. OPERATED	2620	12.3	82	3	4	10	15	22	28	53
TOTAL 0-19 YRS	116	8.6	36	1	2	8	12	16	20	31
20-34	905	9.1	36	2	3	8	12	16	19	28
35-49	1645	9.9	45	2	3	9	12	17	21	34
50-64	2653	10.7	46	3	4	9	13	18	22	37
65+	3770	12.3	66	4	5	11	15	21	27	48
GRAND TOTAL	**9089**	**11.0**	**55**	**3**	**4**	**10**	**14**	**19**	**24**	**41**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	9.1	133	<1	1	5	10	29	36	36
35-49	19	6.5	39	<1	<1	5	8	15	22	26
50-64	42	9.0	55	1	2	7	12	18	26	34
65+	83	11.2	75	1	3	9	13	21	33	45
B. *Operated*										
0-19 YRS	35	3.0	1	2	2	3	4	5	5	7
20-34	694	4.1	8	2	2	4	5	6	7	20
35-49	1020	4.4	9	2	2	4	5	7	9	18
50-64	775	6.0	54	2	3	4	6	10	16	36
65+	297	11.8	149	2	3	6	17	30	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	5.4	29	<1	1	4	7	15	16	21
35-49	87	8.8	57	1	1	7	13	19	23	36
50-64	190	12.4	88	2	3	9	17	25	32	40
65+	649	14.8	144	3	5	11	18	28	38	69
B. *Operated*										
0-19 YRS	7	4.7	7	1	1	5	6	8	9	9
20-34	188	7.2	104	2	2	4	7	13	22	63
35-49	473	7.2	55	2	3	5	8	15	23	46
50-64	652	9.6	101	2	3	6	11	22	32	66
65+	628	19.5	288	3	4	15	27	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	9.9	69	1	2	8	13	20	28	38
B. *Operated*	2821	5.5	41	2	2	4	5	9	16	33
2. MULTIPLE DX										
A. *Not Operated*	958	13.4	126	2	3	10	17	27	36	60
B. *Operated*	1948	12.0	177	2	3	7	15	30	42	84
1. SINGLE DX	2973	5.7	43	2	2	4	6	10	17	34
2. MULTIPLE DX	2906	12.4	161	2	3	8	16	28	39	72
A. NOT OPERATED	1110	12.9	120	2	3	10	17	26	35	58
B. OPERATED	4769	8.1	107	2	2	5	8	19	30	60
TOTAL 0-19 YRS	43	3.3	3	1	2	3	4	5	6	9
20-34	921	4.8	31	2	2	4	5	7	10	32
35-49	1599	5.5	27	2	2	4	6	9	15	31
50-64	1659	8.2	81	2	3	5	9	17	26	51
65+	1657	15.8	205	3	4	11	21	35	45	83
GRAND TOTAL	**5879**	**9.1**	**113**	**2**	**2**	**5**	**10**	**21**	**31**	**59**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.1	2	<1	<1	2	3	4	5	5
20-34	53	2.4	3	<1	<1	2	3	5	6	7
35-49	90	2.9	4	<1	<1	2	4	5	7	10
50-64	74	2.4	4	<1	<1	2	3	5	7	11
65+	67	3.2	7	<1	<1	2	4	7	9	12
B. Operated										
0-19 YRS	22	4.1	6	1	2	3	5	8	9	10
20-34	373	4.2	3	2	2	4	5	6	7	11
35-49	531	4.4	4	2	2	4	5	7	8	11
50-64	343	4.8	5	2	3	4	6	7	8	15
65+	146	4.8	9	1	2	4	6	9	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0	2	<1	<1	3	4	4	4	4
20-34	101	3.8	9	<1	1	3	5	7	9	15
35-49	180	3.9	19	<1	1	3	5	7	10	12
50-64	221	4.2	10	<1	1	4	5	8	10	16
65+	392	5.6	26	1	1	4	7	11	13	24
B. Operated										
0-19 YRS	41	4.1	4	1	2	4	5	7	8	10
20-34	1276	4.5	7	2	2	4	5	7	8	13
35-49	1983	4.8	6	2	2	4	6	7	9	14
50-64	1727	5.2	9	2	3	5	6	8	11	17
65+	953	7.1	33	2	3	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	2.7	4	<1	<1	2	4	5	7	10
B. Operated	1415	4.5	5	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	900	4.7	19	<1	1	4	6	9	12	20
B. Operated	5980	5.2	12	2	2	4	6	8	11	20
1. SINGLE DX	1708	4.2	5	1	1	4	5	7	8	11
2. MULTIPLE DX	6880	5.2	13	2	2	4	6	9	11	20
A. NOT OPERATED	1193	4.2	16	<1	1	3	5	8	11	18
B. OPERATED	7395	5.1	11	2	2	4	6	8	10	18
TOTAL 0-19 YRS	78	3.8	4	<1	1	3	4	7	9	10
20-34	1803	4.4	7	1	2	4	5	7	8	13
35-49	2784	4.6	7	2	2	4	5	7	9	13
50-64	2365	5.0	8	1	2	4	6	8	10	16
65+	1558	6.3	29	1	2	5	8	12	17	31
GRAND TOTAL	**8588**	**5.0**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.8	17	1	2	3	8	12	12	16
20-34	97	6.3	27	1	1	6	9	11	15	29
35-49	94	6.6	18	1	1	6	10	12	14	17
50-64	142	7.6	44	1	1	6	10	16	20	30
65+	173	7.2	22	1	1	7	10	13	14	26
B. Operated										
0-19 YRS	201	2.7	7	<1	1	2	3	4	6	17
20-34	618	2.8	6	1	1	2	3	4	8	15
35-49	331	3.7	14	1	1	2	3	9	13	19
50-64	114	6.4	36	1	2	4	10	13	16	32
65+	92	9.6	83	1	1	9	13	16	26	86
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	5.3	69	1	1	3	5	11	17	56
20-34	170	7.3	59	1	2	5	10	15	17	25
35-49	304	7.8	47	1	2	6	11	16	18	39
50-64	758	8.4	45	1	2	7	11	16	20	30
65+	1616	10.0	69	2	3	8	13	18	24	44
B. Operated										
0-19 YRS	54	5.6	159	<1	1	3	4	8	17	88
20-34	391	5.8	83	1	1	3	6	13	20	48
35-49	312	7.8	63	1	2	5	10	17	24	36
50-64	521	11.8	124	1	2	10	15	23	34	98
65+	794	15.2	163	2	4	12	19	31	45	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	542	6.9	28	1	1	6	10	13	15	27
B. Operated	1356	3.8	19	1	1	2	3	9	13	21
2. MULTIPLE DX										
A. Not Operated	2903	9.1	61	2	2	7	12	17	22	41
B. Operated	2072	11.2	137	1	2	9	15	24	35	72
1. SINGLE DX	1898	4.7	24	1	1	2	6	11	14	22
2. MULTIPLE DX	4975	10.0	94	1	2	8	13	20	27	57
A. NOT OPERATED	3445	8.8	57	1	2	7	11	16	21	39
B. OPERATED	3428	8.3	104	1	2	4	11	19	27	58
TOTAL 0-19 YRS	346	3.8	43	1	1	2	3	7	11	22
20-34	1276	4.6	42	1	1	2	5	11	15	28
35-49	1041	6.4	42	1	2	4	9	14	18	30
50-64	1535	9.3	74	1	2	7	12	18	24	56
65+	2675	11.3	101	2	3	9	14	22	31	59
GRAND TOTAL	**6873**	**8.5**	**80**	**1**	**2**	**6**	**11**	**17**	**24**	**50**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4067	2.7	3	1	1	2	3	5	6	8
20-34	403	3.4	2	1	2	3	4	5	6	8
35-49	124	3.3	3	1	1	3	4	6	7	9
50-64	81	4.0	9	1	1	3	5	7	9	19
65+	40	5.5	10	2	2	5	7	9	12	17
B. *Operated*										
0-19 YRS	336	2.1	9	1	1	2	2	3	5	12
20-34	122	2.9	9	1	1	2	3	5	8	19
35-49	34	3.9	17	<1	<1	2	4	10	15	17
50-64	28	3.5	12	<1	<1	2	4	9	10	15
65+	9	3.3	14	<1	<1	2	3	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4652	3.5	6	1	1	3	4	6	8	12
20-34	610	4.0	6	1	2	4	5	7	9	13
35-49	334	4.6	8	1	2	4	6	9	10	14
50-64	472	5.7	21	1	2	5	7	10	13	24
65+	845	7.7	32	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	277	3.8	39	1	1	2	4	9	13	18
20-34	81	4.5	12	1	1	3	6	9	10	19
35-49	60	6.0	48	1	1	4	8	11	16	43
50-64	61	7.1	60	1	2	5	9	15	21	47
65+	88	14.9	155	2	3	13	21	30	36	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4715	2.9	3	1	1	2	4	5	6	9
B. *Operated*	529	2.5	10	1	1	2	2	4	8	16
2. MULTIPLE DX										
A. *Not Operated*	6913	4.3	12	1	1	3	5	8	10	17
B. *Operated*	567	6.2	71	1	1	3	8	15	21	46
1. SINGLE DX	5244	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	7480	4.4	17	1	1	3	5	8	11	20
A. NOT OPERATED	11628	3.7	9	1	1	3	5	7	9	15
B. OPERATED	1096	4.4	45	1	1	2	5	10	16	32
TOTAL 0-19 YRS	9332	3.1	6	1	1	3	4	6	7	11
20-34	1216	3.7	6	1	2	3	5	6	8	12
35-49	552	4.4	12	1	1	4	5	8	10	17
50-64	642	5.5	23	1	2	4	7	10	13	24
65+	982	8.2	47	2	3	6	10	16	21	35
GRAND TOTAL	**12724**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3260	3.6	4	1	2	3	4	6	7	11
20-34	139	3.8	4	1	2	3	5	6	8	10
35-49	135	4.5	4	2	2	4	5	7	8	11
50-64	174	5.3	8	2	3	5	7	9	10	16
65+	227	5.8	11	2	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	17	4.9	67	<1	1	3	5	5	25	36
20-34	9	5.3	19	2	2	3	10	12	12	12
35-49	7	4.7	11	2	2	3	8	10	10	10
50-64	18	6.6	40	<1	1	4	9	18	20	22
65+	7	4.0	11	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3064	4.4	9	2	2	4	5	7	9	15
20-34	337	5.0	10	2	2	4	6	9	10	17
35-49	602	6.2	18	2	3	5	7	11	15	20
50-64	2080	7.7	32	2	3	6	10	14	17	29
65+	4935	9.3	51	3	4	8	11	17	22	43
B. *Operated*										
0-19 YRS	46	8.7	28	2	3	7	12	15	19	26
20-34	32	6.6	21	1	1	6	8	12	13	23
35-49	63	10.4	79	3	3	8	13	18	29	50
50-64	198	12.1	107	2	3	9	15	28	35	47
65+	368	16.2	183	3	4	13	21	33	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3935	3.8	5	1	2	3	5	7	8	12
B. *Operated*	58	5.4	36	1	1	3	7	11	18	35
2. MULTIPLE DX										
A. *Not Operated*	11018	7.4	37	2	3	6	9	14	18	33
B. *Operated*	707	13.6	143	2	3	10	17	28	39	85
1. SINGLE DX	3993	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX	11725	7.7	46	2	3	6	9	14	19	38
A. NOT OPERATED	14953	6.4	31	2	2	5	8	12	16	29
B. OPERATED	765	13.0	140	2	3	10	16	28	38	83
TOTAL 0-19 YRS	6387	4.0	7	1	2	3	5	7	9	13
20-34	517	4.8	9	1	2	4	6	9	10	16
35-49	807	6.3	22	2	3	5	7	11	15	22
50-64	2470	7.9	38	2	3	6	10	14	18	34
65+	5537	9.6	62	3	3	8	12	17	23	46
GRAND TOTAL	**15718**	**6.7**	**38**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	940	2.4	1	1	1	2	3	4	4	5
20-34	1874	2.3	1	1	1	2	3	3	4	5
35-49	726	2.4	1	1	1	2	3	4	4	5
50-64	341	2.4	1	1	2	2	3	3	4	5
65+	83	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.1		<1	<1	1	1	1	2	3
20-34	46	1.4	1	<1	<1	1	1	2	3	8
35-49	37	1.3	1	<1	<1	1	1	2	3	6
50-64	8	1.6	1	<1	<1	1	2	3	3	3
65+	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	1212	2.4	1	1	1	2	3	3	4	5
20-34	2598	2.5	1	1	1	2	3	4	4	6
35-49	1293	2.6	3	1	1	2	3	4	5	7
50-64	732	2.7	2	1	2	2	3	4	5	8
65+	213	3.3	8	1	2	3	3	5	6	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	3964	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	120	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*	6048	2.6	2	1	1	2	3	4	4	6
1. SINGLE DX	3966	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	6168	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	122	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	10012	2.5	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2179	2.4	1	1	1	2	3	3	4	5
20-34	4518	2.4	1	1	1	2	3	4	4	5
35-49	2056	2.5	2	1	1	2	3	4	4	6
50-64	1081	2.6	1	1	2	2	3	4	5	7
65+	300	3.0	6	1	2	3	3	4	6	14
GRAND TOTAL	**10134**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	29	2.1	1	1	1	2	3	4	4	5
20-34	73	2.5	7	<1	1	2	3	4	5	18
35-49	88	2.2	1	<1	<1	2	3	4	4	6
50-64	137	2.1	1	<1	1	2	2	3	4	7
65+	110	2.2	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	4.3	8	<1	<1	4	6	8	8	8
50-64	12	3.1	23	<1	<1	1	3	8	17	18
65+	8	2.4	7	<1	<1	1	3	7	8	8
B. *Operated*										
0-19 YRS	64	2.8	5	<1	1	2	3	5	6	15
20-34	131	2.7	3	1	1	2	3	4	5	10
35-49	223	3.0	5	1	1	3	3	5	6	11
50-64	308	2.9	4	1	1	2	3	5	6	11
65+	186	3.0	5	1	1	2	3	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	437	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	3.0	14	<1	<1	1	4	7	10	18
B. *Operated*	912	2.9	4	1	1	3	3	5	6	11
1. SINGLE DX	438	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	938	2.9	5	1	1	2	3	5	6	11
A. NOT OPERATED	27	2.9	13	<1	<1	1	4	7	10	18
B. OPERATED	1349	2.7	4	1	1	2	3	4	6	11
TOTAL 0-19 YRS	94	2.6	4	1	1	2	3	4	6	13
20-34	206	2.6	4	<1	1	2	3	4	5	11
35-49	315	2.8	4	1	1	3	3	5	6	10
50-64	457	2.7	3	1	1	2	3	4	5	11
65+	304	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**1376**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.5	4	<1	1	2	3	5	6	10
20-34	17	2.6	2	<1	1	2	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11449	1.6	1	<1	1	2	2	2	3	3
20-34	2888	2.0	1	1	1	2	2	3	3	4
35-49	274	2.1	1	1	1	2	2	3	4	6
50-64	40	2.3	2	<1	1	2	2	3	4	9
65+	9	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	1.4	1	<1	<1	1	1	3	4	7
20-34	33	1.9	4	<1	<1	1	2	5	6	9
35-49	7	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6172	1.6	1	<1	<1	1	2	2	3	4
20-34	426	2.4	1	1	1	2	3	4	5	7
35-49	70	3.0	9	1	1	2	3	5	9	19
50-64	24	2.5	1	1	1	2	3	5	5	6
65+	19	5.6	31	1	1	4	8	12	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.6	3	<1	1	2	4	5	6	10
B. *Operated*	14660	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	362	1.5	2	<1	<1	1	1	3	5	7
B. *Operated*	6711	1.7	1	<1	<1	2	2	2	3	5
1. SINGLE DX	14720	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	7073	1.7	1	<1	<1	1	2	2	3	6
A. NOT OPERATED	422	1.7	2	<1	<1	1	2	3	5	7
B. OPERATED	21371	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	17986	1.6	1	<1	1	2	2	2	3	4
20-34	3364	2.0	1	1	1	2	2	3	3	5
35-49	351	2.3	3	1	1	2	2	3	4	9
50-64	64	2.4	2	<1	1	2	3	3	5	9
65+	28	4.5	24	1	1	2	6	10	15	23
GRAND TOTAL	**21793**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	3.2	4	1	1	3	4	5	6	8
20-34	282	3.3	3	1	2	3	4	5	7	9
35-49	120	3.7	11	1	1	3	4	6	7	21
50-64	79	2.8	5	<1	1	2	3	6	8	13
65+	42	3.5	11	<1	1	2	4	7	12	17
B. *Operated*										
0-19 YRS	540	2.8	4	1	1	2	4	6	6	9
20-34	796	2.4	4	<1	1	2	3	4	5	8
35-49	770	2.2	3	<1	1	2	2	4	5	10
50-64	789	2.2	3	<1	1	2	2	3	5	10
65+	405	2.8	10	1	1	2	2	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	3.9	7	1	1	3	5	7	9	13
20-34	178	4.0	7	1	1	3	5	7	9	12
35-49	142	4.6	14	1	1	4	6	8	10	25
50-64	137	4.6	18	1	1	3	6	10	12	22
65+	162	7.1	72	1	2	5	8	14	19	48
B. *Operated*										
0-19 YRS	337	4.1	35	1	1	2	4	8	13	34
20-34	623	3.2	18	1	1	2	3	5	7	17
35-49	651	3.3	18	1	1	2	3	5	9	19
50-64	765	4.0	25	1	1	2	4	8	12	26
65+	559	5.5	56	1	1	2	5	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	3.3	5	1	1	3	4	6	7	11
B. *Operated*	3300	2.5	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	957	4.7	22	1	1	4	6	9	11	22
B. *Operated*	2935	3.9	30	1	1	2	4	7	13	29
1. SINGLE DX	4300	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	3892	4.1	28	1	1	3	4	8	12	27
A. NOT OPERATED	1957	4.0	14	1	1	3	5	7	9	18
B. OPERATED	6235	3.2	17	<1	1	2	3	5	8	21
TOTAL 0-19 YRS	1692	3.4	11	1	1	3	4	6	8	15
20-34	1879	3.0	9	<1	1	2	3	5	7	12
35-49	1683	2.9	11	<1	1	2	3	5	7	15
50-64	1770	3.2	15	<1	1	2	3	6	9	21
65+	1168	4.7	43	1	1	2	5	11	17	33
GRAND TOTAL	**8192**	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4938	4.4	6	2	2	4	5	7	9	12
20-34	1355	5.7	11	2	3	5	7	9	12	18
35-49	1044	6.3	12	2	3	6	8	10	13	18
50-64	949	6.9	12	3	3	6	8	12	13	18
65+	1473	8.5	32	3	4	7	11	14	17	28
B. *Operated*										
0-19 YRS	33	8.2	30	2	3	8	10	14	19	28
20-34	28	9.0	21	3	3	9	12	16	17	20
35-49	54	10.2	44	1	2	10	13	16	20	36
50-64	110	10.3	62	2	2	9	14	20	27	38
65+	86	12.8	113	1	2	10	18	27	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5153	5.2	15	2	2	4	6	9	12	19
20-34	1512	7.4	34	2	3	6	9	13	16	31
35-49	1864	8.2	28	3	3	7	10	14	18	28
50-64	4128	9.3	36	3	4	8	12	16	20	32
65+	15193	12.5	90	4	5	10	15	22	30	64
B. *Operated*										
0-19 YRS	121	16.7	226	3	4	12	21	38	47	81
20-34	176	16.8	147	4	6	13	21	33	42	59
35-49	318	16.0	167	3	5	13	21	31	47	91
50-64	798	18.1	217	3	6	14	22	34	50	81
65+	2101	22.1	261	5	8	18	28	46	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9759	5.6	14	2	2	5	7	10	12	18
B. *Operated*	311	10.6	67	1	2	9	14	20	28	38
2. MULTIPLE DX										
A. *Not Operated*	27850	10.1	69	3	3	8	13	19	24	48
B. *Operated*	3514	20.2	241	4	7	16	26	42	59	99+
1. SINGLE DX	10070	5.8	16	2	2	5	7	10	13	20
2. MULTIPLE DX	31364	11.2	98	3	3	9	14	21	30	64
A. NOT OPERATED	37609	8.9	59	2	3	7	11	17	22	42
B. OPERATED	3825	19.4	234	4	6	15	25	40	56	99+
TOTAL 0-19 YRS	10245	4.9	15	2	2	4	6	8	11	19
20-34	3071	7.2	36	2	3	6	9	13	17	33
35-49	3280	8.4	44	3	3	7	10	15	20	36
50-64	5985	10.1	67	3	4	8	12	18	24	43
65+	18853	13.2	115	4	5	10	16	24	34	75
GRAND TOTAL	**41434**	**9.9**	**84**	**2**	**3**	**7**	**12**	**19**	**26**	**55**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	3.2	3	1	1	3	4	5	7	8
20-34	67	3.7	5	1	2	3	5	7	8	11
35-49	49	4.4	5	2	2	4	6	8	9	10
50-64	42	4.7	8	1	2	4	6	8	11	13
65+	78	6.2	20	2	2	5	8	12	15	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	3.7	4	1	2	3	4	6	7	13
20-34	136	3.9	6	1	2	3	5	7	9	13
35-49	124	4.7	9	1	2	4	6	9	11	15
50-64	258	5.9	20	2	2	5	7	11	16	25
65+	670	8.3	45	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	4	7.0	18	<1	<1	8	10	11	11	11
20-34	4	21.3	359	3	3	21	37	40	40	40
35-49	10	11.8	174	2	2	6	13	34	43	43
50-64	7	12.4	65	5	5	11	19	24	25	25
65+	35	21.0	346	4	6	15	27	47	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	4.2	9	1	2	3	5	8	10	15
B. *Operated*	4	5.3	7	3	3	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1542	6.2	29	2	2	5	8	12	15	27
B. *Operated*	60	17.6	276	2	4	12	25	37	50	91
1. SINGLE DX	403	4.2	9	1	2	3	5	8	9	14
2. MULTIPLE DX	1602	6.6	43	2	2	5	8	13	17	33
A. NOT OPERATED	1941	5.8	26	2	2	4	7	11	15	25
B. OPERATED	64	16.8	268	3	3	11	25	35	49	90
TOTAL 0-19 YRS	521	3.5	4	1	2	3	4	6	7	12
20-34	207	4.1	17	1	2	3	5	7	9	23
35-49	184	5.0	19	1	2	4	6	9	11	22
50-64	308	5.9	21	2	2	5	7	11	15	25
65+	785	8.7	63	2	3	7	10	16	23	49
GRAND TOTAL	**2005**	**6.1**	**37**	**2**	**2**	**4**	**7**	**12**	**16**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	3.2	5	1	1	3	4	5	7	12
20-34	63	3.4	5	<1	1	3	5	6	8	11
35-49	77	4.1	5	1	2	4	6	7	8	11
50-64	175	6.5	17	2	2	5	9	12	15	20
65+	295	6.5	17	2	3	6	8	12	16	21
B. *Operated*										
0-19 YRS	9	3.3	7	1	1	3	4	8	9	9
20-34	15	5.0	26	<1	1	3	6	9	18	21
35-49	26	5.5	111	<1	1	3	5	11	20	55
50-64	32	4.0	10	<1	1	3	6	9	11	12
65+	30	5.0	15	1	1	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	3.9	7	1	2	3	5	7	8	13
20-34	142	5.5	39	1	2	4	6	9	15	24
35-49	252	6.1	27	2	2	5	7	10	13	25
50-64	910	8.1	46	2	3	7	10	14	19	36
65+	2458	9.5	69	3	3	7	11	17	24	49
B. *Operated*										
0-19 YRS	9	5.1	13	<1	<1	5	8	10	11	11
20-34	18	8.1	186	1	1	4	7	19	45	59
35-49	72	6.4	35	<1	1	4	9	15	20	26
50-64	219	11.0	163	1	2	7	14	25	36	92
65+	342	14.3	191	2	2	10	18	32	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	4.6	12	1	2	4	6	9	12	19
B. *Operated*	112	4.7	36	1	1	3	6	10	12	34
2. MULTIPLE DX										
A. *Not Operated*	4277	8.2	57	2	3	6	10	15	20	44
B. *Operated*	660	12.0	169	1	2	8	15	27	39	78
1. SINGLE DX	1266	4.6	14	1	1	4	6	9	12	19
2. MULTIPLE DX	4937	8.7	74	2	3	6	10	16	23	53
A. NOT OPERATED	5431	7.4	50	2	2	6	9	14	19	38
B. OPERATED	772	11.0	156	1	2	7	14	25	37	74
TOTAL 0-19 YRS	1077	3.5	6	1	1	3	4	6	8	12
20-34	238	5.1	41	1	1	4	6	8	13	27
35-49	427	5.7	30	1	2	4	7	10	13	25
50-64	1336	8.3	62	2	3	6	10	16	20	50
65+	3125	9.7	81	3	3	7	11	18	26	55
GRAND TOTAL	**6203**	**7.9**	**64**	**2**	**2**	**6**	**10**	**15**	**21**	**46**

182: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	9	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	5.2	8	2	2	5	7	9	11	12
50-64	77	7.6	49	2	3	6	8	12	20	42
65+	131	9.9	80	2	3	7	12	19	24	54
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	5	12.8	26	8	6	11	16	21	21	21
35-49	7	8.7	18	2	3	8	12	15	15	15
50-64	4	12.0	45	4	4	12	17	20	20	20
65+	6	7.5	11	3	3	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	10	6.4	31	1	2	5	8	15	21	21
35-49	68	9.9	90	1	2	7	12	22	31	48
50-64	579	10.7	86	3	4	8	13	20	27	54
65+	1365	11.9	111	3	4	9	14	23	33	67
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	23	13.8	111	5	6	10	13	30	42	46
35-49	34	15.3	146	2	5	11	25	28	30	62
50-64	85	19.4	360	2	3	13	28	58	67	99+
65+	157	21.9	343	4	5	16	28	60	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	8.8	66	2	3	7	10	16	24	48
B. *Operated*	23	10.3	27	3	4	10	14	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	2026	11.5	103	3	4	9	14	22	31	65
B. *Operated*	300	19.8	312	3	5	15	27	54	79	99+
1. SINGLE DX	247	9.0	63	2	3	7	11	16	23	46
2. MULTIPLE DX	2326	12.5	138	3	4	9	15	25	37	83
A. NOT OPERATED	2250	11.2	100	3	4	8	13	21	30	62
B. OPERATED	323	19.1	298	3	5	14	25	49	75	99+
TOTAL 0-19 YRS	8	7.3	36	1	1	6	9	17	20	20
20-34	39	11.5	86	3	4	10	12	21	35	46
35-49	122	10.8	101	2	2	8	13	25	30	52
50-64	745	11.4	122	3	3	8	13	23	34	86
65+	1659	12.7	139	3	4	9	15	25	37	81
GRAND TOTAL	**2573**	**12.2**	**132**	**3**	**4**	**9**	**14**	**24**	**35**	**80**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7092	3.4	4	1	2	3	4	6	7	10
20-34	2165	4.3	6	1	2	4	5	7	9	13
35-49	1895	5.2	10	1	2	5	7	9	11	17
50-64	1501	5.9	13	2	2	5	8	10	12	19
65+	890	6.9	20	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	33	4.1	5	1	2	3	5	8	8	10
20-34	21	3.8	5	1	1	4	5	7	8	9
35-49	23	8.3	37	1	2	7	10	18	20	23
50-64	13	10.2	57	2	2	8	16	21	25	26
65+	8	11.0	78	<1	1	9	17	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3532	4.1	9	1	2	3	5	7	9	15
20-34	1512	5.4	13	1	2	5	7	10	11	17
35-49	2111	6.9	25	2	3	6	8	12	16	25
50-64	3459	7.8	30	2	3	7	10	14	17	28
65+	3957	9.4	49	3	4	8	11	17	22	36
B. *Operated*										
0-19 YRS	54	6.9	29	1	2	6	9	11	22	26
20-34	80	10.7	129	1	3	9	12	19	25	75
35-49	124	13.6	205	3	4	9	16	26	38	89
50-64	217	14.9	150	3	5	12	17	30	39	64
65+	248	17.3	162	4	7	14	21	34	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13543	4.3	8	1	2	4	5	8	9	15
B. *Operated*	98	6.4	32	1	2	5	8	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	14571	7.0	32	2	2	6	9	13	17	28
B. *Operated*	723	14.4	160	3	4	11	18	29	38	72
1. SINGLE DX	13641	4.3	9	1	2	4	5	8	9	15
2. MULTIPLE DX	15294	7.3	40	2	2	6	9	14	18	32
A. NOT OPERATED	28114	5.7	22	1	2	4	7	11	14	24
B. OPERATED	821	13.5	152	2	3	10	16	27	36	68
TOTAL 0-19 YRS	10711	3.7	6	1	2	3	5	6	8	11
20-34	3778	4.9	13	1	2	4	6	9	11	15
35-49	4153	6.3	26	2	2	5	8	11	14	24
50-64	5190	7.6	33	2	3	6	9	13	17	30
65+	5103	9.3	54	3	3	8	11	17	22	38
GRAND TOTAL	**28935**	**5.9**	**28**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.1	11	2	3	4	5	10	13	15
20-34	7	5.4	6	2	2	4	8	8	8	8
35-49	98	5.7	12	2	2	5	7	11	13	18
50-64	622	7.5	33	2	3	6	9	13	17	34
65+	1171	8.1	50	2	3	6	10	15	21	36
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	20	4.9	16	<1	1	4	8	10	13	15
50-64	31	6.1	40	1	1	3	9	13	17	31
65+	66	9.3	76	1	2	7	13	24	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.6	33	2	3	7	12	18	20	21
20-34	39	10.1	89	1	2	7	12	23	36	39
35-49	410	9.1	81	2	3	7	11	17	25	49
50-64	3151	10.0	74	3	3	8	12	19	25	49
65+	8092	11.1	86	3	4	9	13	21	28	54
B. *Operated*										
0-19 YRS	8	9.0	41	1	2	9	14	18	19	19
20-34	16	13.4	172	1	2	8	19	30	46	52
35-49	67	12.4	202	2	3	9	14	24	47	98
50-64	355	17.2	262	2	4	12	22	42	65	99+
65+	990	19.9	281	3	6	15	28	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1914	7.8	42	2	3	6	9	14	19	36
B. *Operated*	124	7.3	58	1	1	4	10	16	24	34
2. MULTIPLE DX										
A. *Not Operated*	11715	10.7	83	3	4	8	13	20	27	53
B. *Operated*	1436	18.7	274	3	5	14	25	46	72	99+
1. SINGLE DX	2038	7.7	43	2	3	6	9	14	19	36
2. MULTIPLE DX	13151	11.6	110	3	4	9	14	23	32	73
A. NOT OPERATED	13629	10.3	78	3	3	8	13	19	26	51
B. OPERATED	1560	17.8	266	2	4	13	24	44	69	99+
TOTAL 0-19 YRS	49	7.2	29	2	2	5	11	16	19	21
20-34	67	9.8	101	1	2	7	11	22	36	50
35-49	595	8.8	84	2	3	6	11	16	23	53
50-64	4159	10.3	89	2	3	8	12	19	28	61
65+	10319	11.6	109	3	4	9	14	23	32	74
GRAND TOTAL	**15189**	**11.1**	**103**	**3**	**3**	**8**	**13**	**22**	**31**	**69**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.5	6	1	1	3	4	7	8	14
20-34	183	3.6	6	1	1	3	5	7	8	11
35-49	46	4.8	13	<1	1	4	6	9	12	17
50-64	12	8.1	44	1	2	6	11	20	22	22
65+	11	6.7	29	2	2	5	8	14	20	21
B. *Operated*										
0-19 YRS	110	7.1	24	3	3	6	8	13	16	26
20-34	545	6.4	15	2	3	6	8	10	13	23
35-49	156	7.2	21	3	3	6	8	12	17	26
50-64	65	8.3	43	2	3	6	11	16	23	32
65+	44	10.7	55	3	4	9	14	20	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.1	9	2	2	4	7	10	11	11
20-34	53	5.8	12	1	2	5	7	11	12	17
35-49	33	4.6	5	2	2	5	7	8	8	8
50-64	45	7.4	30	1	2	6	10	15	18	25
65+	66	11.9	91	3	4	8	15	25	36	42
B. *Operated*										
0-19 YRS	38	11.3	40	4	5	11	13	19	26	30
20-34	189	10.8	41	3	4	9	14	19	22	35
35-49	129	10.8	98	3	4	8	13	20	25	67
50-64	145	13.2	90	3	4	11	18	27	32	55
65+	248	15.6	179	4	5	11	20	36	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.0	10	1	1	3	5	8	10	18
B. *Operated*	920	6.9	22	2	3	6	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	214	7.8	47	2	2	6	9	15	21	38
B. *Operated*	749	12.9	110	1	4	10	16	25	35	56
1. SINGLE DX	1238	6.2	21	2	2	5	8	11	15	25
2. MULTIPLE DX	963	11.7	100	3	4	9	15	23	30	51
A. NOT OPERATED	532	5.5	28	1	1	4	7	11	15	30
B. OPERATED	1669	9.6	70	3	3	7	11	19	25	46
TOTAL 0-19 YRS	231	6.6	27	1	2	5	8	13	17	28
20-34	970	6.7	23	2	2	6	8	12	16	26
35-49	364	7.9	51	2	3	6	9	15	21	31
50-64	267	10.8	73	2	3	8	15	23	27	47
65+	369	14.1	149	3	4	10	18	30	41	62
GRAND TOTAL	**2201**	**8.6**	**63**	**2**	**3**	**6**	**10**	**17**	**23**	**42**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	3.7	14	1	1	3	4	7	12	20
20-34	158	4.4	17	1	1	3	5	9	12	20
35-49	182	4.7	15	1	1	4	6	10	13	19
50-64	176	5.3	20	1	1	4	7	10	14	23
65+	268	7.0	36	1	2	5	9	14	18	34
B. *Operated*										
0-19 YRS	40	5.1	20	1	1	3	8	10	14	21
20-34	100	6.5	43	1	1	4	9	17	22	28
35-49	156	6.6	45	1	1	4	9	15	20	29
50-64	267	7.5	76	1	1	5	9	16	23	40
65+	248	7.9	53	1	1	6	11	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	6.5	63	1	2	4	8	14	19	30
20-34	314	6.5	35	1	2	5	8	14	17	34
35-49	478	6.8	39	1	2	5	8	14	18	32
50-64	1462	8.6	55	2	3	7	11	16	21	34
65+	4442	10.8	75	3	3	9	14	20	27	48
B. *Operated*										
0-19 YRS	108	14.1	233	1	2	9	19	37	45	83
20-34	216	13.0	193	1	2	9	18	28	47	70
35-49	391	14.7	225	2	2	11	17	36	49	87
50-64	997	13.6	167	2	2	10	18	29	41	68
65+	1686	15.9	206	2	3	12	21	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	5.2	23	1	1	4	6	11	15	25
B. *Operated*	811	7.2	57	1	1	4	10	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	7123	9.6	68	2	3	7	12	19	25	45
B. *Operated*	3398	14.9	198	2	2	11	19	33	45	84
1. SINGLE DX	1815	6.1	39	1	1	4	8	14	19	29
2. MULTIPLE DX	10521	11.3	116	2	3	8	14	23	32	66
A. NOT OPERATED	8127	9.1	65	2	2	7	12	18	23	43
B. OPERATED	4209	13.4	180	1	2	10	18	30	42	78
TOTAL 0-19 YRS	795	6.7	80	1	1	4	8	15	21	44
20-34	788	7.9	87	1	1	5	9	18	25	56
35-49	1207	9.0	112	1	2	6	11	18	29	59
50-64	2902	10.0	100	2	2	7	12	21	28	56
65+	6644	11.8	112	2	3	9	15	24	33	69
GRAND TOTAL	**12336**	**10.5**	**108**	**2**	**2**	**8**	**13**	**22**	**31**	**63**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.1	4	1	2	2	3	6	7	12
20-34	22	3.5	7	<1	1	3	4	6	10	13
35-49	14	6.3	83	1	2	3	5	18	31	35
50-64	9	3.9	9	1	1	4	5	8	10	10
65+	8	3.5	2	<1	1	4	4	6	6	6
B. *Operated*										
0-19 YRS	3080	1.6	1	<1	<1	1	2	2	3	6
20-34	2557	1.8	2	<1	<1	2	2	3	4	7
35-49	658	2.1	5	<1	<1	2	2	4	5	6
50-64	438	2.2	2	<1	<1	2	2	4	5	9
65+	217	2.3	1	1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.3	3	<1	<1	1	3	5	6	8
20-34	117	2.3	7	<1	<1	1	2	4	6	15
35-49	59	4.0	71	<1	<1	1	3	6	20	53
50-64	63	5.3	49	<1	<1	2	6	13	23	35
65+	55	5.5	33	1	1	3	7	12	16	32
B. *Operated*										
0-19 YRS	1582	2.1	3	<1	<1	2	2	4	5	8
20-34	1748	2.3	4	<1	1	2	2	4	5	9
35-49	910	2.5	8	<1	1	2	2	4	5	12
50-64	966	2.8	15	1	1	2	3	4	7	19
65+	757	3.5	19	1	2	2	3	6	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.8	17	1	1	3	4	6	10	27
B. *Operated*	6950	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	433	3.4	26	<1	<1	2	4	7	11	26
B. *Operated*	5963	2.5	8	<1	1	2	3	4	6	13
1. SINGLE DX	7042	1.8	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	6396	2.6	9	<1	1	2	3	4	6	14
A. NOT OPERATED	525	3.4	24	<1	<1	2	4	7	10	26
B. OPERATED	12913	2.1	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	4840	1.8	2	<1	<1	2	2	3	4	7
20-34	4444	2.1	3	<1	<1	2	2	4	5	8
35-49	1641	2.4	10	<1	<1	2	2	4	5	12
50-64	1476	2.8	13	<1	1	2	3	4	6	19
65+	1037	3.4	17	1	1	2	3	6	10	20
GRAND TOTAL	**13438**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	4.0	6	1	1	4	5	7	9	12
20-34	44	4.1	5	1	2	4	5	7	9	10
35-49	33	3.8	5	1	2	3	5	7	9	11
50-64	31	4.5	6	1	2	4	5	7	9	13
65+	22	4.9	10	1	2	5	6	8	12	14
B. *Operated*										
0-19 YRS	119	2.7	5	<1	<1	2	3	6	8	11
20-34	140	3.3	6	<1	<1	3	4	6	8	14
35-49	134	3.5	6	1	1	3	4	6	8	12
50-64	145	3.0	4	1	1	3	4	5	7	10
65+	110	3.4	6	1	1	3	4	7	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	4.0	7	1	2	3	5	8	11	13
20-34	32	6.1	43	1	2	4	7	10	14	38
35-49	48	5.4	12	1	2	5	7	10	12	17
50-64	69	5.8	11	1	2	5	7	12	13	14
65+	146	9.6	55	2	3	8	12	16	28	39
B. *Operated*										
0-19 YRS	85	3.2	5	<1	1	2	4	6	8	11
20-34	103	4.4	13	1	1	3	5	9	11	19
35-49	124	4.6	15	1	2	3	5	8	13	21
50-64	200	5.3	24	2	2	4	6	11	14	26
65+	213	7.2	65	2	2	4	8	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.1	6	1	2	4	5	7	9	12
B. *Operated*	648	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	429	6.5	32	1	2	5	8	13	16	34
B. *Operated*	725	5.3	32	1	2	4	6	11	16	29
1. SINGLE DX	888	3.4	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	1154	5.8	33	1	2	4	7	12	16	31
A. NOT OPERATED	669	5.6	24	1	2	4	7	11	14	29
B. OPERATED	1373	4.3	21	1	1	3	5	8	12	24
TOTAL 0-19 YRS	448	3.5	6	<1	1	3	5	7	9	12
20-34	319	4.0	12	<1	1	3	5	8	10	16
35-49	339	4.2	10	1	2	3	5	8	11	19
50-64	445	4.6	15	1	2	3	5	8	12	21
65+	491	6.9	51	1	2	5	9	15	21	36
GRAND TOTAL	**2042**	**4.8**	**22**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	3.6	9	1	1	3	5	7	9	13
20-34	147	3.0	5	<1	<1	2	4	6	7	11
35-49	174	3.3	6	<1	1	3	4	7	9	11
50-64	197	3.7	6	<1	<1	3	5	8	9	11
65+	133	4.0	9	<1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	116	4.2	23	<1	<1	2	5	9	12	26
20-34	62	4.4	14	<1	1	3	7	9	13	16
35-49	75	4.4	14	<1	<1	3	7	10	13	14
50-64	150	4.5	20	<1	<1	3	6	9	13	27
65+	206	6.7	77	1	1	4	8	14	21	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	4.6	18	1	1	3	5	8	12	24
20-34	336	5.1	37	1	1	4	6	9	12	19
35-49	574	5.2	22	1	2	4	7	10	11	18
50-64	981	5.4	22	1	2	4	7	10	13	23
65+	1547	7.6	51	1	2	6	9	14	20	36
B. *Operated*										
0-19 YRS	179	11.4	214	1	1	6	15	29	38	79
20-34	151	9.2	120	1	1	6	10	21	30	61
35-49	306	9.6	112	1	1	7	12	19	27	59
50-64	641	8.8	67	1	2	7	11	18	24	43
65+	1365	11.0	133	2	2	8	14	25	37	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	3.5	7	<1	1	3	5	7	9	12
B. *Operated*	609	5.2	40	<1	<1	3	7	10	14	36
2. MULTIPLE DX										
A. *Not Operated*	3702	6.2	37	1	2	5	8	12	16	28
B. *Operated*	2642	10.2	120	1	2	7	13	22	32	69
1. SINGLE DX	1494	4.2	21	<1	1	3	5	8	11	22
2. MULTIPLE DX	6344	7.9	75	1	2	6	9	16	23	47
A. NOT OPERATED	4587	5.7	32	1	1	4	7	11	14	27
B. OPERATED	3251	9.3	109	1	1	6	12	20	30	65
TOTAL 0-19 YRS	793	5.8	69	1	1	3	6	12	21	41
20-34	696	5.5	50	1	1	4	6	10	15	33
35-49	1129	6.1	48	1	1	4	8	12	15	31
50-64	1969	6.3	38	<1	1	5	8	13	17	34
65+	3251	8.8	89	1	2	6	11	18	27	57
GRAND TOTAL	**7838**	**7.2**	**67**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	3	2	2	3	5	7	7	7
20-34	55	4.1	8	<1	<1	4	6	7	7	18
35-49	67	5.1	9	1	1	5	7	9	10	16
50-64	92	5.5	14	<1	<1	5	8	10	12	19
65+	90	5.3	12	1	1	5	7	9	12	17
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	26	6.5	33	<1	<1	4	9	14	17	26
35-49	68	7.6	26	<1	<1	7	11	13	17	23
50-64	80	5.8	22	<1	<1	6	9	12	15	76
65+	75	6.9	35	<1	<1	6	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	3	1	2	4	5	6	7	7
20-34	87	6.4	21	1	2	5	8	11	14	27
35-49	161	6.2	18	<1	2	6	8	12	15	19
50-64	293	6.4	21	2	3	6	8	10	14	23
65+	583	8.9	41	2	3	8	11	16	20	37
B. *Operated*										
0-19 YRS	8	5.6	9	2	2	5	7	10	11	11
20-34	57	10.9	62	1	3	9	14	21	27	41
35-49	164	9.4	48	1	3	8	12	17	22	38
50-64	348	10.2	65	1	2	8	13	20	23	44
65+	638	12.3	113	2	3	10	15	22	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	5.1	11	<1	1	4	7	9	11	17
B. *Operated*	251	6.7	28	<1	<1	6	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1138	7.6	32	1	3	6	9	14	17	33
B. *Operated*	1215	11.2	89	2	3	9	14	21	27	48
1. SINGLE DX	568	5.8	19	<1	<1	5	8	11	14	22
2. MULTIPLE DX	2353	9.5	65	2	3	8	12	18	22	44
A. NOT OPERATED	1455	7.0	29	1	2	6	9	13	16	29
B. OPERATED	1466	10.4	81	<1	2	8	13	20	25	47
TOTAL 0-19 YRS	37	4.4	5	2	2	4	5	7	10	11
20-34	225	7.0	35	<1	1	6	9	14	20	30
35-49	460	7.4	31	<1	2	6	9	14	17	28
50-64	813	7.9	43	<1	2	6	10	16	20	35
65+	1386	10.1	77	2	3	8	13	19	24	46
GRAND TOTAL	**2921**	**8.7**	**58**	**1**	**2**	**7**	**11**	**17**	**21**	**42**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	7	2	2	3	7	8	8	8
20-34	38	5.3	6	2	2	5	7	9	9	13
35-49	59	5.4	8	2	3	5	7	9	11	16
50-64	95	5.4	6	2	3	5	6	9	10	13
65+	116	6.8	12	2	3	6	8	11	13	18
B. *Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	24	8.3	16	2	3	8	10	14	16	16
35-49	65	10.0	50	3	4	8	11	19	23	43
50-64	77	9.2	39	3	4	8	11	17	19	35
65+	105	10.9	36	4	4	10	14	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.3	10	2	3	7	9	12	12	12
20-34	53	5.8	9	2	3	6	7	10	11	15
35-49	113	6.5	33	3	3	5	7	9	13	36
50-64	353	7.4	22	3	3	6	8	12	16	22
65+	840	10.3	65	3	4	8	12	18	23	58
B. *Operated*										
0-19 YRS	4	17.3	144	7	7	16	27	30	30	30
20-34	36	10.9	97	2	3	9	12	21	39	42
35-49	110	12.0	77	3	4	10	15	21	31	47
50-64	347	12.8	109	4	5	10	16	23	32	63
65+	936	16.4	177	5	6	13	20	33	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	5.9	9	2	3	5	7	10	12	16
B. *Operated*	275	9.9	39	3	4	9	12	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	1372	9.0	51	3	4	7	11	16	20	37
B. *Operated*	1433	15.1	154	4	5	11	18	30	42	73
1. SINGLE DX	591	7.7	27	2	3	6	10	14	17	29
2. MULTIPLE DX	2805	12.1	113	3	4	9	15	23	33	64
A. NOT OPERATED	1688	8.4	45	3	3	7	10	15	19	35
B. OPERATED	1708	14.3	139	4	5	11	17	29	40	70
TOTAL 0-19 YRS	29	7.7	38	2	2	7	8	12	25	30
20-34	151	7.3	35	2	3	6	9	12	16	39
35-49	347	8.7	53	3	3	7	10	16	22	45
50-64	872	9.5	64	3	4	7	11	18	22	47
65+	1997	13.0	124	4	4	10	15	25	34	69
GRAND TOTAL	**3396**	**11.4**	**101**	**3**	**4**	**8**	**14**	**21**	**30**	**61**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.9	5	1	2	4	5	6	9	12
20-34	283	4.3	6	1	2	4	5	7	8	13
35-49	330	4.4	10	1	2	4	5	8	10	19
50-64	254	4.6	6	1	2	4	6	8	10	11
65+	154	5.6	15	1	2	5	7	10	12	23
B *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	29	9.9	37	<1	2	9	12	18	23	27
35-49	78	9.4	21	3	5	8	12	15	20	23
50-64	49	10.1	46	1	3	9	11	20	27	32
65+	28	10.2	59	1	2	9	13	21	24	35
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	58	5.2	13	1	2	5	7	10	12	18
20-34	346	5.1	9	1	2	5	7	9	11	15
35-49	540	5.9	20	1	2	5	7	10	14	22
50-64	840	6.7	24	2	3	6	8	12	14	30
65+	1241	8.3	54	2	3	7	10	14	19	36
B *Operated*										
0-19 YRS	6	8.5	14	5	5	7	13	13	13	13
20-34	68	10.9	78	2	3	9	13	20	33	43
35-49	182	10.9	57	2	3	9	13	22	25	40
50-64	237	11.6	70	2	3	10	15	21	26	44
65+	351	14.1	127	3	4	12	18	28	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	4.6	9	1	2	4	6	8	10	17
B. *Operated*	185	9.8	35	1	4	9	12	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	3025	7.0	35	2	3	6	8	12	16	31
B. *Operated*	844	12.4	93	2	4	10	16	24	29	50
1. SINGLE DX	1268	5.3	16	1	2	4	7	10	13	22
2. MULTIPLE DX	3869	8.2	52	2	3	6	10	15	21	36
A. NOT OPERATED	4108	6.4	29	2	2	5	8	11	14	27
B. OPERATED	1029	11.9	83	2	4	10	15	22	29	47
TOTAL 0-19 YRS	127	4.8	10	1	2	4	6	10	11	15
20-34	726	5.5	20	1	2	4	7	10	13	23
35-49	1130	6.5	28	1	2	5	8	12	17	26
50-64	1380	7.3	34	2	2	6	9	13	19	30
65+	1774	9.3	71	2	3	7	11	17	24	47
GRAND TOTAL	**5137**	**7.5**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

193: Nongastric peptic ulcer with hemorrhage or perforation
(for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.2	3	2	2	4	5	7	8	8
20-34	188	4.8	7	2	2	4	6	8	10	15
35-49	254	5.1	7	2	2	5	6	8	9	13
50-64	312	5.4	6	2	3	5	7	9	10	13
65+	250	7.2	23	3	3	6	9	11	14	24
B. *Operated*										
0-19 YRS	15	7.7	9	2	4	7	10	12	13	13
20-34	61	9.6	32	4	5	8	10	14	25	33
35-49	75	10.7	23	6	6	9	14	18	20	26
50-64	117	10.3	24	4	5	9	12	16	21	27
65+	103	13.5	104	5	7	11	15	21	27	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	10	1	2	4	8	10	10	10
20-34	172	5.9	12	2	3	5	7	9	12	21
35-49	283	6.4	11	3	3	6	8	11	13	18
50-64	734	7.1	16	3	3	6	9	11	14	21
65+	1571	10.0	70	3	4	8	12	17	23	52
B. *Operated*										
0-19 YRS	9	10.6	24	6	6	9	12	18	22	22
20-34	54	14.3	118	4	5	11	17	32	33	56
35-49	135	13.0	86	5	6	11	15	21	30	54
50-64	375	15.1	140	4	6	12	17	32	45	92
65+	739	19.3	210	6	7	15	25	41	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1033	5.6	11	2	2	5	7	9	11	16
B. *Operated*	371	11.0	49	4	6	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	2775	8.6	48	3	4	7	10	15	19	40
B. *Operated*	1312	17.2	178	5	6	13	21	36	49	94
1. SINGLE DX	1404	7.0	27	2	3	6	9	12	15	25
2. MULTIPLE DX	4087	11.4	106	3	4	8	13	22	32	66
A. NOT OPERATED	3808	7.8	40	2	3	6	9	13	17	34
B. OPERATED	1683	15.8	156	5	6	12	19	32	45	84
TOTAL 0-19 YRS	68	6.0	13	2	2	5	8	11	12	20
20-34	475	6.9	34	2	2	6	8	12	17	32
35-49	747	7.6	33	2	3	6	9	14	17	29
50-64	1538	9.0	58	3	3	7	10	15	22	49
65+	2663	12.5	125	3	4	9	14	24	35	72
GRAND TOTAL	**5491**	**10.3**	**90**	**3**	**4**	**8**	**12**	**19**	**28**	**57**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	10	<1	<1	6	7	7	7	7
20-34	4	4.5	10	2	2	3	6	9	9	9
35-49	17	6.4	15	<1	1	6	9	12	14	15
50-64	15	9.3	37	1	4	8	11	19	23	24
65+	21	8.8	47	3	4	7	9	13	25	36
B. *Operated*										
0-19 YRS										
20-34	8	7.6	17	<1	1	9	11	12	12	12
35-49	20	13.7	71	7	8	11	14	23	33	43
50-64	42	13.6	59	4	6	12	17	21	27	47
65+	32	14.1	125	5	5	12	16	24	29	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	13	8.7	57	<1	2	6	10	18	28	30
35-49	21	8.3	27	2	3	8	9	15	20	25
50-64	50	9.0	34	3	4	7	10	16	21	29
65+	136	11.6	119	3	4	9	13	21	30	69
B. *Operated*										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	12	18.0	78	8	8	18	27	46	90	99+
35-49	42	16.6	116	6	7	13	21	31	43	48
50-64	99	20.5	217	6	7	17	24	40	54	75
65+	218	21.5	217	6	8	17	28	43	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.7	33	<1	3	7	10	13	17	35
B. *Operated*	102	13.3	80	4	6	11	16	22	27	56
2. MULTIPLE DX										
A. *Not Operated*	222	10.5	88	3	4	8	12	20	27	55
B. *Operated*	372	20.7	206	6	8	17	26	43	54	97
1. SINGLE DX	162	11.2	69	3	4	10	13	20	24	47
2. MULTIPLE DX	594	16.9	186	4	5	13	21	35	48	81
A. NOT OPERATED	282	9.9	77	3	3	8	11	18	25	46
B. OPERATED	474	19.1	188	5	7	15	24	40	50	85
TOTAL 0-19 YRS	6	13.2	511	<1	<1	5	7	54	59	59
20-34	37	11.0	72	1	2	9	14	27	32	99+
35-49	100	12.5	87	3	4	10	15	23	33	48
50-64	206	15.5	152	4	5	12	19	27	43	69
65+	407	16.9	192	4	5	13	21	36	49	85
GRAND TOTAL	**756**	**15.6**	**166**	**3**	**5**	**12**	**20**	**32**	**44**	**75**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	463	2.7	3	1	1	2	3	5	6	9
20-34	714	3.1	4	1	1	3	4	6	7	10
35-49	502	3.5	7	<1	<1	3	5	7	9	13
50-64	330	3.4	6	<1	<1	3	4	6	8	13
65+	239	4.8	20	<1	1	4	6	9	11	22
B. *Operated*										
0-19 YRS	13	5.0	17	<1	<1	6	6	11	13	14
20-34	63	4.1	20	<1	<1	3	5	9	11	26
35-49	67	5.5	22	<1	<1	4	9	12	15	19
50-64	78	5.1	51	<1	<1	2	8	12	18	38
65+	61	5.7	39	<1	<1	4	8	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	760	3.5	8	1	1	3	4	6	8	13
20-34	1268	4.3	9	1	1	3	5	8	10	16
35-49	1514	5.2	12	1	2	4	7	9	11	17
50-64	1894	6.1	18	2	2	5	8	11	14	20
65+	2848	7.8	47	2	3	6	9	14	18	36
B. *Operated*										
0-19 YRS	31	6.0	21	1	1	5	10	13	14	15
20-34	186	8.0	38	1	2	6	10	16	20	32
35-49	336	8.2	46	<1	2	7	10	16	21	35
50-64	495	9.5	56	1	3	8	12	18	26	43
65+	939	11.7	101	2	3	9	14	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2248	3.4	7	<1	1	3	4	6	8	12
B. *Operated*	282	5.1	33	<1	<1	3	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	8284	6.0	27	1	2	5	7	11	14	24
B. *Operated*	1987	10.1	75	1	3	8	12	19	26	50
1. SINGLE DX	2530	3.5	10	<1	<1	3	4	7	9	15
2. MULTIPLE DX	10271	6.8	39	1	2	5	8	13	17	31
A. NOT OPERATED	10532	5.4	24	1	2	4	7	10	13	22
B. OPERATED	2269	9.5	73	<1	2	8	12	19	25	48
TOTAL 0-19 YRS	1267	3.3	7	1	1	3	4	6	8	13
20-34	2231	4.2	12	1	1	3	5	8	10	18
35-49	2419	5.3	18	1	1	4	7	10	13	21
50-64	2797	6.4	27	1	2	5	8	12	15	29
65+	4087	8.5	61	2	2	7	10	16	21	44
GRAND TOTAL	**12801**	**6.1**	**35**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	4	1	1	3	4	6	7	11
20-34	90	3.9	12	<1	<1	3	5	8	9	21
35-49	68	4.2	10	<1	1	6	5	7	10	19
50-64	64	5.0	23	<1	1	4	6	10	11	31
65+	49	6.0	37	<1	<1	4	7	13	16	34
B. *Operated*										
0-19 YRS	43	4.4	6	1	2	4	6	8	9	13
20-34	7	16.3	296	2	3	8	21	46	52	52
35-49	18	10.2	29	3	4	10	13	18	21	23
50-64	20	9.9	97	<1	1	8	13	25	35	36
65+	24	13.5	228	<1	<1	9	18	27	43	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.2	13	1	1	3	6	9	11	19
20-34	154	6.0	27	<1	1	5	8	12	18	26
35-49	178	4.8	9	1	2	4	6	8	10	16
50-64	272	6.4	35	2	2	5	8	13	17	35
65+	435	8.5	87	2	2	7	10	16	22	55
B. *Operated*										
0-19 YRS	18	8.9	49	2	3	6	13	16	24	30
20-34	23	11.3	54	1	2	10	18	24	49	99+
35-49	71	14.5	108	3	5	12	18	27	34	58
50-64	119	16.5	168	2	4	13	23	33	43	64
65+	240	20.6	275	3	6	16	29	44	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	4.3	16	<1	1	3	5	8	11	21
B. *Operated*	112	9.0	103	<1	1	6	11	18	27	60
2. MULTIPLE DX										
A. *Not Operated*	1167	6.7	49	1	2	5	8	13	17	34
B. *Operated*	471	17.8	214	2	4	14	24	37	49	99+
1. SINGLE DX	466	5.4	41	<1	1	4	6	11	18	34
2. MULTIPLE DX	1638	9.8	122	1	2	6	12	22	32	66
A. NOT OPERATED	1521	6.1	43	1	1	4	7	12	16	32
B. OPERATED	583	16.1	204	2	3	12	21	35	45	58
TOTAL 0-19 YRS	272	4.2	13	1	1	3	5	8	11	18
20-34	274	6.0	36	<1	1	4	8	12	21	27
35-49	335	7.0	47	1	2	5	9	14	21	35
50-64	475	8.9	89	1	2	6	11	19	30	48
65+	748	12.4	181	1	2	8	15	30	41	56
GRAND TOTAL	**2104**	**8.9**	**107**	**1**	**2**	**6**	**11**	**20**	**30**	**62**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	3	<1	1	2	3	4	5	9
20-34	56	2.7	3	<1	1	2	4	5	7	10
35-49	13	3.5	5	1	1	3	4	7	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	7	7.0	14	3	3	7	9	13	14	14
B. *Operated*										
0-19 YRS	4199	4.0	3	2	2	4	5	6	7	10
20-34	2718	4.3	5	2	3	4	5	6	7	10
35-49	780	4.8	4	3	3	4	6	7	8	12
50-64	336	5.7	7	2	3	5	7	9	11	14
65+	107	7.1	16	3	4	6	9	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	2	1	1	2	3	5	5	7
20-34	21	2.5	4	<1	<1	2	3	5	7	9
35-49	12	5.3	5	3	3	4	7	9	9	9
50-64	10	4.7	4	3	3	4	5	8	9	9
65+	10	10.9	44	3	4	9	15	21	23	23
B. *Operated*										
0-19 YRS	701	5.6	11	2	3	5	6	10	12	18
20-34	633	6.1	12	3	3	5	7	10	12	19
35-49	296	7.3	23	3	3	6	9	13	16	25
50-64	232	8.6	36	4	4	7	10	14	18	32
65+	133	12.2	116	4	5	9	14	21	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.9	5	<1	1	2	4	6	7	11
B. *Operated*	8140	4.3	4	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	102	3.9	13	1	1	3	5	8	10	21
B. *Operated*	1995	6.8	26	3	3	5	8	12	15	25
1. SINGLE DX	8265	4.3	4	2	3	4	5	6	8	11
2. MULTIPLE DX	2097	6.7	26	2	3	5	8	12	15	25
A. NOT OPERATED	227	3.3	9	1	1	2	4	7	9	16
B. OPERATED	10135	4.8	9	2	3	4	5	7	9	16
TOTAL 0-19 YRS	4996	4.2	4	2	2	4	5	6	8	12
20-34	3428	4.6	7	2	3	4	5	7	9	13
35-49	1101	5.5	11	3	3	5	6	9	11	20
50-64	580	6.8	21	3	3	6	8	11	14	25
65+	257	9.9	75	3	4	8	12	17	23	51
GRAND TOTAL	**10362**	**4.8**	**10**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	9.5	22	2	3	10	13	15	18	20
20-34	16	7.0	11	2	3	7	10	11	12	12
35-49	9	9.6	18	3	4	8	12	16	17	17
50-64	10	10.5	31	5	5	8	13	20	23	23
65+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
0-19 YRS	891	7.6	12	3	4	7	9	11	13	20
20-34	503	7.6	11	3	4	7	9	12	13	19
35-49	285	8.2	12	4	4	8	10	12	14	20
50-64	212	9.4	15	5	6	9	11	14	17	25
65+	107	11.1	22	5	6	10	14	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.3	26	2	5	12	16	18	20	20
20-34	8	10.5	33	1	3	10	13	19	21	21
35-49	10	12.4	42	3	4	12	18	20	21	21
50-64	12	10.5	49	<1	1	10	15	21	23	23
65+	6	10.2	21	3	3	10	15	15	15	15
B. *Operated*										
0-19 YRS	400	11.5	38	5	5	10	14	20	24	29
20-34	270	11.5	42	5	6	9	14	19	23	35
35-49	210	11.4	37	5	5	10	13	20	23	32
50-64	346	14.3	79	6	7	12	17	24	30	53
65+	351	18.0	190	7	8	14	20	31	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	9.0	20	3	3	9	11	15	17	23
B. *Operated*	1998	8.0	14	3	4	7	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	48	11.3	33	2	3	11	15	20	21	23
B. *Operated*	1577	13.5	88	5	6	11	16	23	28	56
1. SINGLE DX	2057	8.1	14	3	4	7	10	12	15	21
2. MULTIPLE DX	1625	13.5	87	5	6	11	16	22	28	55
A. NOT OPERATED	107	10.0	27	2	3	9	13	17	20	23
B. OPERATED	3575	10.5	54	4	5	9	12	17	22	40
TOTAL 0-19 YRS	1325	8.8	23	3	4	8	10	14	18	27
20-34	797	8.9	25	4	4	8	11	14	18	28
35-49	514	9.6	25	4	5	9	11	15	20	26
50-64	580	12.3	59	5	6	10	15	21	26	45
65+	466	16.3	158	6	7	13	18	26	39	82
GRAND TOTAL	**3682**	**10.4**	**53**	**4**	**5**	**9**	**12**	**17**	**22**	**40**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.7	8	1	1	2	3	6	8	17
20-34	51	2.5	2	1	1	2	3	5	6	6
35-49	21	2.8	7	1	1	2	3	5	9	13
50-64	10	4.0	5	1	1	4	5	7	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	162	4.5	4	2	3	4	5	7	8	13
20-34	149	5.0	6	2	3	4	6	8	10	13
35-49	36	5.7	11	3	3	5	6	11	13	18
50-64	13	5.7	5	3	3	5	7	9	11	11
65+	5	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.1	6	1	2	2	3	6	9	13
20-34	32	3.3	9	1	1	3	4	5	6	18
35-49	11	5.5	12	<1	1	6	8	10	10	10
50-64	9	3.7	4	1	1	3	5	7	7	7
65+	4	7.8	41	3	3	5	12	17	17	17
B. *Operated*										
0-19 YRS	117	5.1	7	2	3	4	6	8	10	15
20-34	116	6.3	10	3	4	5	7	10	12	19
35-49	34	7.6	13	3	4	7	9	13	15	16
50-64	34	9.6	37	3	4	8	14	17	23	25
65+	22	15.0	54	5	7	14	18	20	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.7	5	1	1	2	3	5	7	13
B. *Operated*	365	4.9	6	2	3	4	6	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	83	3.8	10	1	1	3	5	7	10	18
B. *Operated*	323	6.9	21	3	3	5	8	13	17	23
1. SINGLE DX	506	4.3	6	1	2	4	5	7	9	14
2. MULTIPLE DX	406	6.3	20	2	2	5	7	12	16	21
A. NOT OPERATED	224	3.1	7	1	1	2	4	6	8	17
B. OPERATED	688	5.8	14	2	3	5	7	10	14	20
TOTAL 0-19 YRS	364	4.3	6	1	2	4	5	7	9	13
20-34	348	4.9	9	1	2	4	6	8	10	17
35-49	102	5.7	13	1	2	5	7	12	13	17
50-64	66	7.2	28	2	3	5	10	16	18	25
65+	32	12.1	59	3	4	12	17	20	20	40
GRAND TOTAL	**912**	**5.2**	**14**	**1**	**2**	**4**	**6**	**9**	**13**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.3	1	<1	<1	1	1	2	3	4
20-34	11	1.6	1	<1	<1	1	2	4	4	4
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64	13	3.0	6	<1	<1	2	4	7	9	9
65+	14	4.3	21	<1	1	2	5	12	16	17
B. *Operated*										
0-19 YRS	3707	1.9	1	<1	<1	2	2	3	4	5
20-34	3190	3.2	2	1	2	3	4	5	5	7
35-49	3028	3.6	3	2	2	3	4	5	6	9
50-64	4501	3.8	3	2	2	4	5	6	7	9
65+	3236	4.4	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	1.4	2	<1	<1	1	1	2	4	8
20-34	52	1.7	2	<1	<1	1	1	4	5	7
35-49	40	3.2	13	<1	<1	1	4	7	12	16
50-64	109	3.0	15	<1	<1	1	4	6	8	22
65+	147	5.4	40	<1	1	3	7	12	14	40
B. *Operated*										
0-19 YRS	2007	2.0	4	<1	<1	2	2	4	5	8
20-34	1071	3.7	3	2	2	3	4	6	7	11
35-49	1765	4.4	6	2	2	4	5	7	8	15
50-64	4124	4.9	12	2	3	4	6	8	10	18
65+	5053	6.4	24	2	3	5	7	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.4	7	<1	<1	1	3	5	7	16
B. *Operated*	17662	3.4	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	543	2.9	18	<1	<1	1	3	7	10	19
B. *Operated*	14020	4.9	16	1	2	4	6	8	12	21
1. SINGLE DX	17727	3.4	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	14563	4.8	16	1	1	4	6	8	12	21
A. NOT OPERATED	608	2.9	17	<1	<1	1	3	7	10	18
B. OPERATED	31682	4.0	9	1	1	3	5	7	9	16
TOTAL 0-19 YRS	5929	1.9	2	<1	<1	2	2	3	4	6
20-34	4324	3.3	2	1	2	3	4	5	6	8
35-49	4840	3.9	4	2	2	4	5	6	7	11
50-64	8747	4.3	7	2	2	4	5	7	8	15
65+	8450	5.6	18	2	3	5	6	9	13	23
GRAND TOTAL	**32290**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.2		<1	<1	1	1	2	2	2
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	8	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	277	2.0	2	<1	1	2	2	4	4	6
20-34	156	3.4	2	1	2	3	4	5	6	7
35-49	111	4.1	5	1	2	4	5	6	9	13
50-64	187	4.4	5	2	2	4	5	7	8	11
65+	326	6.1	12	2	3	6	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.0	375	<1	<1	1	3	14	61	74
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	1.3		1	1	1	2	2	2	2
50-64	9	2.8	5	<1	<1	2	4	7	7	7
65+	63	5.4	29	1	1	4	7	11	13	31
B. *Operated*										
0-19 YRS	207	3.0	48	<1	1	2	3	5	8	15
20-34	51	4.8	16	2	2	4	5	8	10	29
35-49	74	5.9	16	2	2	5	7	10	14	23
50-64	283	6.6	22	2	3	5	8	12	16	30
65+	880	10.8	82	3	4	8	13	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	1057	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	92	5.1	75	1	1	3	7	10	13	56
B. *Operated*	1495	8.5	69	1	2	6	10	17	23	43
1. SINGLE DX	1089	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1587	8.3	70	1	2	6	10	16	22	43
A. NOT OPERATED	124	4.2	59	<1	1	2	5	8	12	43
B. OPERATED	2552	6.7	48	1	1	5	8	13	19	38
TOTAL 0-19 YRS	514	2.5	31	<1	1	2	3	4	6	14
20-34	212	3.7	6	1	2	3	4	6	7	10
35-49	191	4.7	10	1	2	4	6	8	10	18
50-64	482	5.6	16	2	2	5	7	9	13	23
65+	1277	9.2	66	2	3	7	11	18	24	43
GRAND TOTAL	**2676**	**6.5**	**49**	**1**	**1**	**5**	**8**	**13**	**18**	**38**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	406	1.9	1	<1	<1	2	2	3	4	6
20-34	184	3.2	2	1	2	3	4	5	6	8
35-49	248	3.4	3	1	2	3	4	6	6	9
50-64	181	4.0	5	2	2	4	5	6	8	13
65+	75	4.3	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.7	3	<1	<1	1	2	5	5	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	5.3	20	<1	<1	5	9	11	12	12
50-64	15	4.0	13	<1	1	3	5	9	13	14
65+	24	8.1	65	<1	1	5	13	19	53	99+
B. *Operated*										
0-19 YRS	72	3.4	33	<1	<1	2	3	5	8	40
20-34	82	4.3	6	1	2	4	5	7	8	15
35-49	196	4.8	10	2	2	4	5	8	11	19
50-64	238	5.4	9	2	2	5	7	9	12	15
65+	165	7.6	43	2	3	5	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	1	1	2	3	5	5	5
B. *Operated*	1094	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	81	4.3	31	<1	<1	2	5	12	15	80
B. *Operated*	753	5.4	20	2	2	4	6	10	13	22
1. SINGLE DX	1107	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	834	5.3	22	1	2	4	6	10	14	25
A. NOT OPERATED	94	4.1	27	<1	<1	2	5	12	14	72
B. OPERATED	1847	4.0	12	1	1	3	5	7	9	15
TOTAL 0-19 YRS	515	2.1	6	<1	<1	2	2	3	4	8
20-34	271	3.5	3	1	2	3	4	6	7	10
35-49	454	4.0	7	1	2	3	5	6	8	13
50-64	437	4.8	8	2	2	4	6	8	11	14
65+	264	6.7	36	2	3	5	8	14	17	37
GRAND TOTAL	**1941**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**7**	**10**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	11	5.3	40	<1	<1	4	5	15	22	23
50-64	6	4.5	6	1	1	4	6	8	8	8
65+	10	3.7	10	1	1	2	5	9	11	11
B. *Operated*										
0-19 YRS	97	2.4	3	<1	<1	2	3	4	6	9
20-34	321	4.0	5	1	2	3	5	7	8	12
35-49	519	4.8	5	2	2	4	6	8	9	13
50-64	580	5.8	8	2	3	5	7	9	11	16
65+	402	6.6	12	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	27	<1	<1	2	8	12	12	12
20-34	13	2.2	3	<1	<1	1	3	5	7	7
35-49	27	3.3	9	<1	1	2	5	9	10	11
50-64	59	3.8	10	<1	1	3	5	8	9	16
65+	105	5.9	16	1	1	5	8	12	14	18
B. *Operated*										
0-19 YRS	30	3.9	15	<1	<1	3	4	9	15	16
20-34	191	5.7	15	2	2	5	7	9	13	20
35-49	479	7.1	37	2	3	6	8	12	15	27
50-64	777	8.1	37	3	4	7	9	13	18	33
65+	856	9.9	59	3	4	8	11	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.9	18	1	1	3	5	8	11	23
B. *Operated*	1919	5.2	9	2	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	208	4.7	14	<1	1	4	7	9	12	17
B. *Operated*	2333	8.3	45	2	3	7	10	15	19	37
1. SINGLE DX	1953	5.2	9	2	2	5	7	9	10	16
2. MULTIPLE DX	2541	8.0	44	2	3	7	9	14	19	36
A. NOT OPERATED	242	4.6	15	<1	1	3	7	9	12	18
B. OPERATED	4252	6.9	31	2	3	6	8	12	16	28
TOTAL 0-19 YRS	132	2.8	6	<1	<1	2	3	5	8	15
20-34	531	4.5	9	1	2	4	6	8	10	17
35-49	1036	5.9	22	2	2	5	7	9	12	21
50-64	1422	7.0	26	2	3	6	8	11	15	27
65+	1373	8.6	45	2	3	7	10	15	20	39
GRAND TOTAL	**4494**	**6.8**	**30**	**2**	**2**	**6**	**8**	**12**	**16**	**28**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	4.4	8	<1	<1	3	7	9	10	10
35-49	71	3.7	4	1	1	3	5	7	8	9
50-64	108	4.7	6	1	2	4	6	8	10	12
65+	85	4.8	8	1	2	4	7	9	9	15
B. *Operated*										
0-19 YRS	6	5.2	9	1	1	6	8	8	8	8
20-34	5	7.0	16	<1	<1	7	10	11	11	11
35-49	27	9.9	24	3	5	9	11	14	19	28
50-64	27	7.0	11	2	2	7	10	11	12	12
65+	29	10.3	52	<1	1	10	14	18	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.3	24	1	1	3	4	10	17	20
20-34	92	4.8	10	<1	1	4	6	8	10	18
35-49	386	4.9	10	1	2	4	6	9	11	16
50-64	773	5.4	12	2	2	5	7	10	11	16
65+	1438	7.1	44	2	2	6	8	13	16	39
B. *Operated*										
0-19 YRS	8	6.9	8	2	3	8	9	10	10	10
20-34	56	8.8	31	2	4	8	10	14	20	33
35-49	149	9.6	48	1	2	9	11	19	22	39
50-64	295	9.9	52	1	3	8	12	18	23	32
65+	398	11.8	88	2	4	10	15	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.5	7	1	2	4	6	8	9	12
B. *Operated*	94	8.7	30	1	2	8	11	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	2704	6.2	29	2	2	5	8	11	14	29
B. *Operated*	906	10.6	66	2	3	9	13	20	24	40
1. SINGLE DX	378	5.5	16	1	2	5	8	10	12	19
2. MULTIPLE DX	3610	7.3	42	2	2	6	9	13	18	33
A. NOT OPERATED	2988	6.1	28	2	2	5	7	11	14	27
B. OPERATED	1000	10.4	63	2	3	9	12	19	24	39
TOTAL 0-19 YRS	30	5.1	17	1	1	4	8	10	10	20
20-34	172	6.1	20	<1	1	6	8	10	12	24
35-49	633	6.1	24	1	2	5	8	11	14	26
50-64	1203	6.5	25	1	2	5	8	12	15	26
65+	1950	8.0	55	2	3	6	10	15	20	43
GRAND TOTAL	**3988**	**7.1**	**40**	**2**	**2**	**6**	**9**	**13**	**18**	**32**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	5.3	9	2	2	6	7	9	10	10
50-64	5	3.6	3	1	1	4	5	5	5	5
65+	3	6.3	2	5	5	6	7	8	8	8
B. *Operated*										
0-19 YRS	21	2.5	1	<1	1	2	3	4	4	4
20-34	63	3.7	3	2	2	3	4	5	7	12
35-49	97	3.6	6	1	2	3	4	5	7	17
50-64	111	4.1	3	2	2	4	5	6	7	9
65+	103	4.7	5	2	3	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	3.0	7	<1	<1	2	5	7	7	7
35-49	7	8.4	89	1	1	5	8	25	29	29
50-64	9	4.6	11	1	1	3	7	10	10	10
65+	25	7.6	65	1	2	5	9	15	22	41
B. *Operated*										
0-19 YRS	10	3.7	8	<1	<1	3	5	8	10	10
20-34	46	5.2	44	2	2	4	5	7	9	47
35-49	67	5.8	17	2	2	5	7	10	13	23
50-64	90	6.2	22	2	3	5	7	10	14	31
65+	181	8.6	61	2	3	6	10	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.8	6	<1	1	5	6	8	9	10
B. *Operated*	395	4.0	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	48	6.4	52	1	1	4	7	13	17	41
B. *Operated*	394	7.0	43	2	3	5	8	14	18	38
1. SINGLE DX	413	4.0	4	2	2	4	5	6	7	10
2. MULTIPLE DX	442	7.0	44	2	2	5	8	14	18	40
A. NOT OPERATED	66	6.0	39	1	1	5	7	11	15	39
B. OPERATED	789	5.5	26	2	2	4	6	9	14	29
TOTAL 0-19 YRS	35	2.9	4	<1	<1	3	4	5	6	10
20-34	115	4.2	20	2	2	4	5	6	7	25
35-49	178	4.7	15	2	2	4	5	9	10	24
50-64	215	5.0	12	2	2	5	6	8	10	20
65+	312	7.2	45	2	3	5	8	14	18	40
GRAND TOTAL	**855**	**5.6**	**27**	**2**	**2**	**4**	**6**	**9**	**14**	**30**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.2	4	1	1	4	5	5	5	5
35-49	5	5.0	12	<1	<1	5	7	10	10	10
50-64	13	5.2	6	2	3	5	6	9	10	10
65+	25	7.8	199	<1	<1	5	6	7	47	64
B. *Operated*										
0-19 YRS	41	2.7	5	<1	1	2	3	6	7	12
20-34	129	4.1	7	1	2	3	5	7	9	14
35-49	213	5.0	12	2	2	4	6	8	11	20
50-64	277	5.7	14	2	2	4	7	10	13	20
65+	270	8.2	49	3	3	7	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	<1	<1	2	5	7	7	7
20-34	3	3.7		3	3	4	4	4	4	4
35-49	18	4.9	18	1	1	4	6	11	16	18
50-64	39	5.8	25	2	2	4	6	11	17	26
65+	143	8.2	40	2	2	6	11	17	24	37
B. *Operated*										
0-19 YRS	14	6.1	27	1	2	6	7	12	19	21
20-34	67	6.9	25	2	2	6	9	15	17	24
35-49	198	7.4	27	2	3	6	10	14	18	26
50-64	439	10.5	70	3	4	8	12	19	25	53
65+	1010	13.6	116	4	5	11	16	27	36	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	6.3	107	<1	1	5	6	9	13	64
B. *Operated*	930	5.9	25	2	2	5	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	208	7.3	36	2	2	5	10	16	21	30
B. *Operated*	1728	11.7	95	3	4	9	14	22	31	67
1. SINGLE DX	978	5.9	29	2	2	5	7	10	13	26
2. MULTIPLE DX	1936	11.3	91	3	4	9	14	21	30	66
A. NOT OPERATED	256	7.1	49	1	2	5	9	15	21	41
B. OPERATED	2658	9.7	78	2	3	7	12	19	26	56
TOTAL 0-19 YRS	60	3.6	12	<1	1	2	5	7	10	20
20-34	204	5.0	14	1	2	4	6	9	12	21
35-49	434	6.1	20	2	2	5	7	11	15	22
50-64	768	8.4	52	2	3	6	10	16	21	43
65+	1448	11.9	103	3	4	9	14	23	32	70
GRAND TOTAL	**2914**	**9.5**	**76**	**2**	**3**	**7**	**11**	**18**	**25**	**54**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	2.7	3	1	1	2	4	5	7	8
20-34	186	5.2	17	2	2	4	6	10	13	23
35-49	312	5.4	15	1	1	5	7	10	13	19
50-64	368	5.4	9	1	2	5	7	9	11	15
65+	550	6.4	27	1	2	5	8	12	15	24
B. Operated										
0-19 YRS	124	7.0	24	3	3	6	9	11	13	26
20-34	97	10.3	27	3	5	9	13	18	21	26
35-49	154	11.3	27	6	6	10	13	18	22	26
50-64	183	11.8	34	5	6	11	14	19	23	39
65+	220	14.3	89	6	7	12	16	23	28	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	4.7	33	1	1	3	6	8	12	31
20-34	268	6.0	17	2	2	5	8	11	14	24
35-49	432	6.9	26	2	2	6	9	13	16	23
50-64	898	7.4	39	2	3	6	9	13	17	30
65+	2444	9.4	64	2	3	7	11	17	23	47
B. Operated										
0-19 YRS	132	10.3	61	4	5	8	11	17	24	45
20-34	201	13.6	84	5	6	11	16	24	32	52
35-49	334	15.6	97	6	7	13	20	29	37	77
50-64	682	18.4	169	7	8	15	22	35	45	84
65+	1562	21.1	216	7	9	17	25	41	55	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1536	5.5	18	1	2	5	7	10	13	20
B. Operated	778	11.4	51	4	5	10	14	19	24	46
2. MULTIPLE DX										
A. Not Operated	4153	8.4	52	2	3	7	10	15	20	40
B. Operated	2911	16.8	184	6	7	15	23	36	49	88
1. SINGLE DX	2314	7.5	37	1	2	6	10	14	18	29
2. MULTIPLE DX	7064	12.7	133	2	3	9	16	26	36	68
A. NOT OPERATED	5689	7.6	45	2	2	6	9	14	18	36
B. OPERATED	3689	17.3	165	5	7	14	21	33	45	85
TOTAL 0-19 YRS	487	6.3	39	1	1	5	8	12	14	37
20-34	752	8.4	48	2	2	7	11	16	22	35
35-49	1232	9.4	60	2	3	7	12	19	24	44
50-64	2131	11.0	103	2	3	8	13	22	30	58
65+	4776	13.1	144	3	3	10	16	26	38	72
GRAND TOTAL	**9378**	**11.4**	**114**	**2**	**3**	**8**	**14**	**23**	**32**	**63**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4216	2.8	4	1	1	2	3	5	6	9
20-34	1890	2.9	4	1	1	2	4	5	7	10
35-49	787	3.3	5	1	1	3	4	6	8	12
50-64	512	3.6	8	1	1	3	5	6	8	15
65+	502	4.6	12	1	1	4	6	9	11	16
B. Operated										
0-19 YRS	82	5.3	45	1	1	4	5	8	10	39
20-34	140	5.1	12	<1	1	4	7	9	11	19
35-49	82	5.8	22	<1	1	5	8	11	14	27
50-64	49	5.8	26	<1	<1	4	8	14	17	22
65+	32	6.2	26	<1	1	4	11	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5618	3.8	11	1	2	3	4	6	8	15
20-34	1902	3.7	8	1	1	3	4	7	8	15
35-49	1268	4.7	14	1	2	4	6	8	11	17
50-64	1755	5.7	19	1	2	5	7	10	13	22
65+	4006	7.5	51	2	2	6	9	14	19	40
B. Operated										
0-19 YRS	153	9.9	164	2	2	6	11	20	38	95
20-34	218	7.4	38	<1	2	6	9	14	17	33
35-49	212	9.8	61	2	4	8	12	17	22	48
50-64	267	11.4	128	2	3	9	12	21	29	68
65+	527	15.3	187	2	4	12	19	34	45	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7907	3.0	5	1	1	3	4	5	7	11
B. Operated	385	5.5	24	<1	1	4	7	10	13	27
2. MULTIPLE DX										
A. Not Operated	14549	5.1	25	1	2	4	6	10	13	25
B. Operated	1377	11.9	138	2	3	8	14	23	37	71
1. SINGLE DX	8292	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	15926	5.7	39	1	2	4	7	11	15	33
A. NOT OPERATED	22456	4.4	19	1	1	3	5	8	11	21
B. OPERATED	1762	10.5	120	1	2	7	12	21	33	66
TOTAL 0-19 YRS	10069	3.5	11	1	1	3	4	6	7	14
20-34	4150	3.6	9	1	1	3	4	7	9	15
35-49	2349	4.7	19	1	1	4	6	9	12	20
50-64	2583	5.9	32	1	2	4	7	11	14	27
65+	5067	8.0	68	2	2	6	10	16	22	49
GRAND TOTAL	**24218**	**4.8**	**29**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	9	2	2	5	7	9	9	9
20-34	68	4.8	6	1	1	5	6	8	10	11
35-49	428	5.8	9	2	2	5	8	10	11	16
50-64	838	5.7	11	1	2	5	8	10	11	16
65+	1025	5.7	16	1	1	5	8	10	12	21
B. *Operated*										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	18	8.8	17	2	5	8	11	13	17	20
35-49	132	10.9	37	5	6	10	12	19	23	36
50-64	210	11.6	35	2	5	11	14	19	24	31
65+	207	13.3	60	2	3	12	17	23	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	22.8	624	9	9	11	30	67	67	67
20-34	58	6.4	10	2	3	6	8	10	12	19
35-49	462	6.7	14	2	3	6	8	11	14	19
50-64	1624	6.8	18	2	2	6	9	12	14	21
65+	5963	8.4	48	2	3	7	10	15	19	36
B. *Operated*										
0-19 YRS	3	17.7	210	3	3	18	28	32	32	32
20-34	62	12.3	105	6	7	10	13	16	21	70
35-49	371	13.5	51	5	7	12	17	23	28	48
50-64	1136	14.6	89	4	6	12	18	26	32	55
65+	2195	17.6	171	4	6	14	22	33	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2363	5.7	13	1	2	5	8	10	12	18
B. *Operated*	569	12.0	45	2	5	11	15	21	24	34
2. MULTIPLE DX										
A. *Not Operated*	8112	8.0	41	2	3	7	10	14	18	32
B. *Operated*	3767	16.2	136	4	6	13	20	30	40	75
1. SINGLE DX	2932	6.9	25	1	2	6	9	12	16	25
2. MULTIPLE DX	11879	10.6	85	2	3	8	13	20	27	54
A. NOT OPERATED	10475	7.4	35	2	2	6	9	13	17	30
B. OPERATED	4336	15.6	126	4	6	13	19	28	38	70
TOTAL 0-19 YRS	14	14.7	296	2	3	9	18	35	60	67
20-34	206	7.8	47	2	3	7	10	13	15	37
35-49	1393	8.6	35	2	3	7	11	16	21	32
50-64	3808	9.1	53	2	3	8	11	17	23	37
65+	9390	10.3	90	2	3	8	13	20	27	55
GRAND TOTAL	**14811**	**9.8**	**76**	**2**	**3**	**8**	**12**	**19**	**25**	**50**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	2	<1	1	2	3	4	6	6
20-34	43	3.3	7	<1	<1	2	4	6	9	11
35-49	48	3.9	10	<1	1	3	5	7	10	16
50-64	18	2.8	3	<1	<1	2	4	5	7	8
65+	21	4.3	9	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	142	3.7	13	1	1	3	4	7	10	20
20-34	1031	3.4	4	1	1	3	4	6	7	11
35-49	918	3.6	5	1	2	3	4	6	7	13
50-64	503	3.8	4	1	2	3	5	6	8	11
65+	194	4.6	10	1	2	4	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.1	42	1	1	4	7	17	21	27
20-34	51	3.9	7	1	1	3	5	8	10	12
35-49	52	5.2	29	1	1	4	6	11	14	31
50-64	72	4.9	18	1	1	4	6	12	13	19
65+	84	10.0	198	1	1	6	11	23	47	93
B. *Operated*										
0-19 YRS	90	4.6	17	1	1	3	6	9	10	26
20-34	785	4.6	14	1	2	4	5	8	11	17
35-49	1005	4.7	15	1	2	4	5	8	10	19
50-64	858	5.9	35	2	2	4	6	11	17	35
65+	501	8.1	81	2	3	5	9	16	24	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	3.4	7	<1	1	3	4	7	8	13
B. *Operated*	2788	3.6	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	281	6.4	79	1	1	4	7	13	19	71
B. *Operated*	3239	5.5	32	2	2	4	6	10	14	28
1. SINGLE DX	2943	3.6	5	1	1	3	4	6	8	13
2. MULTIPLE DX	3520	5.6	36	1	2	4	6	10	14	30
A. NOT OPERATED	436	5.3	55	1	1	3	6	11	17	46
B. OPERATED	6027	4.6	20	1	2	4	5	8	11	21
TOTAL 0-19 YRS	279	4.1	16	1	1	3	5	8	11	25
20-34	1910	3.9	9	1	2	3	5	7	9	16
35-49	2023	4.2	11	1	2	4	5	7	9	17
50-64	1451	5.1	24	1	2	4	6	9	13	23
65+	800	7.3	78	1	2	5	8	14	21	63
GRAND TOTAL	**6463**	**4.7**	**23**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	4.2	27	1	1	3	5	8	12	22
20-34	772	5.8	22	1	1	5	7	11	14	24
35-49	575	5.5	18	<1	1	4	7	11	13	22
50-64	432	5.2	20	<1	1	4	7	11	14	21
65+	528	5.3	26	1	1	4	7	10	14	26
B. *Operated*										
0-19 YRS	234	6.9	63	<1	1	4	9	15	23	42
20-34	582	9.1	71	1	1	7	12	19	25	44
35-49	469	8.2	62	<1	1	7	11	17	24	39
50-64	399	7.9	67	<1	1	5	10	18	24	38
65+	434	8.6	65	1	2	7	12	18	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	563	4.8	21	1	1	4	6	10	13	29
20-34	1132	6.6	35	1	2	5	8	13	16	32
35-49	1058	7.1	47	1	2	6	9	14	19	34
50-64	1431	6.9	43	1	2	5	9	13	17	31
65+	3926	8.7	77	1	2	6	11	17	23	52
B. *Operated*										
0-19 YRS	320	12.5	133	2	2	9	15	29	35	60
20-34	1151	12.9	146	2	3	9	16	28	39	77
35-49	1093	13.1	158	2	3	10	17	28	39	73
50-64	1402	13.6	167	2	2	10	18	30	43	75
65+	2586	16.7	220	2	4	13	22	36	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2954	5.2	23	1	1	4	7	10	14	23
B. *Operated*	2118	8.4	66	<1	1	6	11	18	24	41
2. MULTIPLE DX										
A. *Not Operated*	8110	7.6	58	1	2	6	9	15	20	44
B. *Operated*	6552	14.6	184	2	3	11	19	32	44	83
1. SINGLE DX	5072	6.5	44	<1	1	5	8	14	19	33
2. MULTIPLE DX	14662	10.7	126	1	2	7	13	23	34	68
A. NOT OPERATED	11064	7.0	50	1	2	5	9	14	19	37
B. OPERATED	8670	13.0	162	1	2	9	17	29	39	75
TOTAL 0-19 YRS	1764	6.3	58	1	1	4	7	13	20	40
20-34	3637	8.8	82	1	2	6	11	18	25	50
35-49	3195	9.0	91	1	2	6	11	19	27	53
50-64	3664	9.4	101	1	2	6	11	21	29	56
65+	7474	11.2	138	1	2	8	14	24	35	72
GRAND TOTAL	**19734**	**9.6**	**108**	**1**	**2**	**7**	**12**	**21**	**30**	**59**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	7.6	60	1	2	5	10	17	27	32
35-49	56	8.9	82	2	2	6	10	16	36	40
50-64	73	11.9	116	2	3	8	16	25	40	51
65+	42	9.4	27	2	3	8	12	16	19	23
B. *Operated*										
0-19 YRS										
20-34	9	5.7	61	1	1	2	7	19	25	25
35-49	29	6.1	43	1	1	2	9	17	19	25
50-64	32	8.0	73	1	1	4	12	17	31	33
65+	16	5.1	18	<1	1	4	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	9	3	3	6	9	10	10	10
20-34	218	10.1	66	3	4	7	12	20	27	43
35-49	648	11.6	91	3	4	8	14	23	30	43
50-64	921	13.4	120	3	4	10	17	26	36	55
65+	489	14.5	146	4	5	11	18	28	36	71
B. *Operated*										
0-19 YRS										
20-34	62	12.7	131	1	2	9	17	31	39	94
35-49	178	15.7	136	2	3	14	22	32	40	91
50-64	356	17.8	235	2	2	13	25	39	50	73
65+	178	18.7	223	2	4	14	25	43	51	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	10.0	81	2	2	7	12	20	31	44
B. *Operated*	86	6.6	51	1	1	3	10	16	21	33
2. MULTIPLE DX										
A. *Not Operated*	2281	12.8	114	3	4	9	16	25	34	56
B. *Operated*	774	17.1	206	2	3	13	23	37	49	73
1. SINGLE DX	281	8.9	74	1	2	7	11	19	26	41
2. MULTIPLE DX	3055	13.9	141	3	4	10	18	29	38	63
A. NOT OPERATED	2476	12.6	112	3	4	9	15	25	34	55
B. OPERATED	860	16.1	200	2	2	12	22	37	47	72
TOTAL 0-19 YRS	6	6.0	8	3	3	5	9	10	10	10
20-34	312	10.3	80	2	3	7	12	22	30	49
35-49	911	12.0	102	2	3	9	15	25	33	49
50-64	1382	14.3	153	2	3	11	19	30	40	63
65+	725	15.1	165	3	4	11	18	31	42	68
GRAND TOTAL	**3336**	**13.5**	**137**	**2**	**3**	**10**	**17**	**28**	**37**	**61**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	12	1	1	6	8	10	12	12
20-34	24	3.5	7	1	1	3	5	8	9	10
35-49	46	7.0	44	<1	1	5	8	17	23	27
50-64	64	7.1	52	<1	1	5	9	14	21	39
65+	33	7.2	33	1	2	6	8	16	21	23
B. *Operated*										
0-19 YRS	20	6.1	98	1	1	2	4	20	34	36
20-34	133	2.4	5	1	1	2	2	4	6	14
35-49	149	3.2	42	1	1	2	2	5	10	34
50-64	193	3.3	14	1	1	2	3	8	12	19
65+	76	3.9	24	1	1	2	3	11	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.5	28	<1	1	5	11	15	17	18
20-34	78	9.2	90	1	2	7	11	20	27	55
35-49	173	10.0	86	1	2	8	12	19	31	48
50-64	437	11.4	77	2	4	9	14	23	30	44
65+	563	13.3	126	3	4	10	16	27	37	77
B. *Operated*										
0-19 YRS	33	11.1	311	1	2	4	12	30	33	96
20-34	117	6.4	51	1	1	3	8	17	20	34
35-49	201	8.4	95	1	1	4	12	21	29	53
50-64	435	9.8	113	1	1	6	13	23	33	48
65+	404	12.7	120	1	2	10	18	28	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	6.5	39	1	1	5	8	14	20	28
B. *Operated*	571	3.2	27	1	1	2	3	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	1274	11.8	102	2	3	9	15	24	32	58
B. *Operated*	1190	10.2	115	1	1	7	14	24	33	50
1. SINGLE DX	750	4.0	32	1	1	2	4	9	14	27
2. MULTIPLE DX	2464	11.1	109	1	2	8	15	24	32	55
A. NOT OPERATED	1453	11.2	97	2	3	9	14	22	30	55
B. OPERATED	1761	8.0	97	1	1	3	11	20	29	48
TOTAL 0-19 YRS	88	8.0	150	1	1	4	9	17	31	73
20-34	352	5.3	46	1	1	2	6	14	18	35
35-49	569	7.4	81	1	1	4	10	17	25	50
50-64	1129	9.1	88	1	1	6	12	21	29	45
65+	1076	12.2	120	1	2	9	16	26	35	74
GRAND TOTAL	**3214**	**9.4**	**100**	**1**	**1**	**7**	**13**	**21**	**29**	**50**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	5.4	18	1	2	4	6	11	14	23
20-34	115	6.0	29	1	2	5	7	10	13	30
35-49	74	7.1	35	2	2	6	7	15	20	29
50-64	76	8.1	55	2	3	6	9	14	24	43
65+	43	8.1	39	3	3	7	10	14	21	33
B. *Operated*										
0-19 YRS	12	6.8	72	1	1	2	12	20	24	25
20-34	33	4.9	26	1	1	2	7	11	18	21
35-49	43	7.0	69	<1	1	4	10	16	24	43
50-64	39	6.4	51	1	1	3	7	20	25	28
65+	31	10.0	81	1	1	8	16	21	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.7	18	1	2	6	9	12	14	21
20-34	155	8.3	65	2	3	6	10	14	27	50
35-49	199	10.4	68	2	3	8	13	21	29	39
50-64	415	11.2	102	2	3	8	13	23	29	57
65+	539	12.0	101	3	4	9	15	22	36	85
B. *Operated*										
0-19 YRS	18	9.6	108	1	2	5	16	26	35	38
20-34	48	11.0	159	1	1	7	14	34	41	52
35-49	103	13.2	183	1	1	9	20	33	44	80
50-64	191	13.6	130	1	2	11	20	31	37	47
65+	213	20.4	259	2	4	16	28	47	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	6.8	36	1	2	5	8	12	18	32
B. *Operated*	158	7.0	59	1	1	4	9	18	22	37
2. MULTIPLE DX										
A. *Not Operated*	1356	10.9	91	2	3	8	13	21	30	56
B. *Operated*	573	15.7	202	1	2	12	23	35	46	68
1. SINGLE DX	525	6.9	43	1	2	5	8	15	20	34
2. MULTIPLE DX	1929	12.3	129	2	3	9	15	27	36	63
A. NOT OPERATED	1723	10.0	82	2	3	7	12	20	28	52
B. OPERATED	731	13.8	184	1	2	10	20	33	43	64
TOTAL 0-19 YRS	137	6.5	35	1	1	5	8	13	18	31
20-34	351	7.6	65	1	2	5	9	14	22	49
35-49	419	10.2	95	1	2	7	13	22	31	49
50-64	721	11.2	105	2	2	8	14	24	31	47
65+	826	13.9	153	2	4	10	17	30	44	82
GRAND TOTAL	**2454**	**11.2**	**115**	**2**	**2**	**8**	**14**	**24**	**34**	**58**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	8	1	1	2	4	7	8	16
20-34	291	3.1	4	<1	1	3	4	6	7	9
35-49	299	3.3	8	1	1	3	4	6	7	10
50-64	320	3.7	6	1	1	3	5	7	9	12
65+	284	5.6	24	1	2	4	7	11	12	26
B. *Operated*										
0-19 YRS	191	7.2	10	4	4	6	8	11	13	17
20-34	2587	7.0	6	4	5	6	8	10	11	15
35-49	2548	7.3	7	5	5	7	8	10	12	17
50-64	2431	8.0	9	5	5	7	9	12	14	19
65+	1305	9.8	18	5	6	9	11	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	6	2	2	4	6	8	10	10
20-34	291	4.3	10	1	1	4	6	9	10	15
35-49	433	4.9	14	1	2	4	6	9	12	16
50-64	899	5.7	15	1	2	5	7	10	13	19
65+	1963	8.3	59	2	3	7	10	14	19	42
B. *Operated*										
0-19 YRS	131	9.1	18	5	5	8	11	15	17	25
20-34	1816	9.0	27	5	5	8	10	14	17	27
35-49	2596	9.5	26	5	6	8	11	15	18	30
50-64	4453	10.9	40	5	6	9	13	18	22	36
65+	5341	15.0	98	6	7	12	18	26	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1234	3.9	11	1	1	3	5	7	9	14
B. *Operated*	9062	7.8	10	5	5	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	3616	6.9	41	1	2	6	8	13	15	30
B. *Operated*	14337	11.9	63	5	6	10	14	20	26	48
1. SINGLE DX	10296	7.3	11	3	4	7	8	11	13	19
2. MULTIPLE DX	17953	10.9	63	3	5	9	13	19	25	45
A. NOT OPERATED	4850	6.1	35	1	2	5	8	12	14	28
B. OPERATED	23399	10.3	47	5	5	8	12	17	22	39
TOTAL 0-19 YRS	392	7.2	16	2	3	6	9	12	15	21
20-34	4985	7.3	16	3	4	7	8	11	14	21
35-49	5876	7.9	19	3	4	7	9	12	15	24
50-64	8103	9.2	31	3	5	8	11	15	19	30
65+	8893	12.5	85	3	5	10	15	22	29	55
GRAND TOTAL	**28249**	**9.6**	**47**	**3**	**4**	**8**	**11**	**16**	**21**	**38**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.8	3	2	2	3	5	6	7	8
20-34	238	3.8	6	1	1	3	5	7	9	13
35-49	213	3.9	6	1	1	3	5	7	9	12
50-64	178	4.5	11	1	1	4	6	9	12	16
65+	145	5.8	11	2	2	5	8	10	12	17
B. *Operated*										
0-19 YRS	12	6.9	7	2	3	7	9	10	11	11
20-34	240	8.1	15	4	5	7	9	13	16	23
35-49	241	7.8	10	4	5	7	9	12	13	19
50-64	176	9.0	21	4	5	8	10	13	17	27
65+	125	11.4	31	5	6	10	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	7	1	1	3	5	8	10	12
20-34	240	4.4	10	1	1	4	6	8	10	16
35-49	266	5.4	11	1	2	5	7	9	11	18
50-64	390	6.3	19	1	2	5	8	12	15	21
65+	671	8.8	38	2	3	7	11	15	20	36
B. *Operated*										
0-19 YRS	19	7.7	18	1	3	6	11	13	16	18
20-34	237	9.7	54	4	5	7	11	17	21	42
35-49	367	10.6	51	5	5	9	12	18	23	42
50-64	450	12.4	58	5	6	11	14	21	29	48
65+	666	17.0	133	7	8	14	20	31	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	4.3	8	1	1	4	6	8	10	14
B. *Operated*	794	8.7	19	4	5	8	10	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	1603	6.9	27	1	2	6	9	13	16	26
B. *Operated*	1739	13.4	93	5	6	11	15	24	32	64
1. SINGLE DX	1600	6.5	18	1	2	6	8	12	14	21
2. MULTIPLE DX	3342	10.3	72	2	3	8	13	19	26	49
A. NOT OPERATED	2409	6.0	22	1	2	5	8	11	15	23
B. OPERATED	2533	11.9	75	5	5	9	14	21	28	52
TOTAL 0-19 YRS	99	5.1	10	1	2	4	7	10	11	16
20-34	955	6.5	27	1	2	6	8	12	15	24
35-49	1087	7.4	30	1	2	7	9	13	16	26
50-64	1194	8.7	43	2	2	7	11	15	20	37
65+	1607	12.1	93	3	4	10	15	22	31	62
GRAND TOTAL	**4942**	**9.0**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	2	2	2	2	6	6	6
20-34	18	3.8	5	1	1	3	5	8	9	9
35-49	32	3.1	6	1	1	3	4	6	9	11
50-64	37	3.6	6	1	1	2	6	7	8	9
65+	59	6.2	22	1	1	5	9	12	16	22
B. *Operated*										
0-19 YRS	8	10.6	59	5	5	8	12	24	28	28
20-34	90	7.9	24	1	2	7	11	13	16	28
35-49	91	9.1	21	2	3	8	12	15	19	22
50-64	109	9.8	43	2	2	9	12	18	24	31
65+	222	11.0	50	1	2	11	16	19	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	8	2	2	3	7	9	9	9
20-34	16	6.1	8	2	3	6	8	9	11	12
35-49	29	6.6	16	1	2	6	9	12	15	16
50-64	85	7.0	29	2	2	6	8	12	20	28
65+	235	8.8	44	2	3	8	11	16	20	47
B. *Operated*										
0-19 YRS	6	12.3	21	8	8	11	15	19	20	20
20-34	86	12.8	48	5	7	11	15	22	31	77
35-49	109	11.7	60	3	5	9	14	23	32	65
50-64	254	13.8	74	3	6	12	17	24	28	45
65+	774	18.0	160	3	6	15	22	32	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.5	13	1	1	3	6	9	11	17
B. *Operated*	520	9.9	40	1	2	9	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	372	8.0	37	2	2	7	10	14	18	32
B. *Operated*	1229	16.2	130	4	6	14	20	30	37	81
1. SINGLE DX	672	8.7	39	1	2	8	12	17	20	29
2. MULTIPLE DX	1601	14.3	121	2	4	12	18	27	35	67
A. NOT OPERATED	524	7.0	33	1	2	6	9	13	17	28
B. OPERATED	1749	14.3	112	2	4	12	18	26	33	59
TOTAL 0-19 YRS	27	7.7	38	2	2	6	9	15	21	28
20-34	210	9.4	40	2	3	8	12	16	21	37
35-49	261	9.2	42	1	2	8	12	17	22	37
50-64	485	10.9	65	2	2	9	14	21	25	36
65+	1290	14.6	132	2	3	13	18	28	35	68
GRAND TOTAL	**2273**	**12.6**	**103**	**2**	**3**	**10**	**16**	**24**	**31**	**57**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	7	3	3	7	8	11	11	11
20-34	31	4.0	5	1	1	4	6	7	9	10
35-49	27	5.6	24	1	1	4	8	11	17	20
50-64	28	4.4	6	1	1	4	6	8	9	10
65+	59	7.2	22	1	3	6	9	13	14	28
B. *Operated*										
0-19 YRS	4	6.3	41	1	1	4	11	15	15	15
20-34	25	8.9	32	1	2	8	13	16	18	20
35-49	24	8.8	81	1	1	5	12	22	27	36
50-64	39	7.6	37	1	1	6	12	15	20	22
65+	25	13.3	156	1	1	11	21	37	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	46	2	2	10	15	22	24	24
20-34	28	5.5	14	1	2	4	7	11	15	15
35-49	57	7.8	35	2	2	7	9	16	19	33
50-64	100	7.4	27	2	3	6	9	13	18	28
65+	349	10.5	60	2	3	8	13	19	26	43
B. *Operated*										
0-19 YRS	11	18.5	126	2	4	21	29	33	33	33
20-34	33	12.0	292	2	2	7	14	26	32	95
35-49	49	15.0	83	2	4	13	22	28	35	99+
50-64	145	16.6	138	2	6	14	20	31	35	56
65+	300	19.7	247	3	5	16	24	39	53	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	5.7	17	1	2	5	8	10	13	20
B. *Operated*	117	9.3	73	1	1	7	13	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	546	9.4	51	2	3	8	12	18	22	40
B. *Operated*	538	17.9	207	2	4	15	23	34	48	87
1. SINGLE DX	268	7.3	44	1	1	6	10	16	20	37
2. MULTIPLE DX	1084	13.7	147	2	3	11	18	27	36	78
A. NOT OPERATED	697	8.6	46	1	2	7	11	17	20	38
B. OPERATED	655	16.4	194	2	2	14	21	32	43	85
TOTAL 0-19 YRS	33	12.3	84	2	2	10	19	26	33	33
20-34	117	7.7	102	1	2	5	9	16	21	53
35-49	157	9.8	67	1	2	8	13	22	27	43
50-64	312	11.4	102	1	2	9	15	23	31	47
65+	733	14.1	159	2	3	11	18	28	39	79
GRAND TOTAL	**1352**	**12.4**	**133**	**2**	**2**	**9**	**16**	**25**	**34**	**60**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.8	15	1	2	5	8	12	14	18
20-34	472	6.2	17	2	2	5	8	12	14	20
35-49	516	6.8	23	2	3	6	8	11	14	26
50-64	274	7.3	41	2	3	6	8	11	16	44
65+	191	6.9	22	2	2	6	9	12	16	27
B. *Operated*										
0-19 YRS	13	14.2	206	<1	1	10	18	35	48	51
20-34	51	10.9	114	2	2	8	12	29	37	53
35-49	84	12.2	153	1	2	9	16	32	43	88
50-64	49	12.1	132	1	2	10	18	28	50	99+
65+	33	9.4	60	1	2	8	15	20	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.7	11	1	2	5	8	10	11	19
20-34	760	8.0	49	2	3	6	9	14	20	35
35-49	1250	8.7	52	3	3	7	10	15	22	37
50-64	994	8.8	43	3	3	7	11	15	20	36
65+	1077	10.1	53	3	4	8	12	17	24	46
B. *Operated*										
0-19 YRS	15	15.6	216	2	3	11	21	38	50	54
20-34	180	19.7	302	3	5	15	26	49	77	99+
35-49	355	20.3	282	3	4	15	26	48	60	99+
50-64	405	19.2	264	2	4	15	25	42	62	99+
65+	379	20.8	262	4	6	17	26	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	6.7	24	2	3	6	8	11	15	25
B. *Operated*	230	11.6	128	1	2	9	15	30	38	99+
2. MULTIPLE DX										
A. *Not Operated*	4135	8.9	52	2	3	7	10	16	21	38
B. *Operated*	1334	20.0	272	3	5	16	25	46	63	99+
1. SINGLE DX	1739	7.3	40	2	2	6	9	13	18	37
2. MULTIPLE DX	5469	11.6	128	2	3	8	14	24	34	73
A. NOT OPERATED	5644	8.3	45	2	3	7	10	15	19	36
B. OPERATED	1564	18.7	260	2	4	14	25	43	60	99+
TOTAL 0-19 YRS	138	7.6	64	1	2	5	9	14	21	51
20-34	1463	8.9	89	2	3	6	10	18	25	61
35-49	2205	10.2	106	2	3	7	12	21	30	61
50-64	1722	11.1	118	2	3	8	13	22	33	65
65+	1680	12.1	126	3	4	9	15	24	34	82
GRAND TOTAL	**7208**	**10.6**	**110**	**2**	**3**	**7**	**12**	**21**	**31**	**65**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.7	4	<1	1	2	3	5	7	10
20-34	107	3.7	6	<1	1	3	5	7	8	13
35-49	82	5.1	22	1	1	4	6	10	13	29
50-64	135	4.4	7	1	1	4	6	8	10	12
65+	275	6.2	26	1	2	5	8	11	13	29
B. *Operated*										
0-19 YRS	6	7.5	50	2	2	5	9	20	21	21
20-34	7	3.9	11	1	1	3	7	9	9	9
35-49	8	6.8	31	1	1	5	10	15	17	17
50-64	21	8.0	56	1	1	6	12	15	24	33
65+	26	10.8	57	2	2	9	14	22	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.7	6	1	2	3	4	7	10	12
20-34	253	4.5	13	1	2	4	5	8	10	19
35-49	409	6.2	29	2	2	5	8	10	16	28
50-64	964	6.8	27	2	3	6	8	12	16	28
65+	3162	8.7	51	2	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	11	9.4	22	3	4	10	11	17	19	19
20-34	52	9.9	83	1	2	7	13	24	28	44
35-49	96	10.4	69	2	4	9	12	18	26	49
50-64	303	12.6	141	3	4	9	15	26	35	76
65+	830	14.7	163	4	5	11	18	31	41	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	4.9	17	1	1	4	6	9	11	18
B. *Operated*	68	8.4	51	1	2	7	11	17	23	33
2. MULTIPLE DX										
A. *Not Operated*	4922	7.8	43	2	2	6	9	14	19	34
B. *Operated*	1292	13.6	148	3	4	10	16	28	40	87
1. SINGLE DX	751	5.2	21	1	1	4	7	10	13	23
2. MULTIPLE DX	6214	9.0	71	2	3	7	11	17	23	48
A. NOT OPERATED	5605	7.4	41	2	2	6	9	14	18	33
B. OPERATED	1360	13.4	145	3	4	10	16	28	40	86
TOTAL 0-19 YRS	235	3.7	9	1	1	3	4	8	10	16
20-34	419	4.9	23	1	1	4	6	9	13	27
35-49	595	6.7	37	1	2	5	8	12	17	34
50-64	1423	7.8	56	2	2	6	9	15	22	44
65+	4293	9.7	77	2	3	8	12	18	25	52
GRAND TOTAL	**6965**	**8.6**	**67**	**2**	**2**	**7**	**10**	**16**	**22**	**46**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.8	12	1	1	3	5	6	7	25
20-34	8	5.4	10	1	2	5	8	10	10	10
35-49	9	9.3	105	<1	<1	5	13	27	29	29
50-64	9	7.9	33	2	2	7	12	16	18	18
65+	10	9.8	65	3	3	7	13	23	28	28
B. *Operated*										
0-19 YRS	15	4.1	19	<1	<1	2	5	11	15	16
20-34	11	4.3	14	<1	<1	3	6	11	12	12
35-49	4	4.0	29	1	1	2	7	12	12	12
50-64	8	11.8	33	4	5	10	16	20	21	21
65+	9	11.4	200	<1	2	7	10	34	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.4	23	1	1	4	6	13	14	84
20-34	26	9.2	81	2	3	5	14	28	31	33
35-49	37	8.9	93	1	2	5	11	18	24	54
50-64	66	11.0	134	2	3	8	12	23	29	73
65+	100	12.6	150	2	3	10	14	22	45	92
B. *Operated*										
0-19 YRS	8	18.5	422	3	3	12	25	54	62	62
20-34	22	8.7	27	2	3	7	13	15	20	21
35-49	50	21.8	465	4	5	16	27	59	90	99+
50-64	65	14.8	121	3	4	11	19	34	38	46
65+	67	20.3	325	2	4	15	26	47	64	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.7	34	1	1	4	6	12	20	29
B. *Operated*	47	6.8	63	<1	<1	4	9	14	19	48
2. MULTIPLE DX										
A. *Not Operated*	300	9.8	110	2	2	7	12	19	29	82
B. *Operated*	212	17.7	280	3	4	13	22	40	56	95
1. SINGLE DX	133	6.1	44	<1	1	4	7	13	19	22
2. MULTIPLE DX	512	13.1	195	2	3	9	16	29	45	91
A. NOT OPERATED	386	8.9	96	1	2	6	11	18	27	70
B. OPERATED	259	15.7	258	1	2	11	19	37	50	92
TOTAL 0-19 YRS	144	5.4	49	1	1	4	6	12	15	64
20-34	67	7.8	46	1	2	5	10	15	22	32
35-49	100	15.2	319	1	2	9	19	37	60	96
50-64	148	12.5	120	3	3	9	16	26	36	47
65+	186	15.1	223	2	3	11	18	33	51	95
GRAND TOTAL	**645**	**11.6**	**172**	**1**	**2**	**8**	**14**	**26**	**40**	**87**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	6.0	17	1	2	5	8	11	14	20
20-34	13	4.9	13	1	2	4	7	11	12	12
35-49	11	4.4	12	1	1	3	7	10	10	10
50-64	9	4.1	7	1	1	3	5	8	10	10
65+	7	7.1	15	2	2	7	10	13	13	13
B. *Operated*										
0-19 YRS	44	4.7	30	2	2	2	5	10	19	25
20-34	33	3.7	9	2	2	3	3	8	12	11
35-49	23	3.3	6	1	2	3	3	7	10	11
50-64	22	3.9	29	1	2	2	3	7	17	26
65+	17	9.8	238	1	1	3	10	34	51	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.1	18	1	2	5	9	12	16	18
20-34	40	7.1	24	2	2	6	10	14	17	20
35-49	43	9.6	60	2	2	8	12	21	28	32
50-64	80	8.3	40	1	1	7	12	18	21	25
65+	137	14.0	182	3	4	10	16	29	41	81
B. *Operated*										
0-19 YRS	40	7.4	53	2	2	4	10	18	24	32
20-34	69	10.0	101	2	2	8	14	19	29	57
35-49	60	14.3	263	2	2	9	19	33	52	77
50-64	95	11.7	184	2	2	8	14	28	37	80
65+	95	16.4	218	2	3	13	23	33	40	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.7	16	1	2	5	8	11	13	19
B. *Operated*	139	4.7	48	2	2	2	4	10	17	41
2. MULTIPLE DX										
A. *Not Operated*	392	9.8	95	1	2	7	13	19	26	68
B. *Operated*	359	12.6	183	2	2	9	16	28	38	72
1. SINGLE DX	260	5.2	33	1	2	3	6	11	13	26
2. MULTIPLE DX	751	11.1	139	2	2	8	14	23	32	64
A. NOT OPERATED	513	8.8	79	1	2	7	11	18	22	44
B. OPERATED	498	10.4	158	2	2	6	14	25	34	66
TOTAL 0-19 YRS	257	6.0	26	2	2	4	8	12	17	25
20-34	155	7.5	60	2	2	5	10	16	19	40
35-49	137	10.2	153	2	2	6	12	22	32	70
50-64	206	9.2	110	1	2	6	12	20	27	55
65+	256	14.4	197	2	3	10	17	29	40	79
GRAND TOTAL	**1011**	**9.6**	**118**	**2**	**2**	**6**	**12**	**20**	**29**	**58**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	5.6	11	2	3	5	7	9	10	22
20-34	7	4.9	4	2	2	5	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	3	4.3	8	<1	<1	6	6	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	6.3	8	3	3	8	8	8	8	8
50-64	3	6.7	80	1	1	2	13	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	7.1	19	1	2	6	10	12	15	21
20-34	9	4.4	2	3	3	4	5	7	8	8
35-49	8	16.8	387	2	3	7	24	51	58	58
50-64	8	8.0	58	2	2	5	10	21	25	25
65+	12	18.3	536	3	3	9	22	57	76	79
B. *Operated*										
0-19 YRS	6	11.8	69	2	2	9	18	24	25	25
20-34	8	8.0	29	3	3	7	9	17	20	20
35-49	14	9.1	30	2	3	8	13	17	19	20
50-64	15	15.5	66	3	4	15	23	26	29	30
65+	14	23.3	461	4	4	18	27	64	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.6	12	2	2	5	7	9	10	22
B. *Operated*	10	5.8	23	<1	<1	6	8	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	69	9.9	168	2	3	6	10	21	36	75
B. *Operated*	57	14.4	174	3	3	11	18	26	43	67
1. SINGLE DX	71	5.7	14	2	2	5	7	9	11	21
2. MULTIPLE DX	126	11.9	174	2	3	8	14	25	38	70
A. NOT OPERATED	130	7.9	99	2	3	5	8	13	22	62
B. OPERATED	67	13.1	160	2	3	9	17	25	33	66
TOTAL 0-19 YRS	90	6.5	20	2	2	5	8	11	15	24
20-34	25	5.8	13	2	3	5	7	9	12	20
35-49	26	10.8	143	2	2	8	13	20	40	58
50-64	28	12.2	73	2	2	11	17	25	26	30
65+	28	19.9	462	4	4	10	22	60	68	79
GRAND TOTAL	**197**	**9.7**	**125**	**2**	**3**	**6**	**10**	**20**	**26**	**66**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	4	5	5
20-34	9	3.3	13	<1	<1	2	4	10	10	10
35-49	17	2.7	10	1	1	2	3	5	11	14
50-64	46	2.6	11	1	1	2	2	3	6	23
65+	14	5.1	36	<1	1	2	9	11	20	22
B. *Operated*										
0-19 YRS	16	7.1	36	2	2	5	10	12	22	26
20-34	49	6.2	43	<1	1	3	8	16	18	30
35-49	36	4.7	28	1	1	3	5	11	19	23
50-64	75	6.9	83	<1	2	3	6	19	29	48
65+	74	5.2	30	1	2	3	5	10	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.0	11	1	1	3	5	8	10	16
20-34	61	6.2	45	<1	1	5	7	13	19	38
35-49	138	5.7	68	1	1	3	6	13	18	47
50-64	253	7.2	95	1	1	3	10	18	24	45
65+	462	12.1	106	2	2	9	16	25	38	99+
B. *Operated*										
0-19 YRS	74	12.6	153	2	2	9	20	26	33	71
20-34	309	8.9	187	<1	<1	3	11	28	37	67
35-49	286	13.3	215	2	2	8	19	31	43	73
50-64	465	14.7	234	2	3	9	20	36	49	97
65+	593	18.3	302	2	3	13	25	45	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.9	13	<1	1	2	2	5	10	22
B. *Operated*	250	5.9	49	1	2	3	6	16	22	32
2. MULTIPLE DX										
A. *Not Operated*	950	9.2	98	1	1	6	13	21	29	57
B. *Operated*	1727	14.6	253	<1	1	9	20	36	51	90
1. SINGLE DX	357	5.0	40	1	1	3	5	11	19	30
2. MULTIPLE DX	2677	12.7	204	<1	1	8	17	32	44	87
A. NOT OPERATED	1057	8.5	93	1	1	5	11	20	28	52
B. OPERATED	1977	13.5	235	<1	1	8	19	34	48	87
TOTAL 0-19 YRS	147	8.3	103	1	1	5	11	23	26	40
20-34	428	8.1	148	<1	<1	3	10	21	35	61
35-49	477	10.1	167	1	2	5	13	24	34	70
50-64	839	11.1	183	1	1	6	15	28	41	80
65+	1143	14.8	218	2	2	10	20	36	50	99+
GRAND TOTAL	**3034**	**11.8**	**191**	**<1**	**1**	**7**	**16**	**30**	**42**	**83**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	8.0	8	5	5	8	10	12	12	12
35-49	6	5.8	22	3	3	4	6	14	15	15
50-64	6	7.3	35	2	2	6	9	17	18	18
65+	16	5.4	17	1	1	4	9	11	12	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	11.3	53	3	3	10	16	22	24	24
35-49	9	5.0	19	1	1	4	6	12	15	15
50-64	11	9.9	128	1	1	4	15	26	38	39
65+	14	15.9	312	2	2	7	30	50	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.0	51	<1	<1	9	15	19	20	20
20-34	26	9.7	48	1	3	7	13	17	22	34
35-49	24	6.8	25	1	1	6	11	12	15	21
50-64	108	13.2	200	1	2	10	15	25	33	92
65+	532	13.8	120	3	4	10	18	27	36	64
B. *Operated*										
0-19 YRS	7	11.6	82	2	3	7	17	26	26	28
20-34	37	16.0	257	1	1	10	21	41	53	63
35-49	44	19.2	406	1	2	12	26	48	64	89
50-64	113	18.8	244	3	4	14	27	38	45	80
65+	256	23.3	256	4	8	20	31	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.2	18	1	1	6	9	12	14	18
B. *Operatec*	43	11.0	156	1	2	6	14	30	43	52
2. MULTIPLE DX										
A. *Not Operated*	696	13.3	128	2	4	10	17	26	34	67
B. *Operated*	457	21.0	270	3	5	17	29	46	62	99+
1. SINGLE DX	79	8.8	98	1	2	6	10	18	30	51
2. MULTIPLE DX	1153	16.3	198	2	4	12	21	34	49	96
A. NOT OPERATED	732	12.9	124	2	3	10	17	25	34	64
B. OPERATED	500	20.2	268	2	4	16	28	46	60	99+
TOTAL 0-19 YRS	16	9.9	55	1	2	7	14	20	26	28
20-34	77	12.8	154	1	2	9	16	30	40	61
35-49	83	13.1	266	1	2	7	15	31	51	82
50-64	238	15.6	223	2	3	11	20	32	40	88
65+	818	16.6	184	3	4	13	21	36	51	99+
GRAND TOTAL	**1232**	**15.9**	**195**	**2**	**4**	**12**	**20**	**34**	**48**	**94**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	4.6	5	2	2	4	6	7	9	12
20-34	286	4.7	4	2	2	4	6	7	9	11
35-49	67	5.2	6	2	3	5	6	9	10	12
50-64	44	4.7	5	2	2	4	6	8	9	12
65+	28	7.7	24	3	3	7	10	15	18	23
B. *Operated*										
0-19 YRS	8	5.6	8	<1	1	6	7	9	10	10
20-34	17	6.2	14	2	3	5	7	11	16	18
35-49	3	7.7	5	5	5	9	9	9	9	9
50-64	4	7.5	70	2	2	4	12	20	20	20
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	5.6	7	2	3	5	7	8	10	19
20-34	378	5.7	10	2	3	5	7	10	11	17
35-49	187	6.4	15	2	3	6	8	10	13	25
50-64	221	7.4	15	3	3	7	9	12	15	22
65+	454	9.8	44	3	4	8	12	17	21	34
B. *Operated*										
0-19 YRS	27	7.9	25	2	3	7	10	15	19	23
20-34	49	9.4	38	2	4	8	12	16	21	32
35-49	48	11.9	88	3	4	9	14	24	31	51
50-64	51	14.3	118	5	6	11	17	23	35	60
65+	96	18.8	244	5	6	15	21	36	67	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	4.8	6	2	2	4	6	8	9	12
B. *Operated*	34	6.6	17	2	3	5	9	11	17	20
2. MULTIPLE DX										
A. *Not Operated*	1443	7.3	25	2	3	6	9	13	16	27
B. *Operated*	271	13.9	149	4	5	11	17	25	35	77
1. SINGLE DX	647	4.9	7	2	2	4	6	8	9	13
2. MULTIPLE DX	1714	8.4	50	3	3	7	10	15	20	36
A. NOT OPERATED	2056	6.6	21	2	3	5	8	11	14	23
B. OPERATED	305	13.1	139	3	4	10	16	24	32	73
TOTAL 0-19 YRS	426	5.3	8	2	2	5	6	8	10	16
20-34	730	5.6	11	2	3	5	7	9	11	17
35-49	305	7.0	29	2	3	6	8	12	15	31
50-64	320	8.1	38	2	3	7	10	14	18	31
65+	580	11.2	87	3	4	9	13	19	25	67
GRAND TOTAL	**2361**	**7.4**	**41**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	4.4	6	2	2	4	5	8	9	14
20-34	306	4.7	7	2	2	4	6	8	9	12
35-49	111	5.1	7	2	2	5	7	8	9	16
50-64	59	6.5	16	2	3	6	8	10	15	24
65+	43	9.1	87	3	4	7	9	13	35	47
B. *Operated*										
0-19 YRS	15	7.7	57	1	2	6	9	18	27	30
20-34	44	6.4	43	1	2	5	7	11	16	41
35-49	23	6.4	18	2	2	5	7	14	16	16
50-64	18	8.4	39	1	2	7	12	19	22	23
65+	14	11.1	79	2	3	8	12	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.1	9	2	2	5	6	9	11	15
20-34	382	5.8	13	2	2	5	7	10	13	18
35-49	207	6.4	19	2	3	6	8	10	13	23
50-64	225	8.3	39	3	3	7	9	14	17	39
65+	393	10.0	48	3	4	8	12	17	21	38
B. *Operated*										
0-19 YRS	42	8.5	49	<1	1	8	10	17	21	38
20-34	97	10.9	98	2	3	9	12	21	35	52
35-49	102	11.0	65	2	4	9	15	23	29	73
50-64	152	14.8	141	2	3	12	20	28	39	88
65+	203	17.9	222	4	5	13	23	42	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	5.1	13	2	2	4	6	8	10	17
B. *Operated*	114	7.5	44	1	2	6	9	16	23	34
2. MULTIPLE DX										
A. *Not Operated*	1448	7.3	30	2	3	6	9	13	16	28
B. *Operated*	596	14.1	152	2	4	11	18	32	43	99+
1. SINGLE DX	831	5.4	18	2	2	5	7	9	12	25
2. MULTIPLE DX	2044	9.3	75	2	3	7	11	17	26	55
A. NOT OPERATED	2165	6.6	26	2	2	5	8	12	15	26
B. OPERATED	710	13.1	140	2	3	10	16	28	40	99+
TOTAL 0-19 YRS	496	5.2	13	2	2	4	6	9	11	20
20-34	829	6.0	26	2	2	5	7	10	13	29
35-49	443	7.1	31	2	3	6	8	14	16	35
50-64	454	10.3	81	3	3	8	12	20	26	47
65+	653	12.4	118	3	4	9	15	25	38	86
GRAND TOTAL	**2875**	**8.2**	**62**	**2**	**3**	**6**	**9**	**15**	**22**	**46**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.5	5	1	1	2	3	4	8	13
20-34	424	2.6	6	<1	1	2	3	5	6	10
35-49	504	2.3	3	1	1	2	3	4	6	9
50-64	326	2.7	3	<1	1	2	3	5	6	8
65+	102	3.2	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	12	8.4	14	3	4	9	11	12	15	15
20-34	186	8.4	23	2	3	8	10	15	18	24
35-49	268	7.9	20	1	2	8	10	13	14	23
50-64	287	8.8	27	2	2	8	11	15	18	27
65+	93	9.9	56	2	2	9	13	15	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.4	5	1	1	3	4	6	8	13
20-34	306	3.3	8	1	1	3	4	6	8	14
35-49	497	3.3	6	1	1	3	4	6	8	14
50-64	546	4.0	9	1	1	3	5	8	10	15
65+	389	6.0	25	1	2	5	7	12	16	25
B. *Operated*										
0-19 YRS	23	12.3	122	3	4	9	14	23	40	51
20-34	231	10.5	52	2	3	9	13	18	22	37
35-49	330	10.4	61	2	3	9	13	19	25	39
50-64	544	11.1	70	2	3	10	14	21	25	37
65+	506	12.5	106	2	3	10	16	23	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	2.6	4	1	1	2	3	5	6	10
B. *Operated*	846	8.5	27	2	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	1797	4.1	12	1	1	3	5	8	11	18
B. *Operated*	1634	11.3	78	2	3	9	14	21	27	42
1. SINGLE DX	2259	4.8	21	1	1	3	7	11	13	21
2. MULTIPLE DX	3431	7.5	57	1	2	5	10	16	21	34
A. NOT OPERATED	3210	3.4	9	1	1	3	4	7	9	15
B. OPERATED	2480	10.4	62	2	3	9	13	19	24	37
TOTAL 0-19 YRS	151	4.8	35	1	1	3	5	11	13	34
20-34	1147	5.3	29	1	1	3	7	12	15	26
35-49	1599	5.2	29	1	1	3	7	12	15	26
50-64	1703	6.8	43	1	1	5	9	14	19	30
65+	1090	9.1	76	1	2	7	12	19	24	43
GRAND TOTAL	**5690**	**6.5**	**44**	**1**	**1**	**4**	**9**	**14**	**19**	**31**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.3	2	1	1	2	3	4	5	7
20-34	1169	2.2	2	1	1	2	3	4	5	7
35-49	1480	2.2	2	1	1	2	3	4	5	7
50-64	1026	2.4	2	1	1	2	3	4	5	8
65+	260	2.7	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	53	5.8	10	2	3	5	8	11	12	14
20-34	669	5.9	14	1	2	5	8	11	13	18
35-49	881	6.0	16	2	2	5	8	11	13	20
50-64	734	6.6	18	2	2	6	9	12	14	22
65+	294	7.7	23	2	2	7	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.5	5	1	1	3	5	7	8	9
20-34	486	2.9	5	1	1	2	4	6	7	12
35-49	713	2.9	4	1	1	2	4	5	7	10
50-64	761	3.4	7	1	1	3	4	6	8	15
65+	404	4.1	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	21	5.9	13	2	2	6	7	10	14	17
20-34	294	7.2	21	2	2	7	9	13	16	24
35-49	618	7.9	26	2	3	7	10	14	18	26
50-64	833	8.7	35	2	3	8	11	16	19	31
65+	614	11.8	91	3	4	10	14	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4034	2.3	2	1	1	2	3	4	5	8
B. *Operated*	2631	6.3	17	2	2	5	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2409	3.3	6	1	1	3	4	6	8	12
B. *Operated*	2380	9.1	48	2	3	8	12	17	21	34
1. SINGLE DX	6665	3.9	12	1	1	3	5	9	11	16
2. MULTIPLE DX	4789	6.2	35	1	1	4	8	13	17	28
A. NOT OPERATED	6443	2.6	4	1	1	2	3	5	6	10
B. OPERATED	5011	7.6	34	2	2	6	10	14	17	28
TOTAL 0-19 YRS	218	3.8	8	1	1	3	5	8	9	13
20-34	2618	3.8	11	1	1	3	5	8	11	16
35-49	3692	4.2	15	1	1	3	5	9	12	18
50-64	3354	5.1	22	1	1	3	7	11	14	22
65+	1572	7.5	56	1	2	5	10	15	20	34
GRAND TOTAL	**11454**	**4.8**	**23**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.3	8	<1	<1	3	4	7	9	14
20-34	47	3.0	21	1	1	2	3	4	5	32
35-49	36	3.0	10	<1	1	2	4	7	9	16
50-64	40	3.4	10	1	1	2	4	7	10	16
65+	34	4.4	8	1	1	4	6	8	9	13
B. *Operated*										
0-19 YRS	238	7.2	18	<1	1	7	10	13	15	18
20-34	150	7.2	24	1	2	7	10	13	17	21
35-49	132	7.4	31	1	1	7	10	14	17	27
50-64	152	6.3	39	1	1	4	9	14	16	30
65+	110	5.9	33	1	1	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	5.0	20	<1	1	4	7	12	15	19
20-34	82	4.9	26	1	1	3	6	10	13	31
35-49	87	5.7	28	1	1	4	7	11	16	27
50-64	193	7.1	42	1	2	5	9	15	20	35
65+	431	10.1	86	2	2	8	13	19	29	76
B. *Operated*										
0-19 YRS	318	8.9	70	<1	1	8	12	18	22	36
20-34	239	8.9	41	1	2	8	12	17	21	35
35-49	289	10.6	91	1	2	8	14	23	28	47
50-64	479	10.9	91	2	2	9	15	23	30	59
65+	722	13.9	162	2	2	11	19	30	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.4	12	1	1	2	4	7	9	16
B. *Operated*	782	6.9	28	1	1	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	857	8.1	64	1	2	6	10	16	24	51
B. *Operated*	2047	11.4	111	1	2	9	15	24	31	60
1. SINGLE DX	976	6.2	26	1	1	5	9	13	15	25
2. MULTIPLE DX	2904	10.4	99	1	2	8	14	22	29	59
A. NOT OPERATED	1051	7.3	58	1	1	5	9	15	21	44
B. OPERATED	2829	10.1	92	1	2	8	13	21	28	50
TOTAL 0-19 YRS	657	7.6	45	<1	1	7	10	15	18	26
20-34	518	7.3	35	1	2	6	10	15	18	29
35-49	544	8.6	67	1	1	7	11	18	24	38
50-64	864	8.9	73	1	2	6	12	19	26	40
65+	1297	11.7	130	2	2	9	15	25	34	72
GRAND TOTAL	**3880**	**9.4**	**84**	**1**	**2**	**7**	**12**	**20**	**26**	**46**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	3	<1	1	2	3	5	6	7
20-34	74	2.1	2	1	1	2	3	4	4	6
35-49	96	2.3	2	<1	1	2	3	4	5	7
50-64	66	2.6	4	<1	1	2	3	5	5	13
65+	16	2.8	2	1	1	3	3	5	5	5
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	33	5.9	21	2	2	4	8	13	14	21
35-49	59	5.7	21	1	1	5	8	10	12	25
50-64	95	6.2	18	1	2	5	9	12	15	18
65+	82	6.2	25	1	2	4	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	4	<1	<1	3	5	6	7	7
20-34	47	2.9	5	1	1	2	4	6	8	10
35-49	65	3.0	6	1	1	2	4	6	7	13
50-64	75	3.6	6	1	1	3	4	7	9	12
65+	59	7.8	107	1	1	5	9	14	17	66
B. *Operated*										
0-19 YRS	9	4.3	18	<1	<1	3	6	11	14	14
20-34	46	6.9	30	1	2	6	9	12	17	30
35-49	77	7.4	38	2	2	5	10	15	22	29
50-64	206	7.3	37	1	2	6	10	14	20	32
65+	448	10.8	125	2	2	8	14	20	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	2.4	3	<1	1	2	3	4	5	7
B. *Operated*	272	6.0	21	1	2	5	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	257	4.3	32	1	1	3	5	8	12	17
B. *Operated*	786	9.3	90	2	2	7	12	18	24	55
1. SINGLE DX	539	4.2	15	1	1	3	5	9	12	21
2. MULTIPLE DX	1043	8.0	80	1	2	5	10	17	22	54
A. NOT OPERATED	524	3.3	18	1	1	2	4	6	8	15
B. OPERATED	1058	8.4	74	2	2	6	11	17	22	50
TOTAL 0-19 YRS	38	3.3	7	<1	<1	2	4	7	8	14
20-34	200	4.1	16	1	1	3	5	9	12	19
35-49	297	4.5	20	1	1	3	5	10	13	26
50-64	442	5.7	26	1	1	4	8	11	15	22
65+	605	9.7	111	2	2	7	12	18	26	63
GRAND TOTAL	**1582**	**6.7**	**61**	**1**	**1**	**4**	**9**	**14**	**19**	**37**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.8	2	<1	1	2	3	5	6	7
20-34	51	3.0	4	1	1	2	4	5	6	11
35-49	26	3.4	4	<1	<1	3	5	6	7	7
50-64	18	4.6	8	2	2	4	7	9	10	10
65+	33	5.4	37	1	2	4	6	9	14	35
B. *Operated*										
0-19 YRS	91	2.0	4	<1	<1	1	2	4	6	13
20-34	148	3.0	9	<1	1	2	3	6	8	19
35-49	164	2.8	5	<1	1	2	3	5	8	11
50-64	205	3.0	6	1	1	2	4	6	7	11
65+	264	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.6	6	1	1	3	5	7	9	12
20-34	111	4.6	82	1	1	3	4	7	9	47
35-49	68	5.2	19	1	1	4	7	10	12	26
50-64	118	6.6	28	1	2	5	8	14	18	27
65+	420	9.0	63	2	3	7	11	16	22	63
B. *Operated*										
0-19 YRS	129	2.8	6	<1	<1	2	4	7	8	11
20-34	311	3.7	16	<1	<1	2	5	8	10	19
35-49	357	4.6	28	<1	1	3	6	9	12	24
50-64	595	5.2	34	1	1	3	6	11	15	30
65+	1328	8.3	93	2	2	6	10	17	22	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.6	10	1	1	3	5	6	7	14
B. *Operated*	872	3.0	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	788	7.2	56	1	2	5	9	14	18	45
B. *Operated*	2720	6.3	63	<1	1	4	8	14	18	41
1. SINGLE DX	1061	3.1	7	<1	1	2	4	6	7	13
2. MULTIPLE DX	3508	6.5	61	1	1	4	8	14	18	42
A. NOT OPERATED	977	6.5	49	1	2	5	8	13	18	41
B. OPERATED	3592	5.5	51	<1	1	3	7	12	16	32
TOTAL 0-19 YRS	352	2.8	5	<1	<1	2	4	6	8	11
20-34	621	3.6	25	<1	<1	2	4	7	9	17
35-49	615	4.1	20	<1	1	3	5	8	11	19
50-64	936	4.9	28	1	1	3	6	10	14	28
65+	2045	7.7	78	1	2	5	10	16	21	49
GRAND TOTAL	**4569**	**5.7**	**51**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	5	<1	<1	1	2	6	7	7
20-34	8	2.5	3	<1	<1	2	4	5	5	5
35-49	6	1.8	1	1	1	2	2	3	3	3
50-64	7	2.4	1	1	1	2	3	4	4	4
65+	12	3.4	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	493	1.6	4	<1	<1	1	1	2	4	10
20-34	245	2.8	4	<1	<1	2	4	5	7	10
35-49	187	3.3	8	<1	<1	2	4	7	9	13
50-64	208	3.4	8	1	1	3	4	6	9	14
65+	273	4.3	14	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	2	<1	<1	1	2	4	5	6
20-34	9	5.8	18	<1	1	4	8	12	15	15
35-49	5	3.6	3	1	1	4	5	6	6	6
50-64	22	5.0	47	<1	1	3	5	10	20	33
65+	81	6.1	28	1	2	4	7	11	17	29
B. *Operated*										
0-19 YRS	325	2.2	6	<1	<1	1	2	5	7	13
20-34	293	4.0	29	<1	1	2	4	8	13	22
35-49	279	4.2	16	<1	1	3	5	9	12	22
50-64	503	5.1	36	1	1	3	6	9	14	37
65+	1063	7.3	62	1	2	5	9	15	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.6	3	<1	<1	2	4	5	6	7
B. *Operated*	1406	2.8	8	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	132	5.3	28	1	1	4	6	10	16	31
B. *Operated*	2463	5.4	44	<1	1	3	6	12	17	36
1. SINGLE DX	1446	2.8	8	<1	<1	2	4	6	8	12
2. MULTIPLE DX	2595	5.4	43	<1	1	3	6	12	17	35
A. NOT OPERATED	172	4.7	23	<1	1	3	6	9	13	29
B. OPERATED	3869	4.5	32	<1	<1	3	5	10	14	29
TOTAL 0-19 YRS	840	1.8	5	<1	<1	1	2	3	5	12
20-34	555	3.5	18	<1	1	2	4	7	10	19
35-49	477	3.8	12	<1	1	3	5	8	11	18
50-64	740	4.6	29	1	1	3	5	9	12	30
65+	1429	6.6	52	1	2	4	8	14	19	38
GRAND TOTAL	**4041**	**4.5**	**32**	**<1**	**<1**	**3**	**5**	**10**	**14**	**29**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	483	3.3	4	1	1	3	4	6	7	10
20-34	236	3.5	11	1	1	3	4	6	8	14
35-49	146	3.8	12	1	1	3	5	7	9	16
50-64	138	4.3	8	1	1	4	6	7	9	16
65+	263	5.5	17	1	1	5	7	11	12	19
B. *Operated*										
0-19 YRS	329	2.5	7	<1	<1	1	3	6	8	12
20-34	328	2.9	7	<1	<1	2	3	6	8	13
35-49	340	2.8	9	<1	<1	2	3	6	9	15
50-64	412	3.2	7	<1	1	2	4	6	9	13
65+	508	4.3	26	1	1	3	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	837	4.5	10	1	2	4	6	8	11	17
20-34	647	5.1	16	1	2	4	7	9	12	22
35-49	548	6.0	18	1	2	5	8	10	13	20
50-64	1016	7.4	34	2	3	6	9	13	17	28
65+	4960	10.8	94	3	3	8	13	19	27	73
B. *Operated*										
0-19 YRS	338	4.1	26	<1	<1	2	5	10	14	26
20-34	482	5.1	37	<1	1	3	6	11	16	27
35-49	604	6.1	70	<1	1	3	7	13	19	46
50-64	1238	7.1	78	1	1	4	9	15	20	50
65+	2862	11.2	138	2	2	8	14	24	35	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1266	4.0	10	1	1	3	5	7	10	15
B. *Operated*	1917	3.2	13	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	8008	8.9	73	2	3	7	11	17	22	52
B. *Operated*	5524	8.7	108	1	1	6	11	19	28	64
1. SINGLE DX	3183	3.5	12	<1	1	3	5	7	9	15
2. MULTIPLE DX	13532	8.8	87	1	2	6	11	18	24	58
A. NOT OPERATED	9274	8.2	67	1	2	6	10	16	21	49
B. OPERATED	7441	7.3	89	<1	1	4	9	16	24	57
TOTAL 0-19 YRS	1987	3.8	11	<1	1	3	5	8	10	16
20-34	1693	4.5	20	<1	1	3	6	9	12	22
35-49	1638	5.2	36	<1	1	4	6	11	15	30
50-64	2804	6.5	50	1	1	5	8	13	17	35
65+	8593	10.3	106	2	3	8	13	20	29	72
GRAND TOTAL	**16715**	**7.8**	**77**	**1**	**2**	**5**	**10**	**16**	**22**	**53**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	18	2.4	1	1	1	2	3	4	5	5
65+	39	4.4	17	1	1	3	6	10	14	18
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	1.8		<1	<1	2	2	2	2	2
35-49	102	3.8	7	<1	1	3	6	8	9	12
50-64	1839	6.0	11	1	2	6	8	10	12	17
65+	3382	7.0	16	2	2	8	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	17	5.7	22	1	2	5	7	13	18	20
50-64	186	5.3	54	1	1	4	6	9	12	39
65+	555	7.1	72	1	1	5	8	15	22	61
B. *Operated*										
0-19 YRS	6	6.2	5	2	2	7	7	8	8	8
20-34	18	5.2	19	<1	1	4	7	11	15	17
35-49	172	6.6	44	1	2	5	8	13	18	25
50-64	3493	7.9	30	2	2	7	10	14	17	27
65+	10126	10.6	66	3	4	9	13	19	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.8	12	1	1	2	5	8	12	18
B. *Operated*	5332	6.6	15	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	759	6.6	67	1	1	5	8	13	20	53
B. *Operated*	13815	9.8	58	2	3	8	12	17	22	44
1. SINGLE DX	5391	6.6	15	1	2	6	8	11	13	19
2. MULTIPLE DX	14574	9.7	59	2	3	8	12	17	22	44
A. NOT OPERATED	818	6.4	63	1	1	5	7	13	19	49
B. OPERATED	19147	8.9	48	2	3	7	11	16	20	37
TOTAL 0-19 YRS	7	6.6	5	2	3	7	8	9	9	9
20-34	27	4.1	15	<1	1	2	5	10	13	17
35-49	293	5.6	31	<1	1	4	7	11	14	23
50-64	5536	7.2	26	1	2	6	9	13	15	23
65+	14102	9.6	57	2	3	8	11	17	22	44
GRAND TOTAL	**19965**	**8.8**	**49**	**2**	**3**	**7**	**11**	**16**	**20**	**37**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	1	1	3	3	4	4	4
20-34	35	4.0	10	1	1	3	5	8	10	17
35-49	48	4.6	5	2	2	4	6	7	9	13
50-64	51	4.9	7	1	2	5	7	8	10	15
65+	20	4.2	4	1	2	4	5	7	8	8
B. *Operated*										
0-19 YRS	14	3.7	11	<1	<1	3	5	8	12	13
20-34	129	2.1	2	<1	<1	2	2	4	6	7
35-49	166	2.2	3	<1	<1	2	3	4	5	8
50-64	124	2.6	4	<1	1	2	3	5	6	12
65+	56	4.1	10	1	1	3	6	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	2	2	2	4	4	6	7	7
20-34	56	4.6	10	2	2	4	6	8	11	18
35-49	74	5.1	7	2	2	5	6	8	10	14
50-64	145	6.4	27	2	3	6	8	11	12	21
65+	150	6.9	41	2	3	6	8	12	13	39
B. *Operated*										
0-19 YRS	10	3.2	6	1	1	2	4	7	8	8
20-34	115	3.6	41	<1	<1	2	4	6	11	35
35-49	204	3.5	10	<1	1	2	5	9	9	15
50-64	318	5.2	23	1	1	4	7	11	14	21
65+	275	8.0	79	2	2	5	9	17	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.4	7	1	2	4	5	8	9	15
B. *Operated*	489	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	435	6.0	26	2	2	5	7	10	12	21
B. *Operated*	922	5.4	42	1	1	3	7	11	16	29
1. SINGLE DX	649	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX	1357	5.6	37	1	1	4	7	11	14	28
A. NOT OPERATED	595	5.6	21	2	2	5	7	9	12	18
B. OPERATED	1411	4.4	31	<1	1	3	5	9	13	23
TOTAL 0-19 YRS	40	3.4	6	<1	1	3	4	7	8	13
20-34	335	3.2	18	<1	1	2	4	6	8	17
35-49	492	3.4	8	<1	1	2	5	7	9	13
50-64	638	4.9	21	1	1	4	7	10	12	20
65+	501	7.1	59	1	2	5	8	13	19	44
GRAND TOTAL	**2006**	**4.8**	**28**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	267	2.3	2	<1	<1	2	3	4	5	7
20-34	124	3.0	2	1	1	3	4	5	6	8
35-49	169	3.1	2	1	2	3	4	5	5	7
50-64	287	3.4	3	1	2	3	4	5	6	10
65+	150	3.5	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.4	1	<1	<1	1	1	3	4	4
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	4	4.8	14	<1	<1	5	8	8	8	8
50-64	5	5.0	16	<1	<1	3	8	11	11	11
65+	5	3.0	4	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	259	2.3	2	<1	<1	2	3	4	5	7
20-34	70	3.5	4	1	1	3	4	5	7	11
35-49	103	4.1	10	1	2	3	5	7	10	19
50-64	280	4.6	10	2	2	4	5	8	10	17
65+	275	5.2	17	2	2	4	5	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.5	4	<1	<1	1	4	6	7	7
B. *Operated*	997	3.0	2	<1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.5	6	<1	<1	1	3	5	8	11
B. *Operated*	987	4.0	11	1	1	3	5	7	10	17
1. SINGLE DX	1012	3.0	2	<1	1	3	4	5	5	8
2. MULTIPLE DX	1031	3.9	10	1	1	3	5	7	10	17
A. NOT OPERATED	59	2.5	5	<1	<1	1	3	6	8	11
B. OPERATED	1984	3.5	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	559	2.2	2	<1	<1	2	3	4	5	7
20-34	199	3.1	3	1	1	3	4	5	6	9
35-49	278	3.5	5	1	2	3	4	5	7	12
50-64	575	4.0	7	1	2	3	4	6	9	16
65+	432	4.6	12	2	2	4	5	8	11	19
GRAND TOTAL	**2043**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	4.2	7	1	1	4	5	8	10	12
20-34	187	4.4	7	1	2	4	6	8	9	15
35-49	116	5.5	8	2	2	5	7	9	11	15
50-64	86	6.2	8	3	3	6	8	10	12	14
65+	58	6.0	8	2	3	6	8	10	11	15
B. *Operated*										
0-19 YRS	46	3.8	7	1	1	3	4	8	9	13
20-34	48	3.4	2	1	1	3	4	6	6	7
35-49	40	4.6	16	<1	1	3	5	10	13	18
50-64	35	5.1	10	1	3	4	6	9	10	18
65+	27	6.3	34	1	1	4	9	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.3	12	1	2	4	7	10	13	17
20-34	66	5.6	13	1	2	5	7	9	14	19
35-49	78	5.8	11	1	3	5	8	10	12	19
50-64	123	7.1	12	3	4	6	9	12	15	17
65+	187	8.1	28	3	3	7	10	13	17	37
B. *Operated*										
0-19 YRS	25	4.5	13	1	2	3	6	10	14	14
20-34	44	7.5	71	1	2	5	9	13	26	47
35-49	39	8.7	141	1	1	5	9	20	27	69
50-64	87	9.3	51	2	3	7	13	19	21	39
65+	121	10.7	87	2	3	8	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	5.0	8	1	2	5	7	9	10	14
B. *Operated*	196	4.4	13	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	490	6.9	19	2	3	6	8	12	15	19
B. *Operated*	316	9.1	78	1	2	7	11	19	24	49
1. SINGLE DX	759	4.9	9	1	2	4	6	9	11	15
2. MULTIPLE DX	806	7.8	43	2	3	6	10	14	18	37
A. NOT OPERATED	1053	5.9	14	2	2	5	8	10	12	18
B. OPERATED	512	7.3	58	1	2	5	9	15	20	44
TOTAL 0-19 YRS	223	4.3	9	1	1	4	6	8	10	14
20-34	345	4.9	17	1	2	4	6	8	11	19
35-49	273	5.9	30	1	2	5	8	10	13	23
50-64	331	7.2	23	2	3	6	9	13	16	22
65+	393	8.5	46	2	3	7	10	16	20	40
GRAND TOTAL	**1565**	**6.4**	**29**	**1**	**2**	**5**	**8**	**11**	**15**	**27**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	833	1.5	1	<1	<1	1	2	2	2	4
20-34	210	1.9		<1	1	2	2	3	3	5
35-49	91	2.0	1	<1	<1	2	2	3	4	8
50-64	91	2.2	1	1	1	2	2	3	3	6
65+	45	2.0	1	<1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	337	1.6		<1	<1	2	2	2	2	3
20-34	83	1.7		<1	<1	2	2	2	3	4
35-49	76	1.7		<1	<1	2	2	2	3	3
50-64	46	1.7		<1	1	2	2	2	2	3
65+	32	2.2	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	1.4	1	<1	<1	1	2	3	3	5
20-34	63	2.2	2	<1	1	2	2	3	6	10
35-49	73	2.6	4	<1	1	2	3	5	6	13
50-64	93	2.7	5	<1	1	2	3	5	6	14
65+	94	3.6	9	1	1	3	4	7	11	15
B. *Operated*										
0-19 YRS	112	2.1	3	<1	<1	2	2	4	6	9
20-34	52	2.3	2	<1	<1	2	3	4	6	8
35-49	74	2.5	4	<1	<1	2	3	4	6	14
50-64	144	2.8	6	<1	1	2	3	4	8	13
65+	148	5.0	30	1	2	3	6	12	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	1.6	1	<1	<1	2	2	2	3	5
B. *Operated*	574	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	489	2.4	4	<1	<1	2	3	5	6	14
B. *Operated*	530	3.2	13	<1	1	2	3	7	10	19
1. SINGLE DX	1844	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	1019	2.8	9	<1	<1	2	3	5	8	15
A. NOT OPERATED	1759	1.8	2	<1	<1	2	2	3	3	7
B. OPERATED	1104	2.4	7	<1	<1	2	2	4	7	14
TOTAL 0-19 YRS	1448	1.5	1	<1	<1	1	2	2	3	5
20-34	408	2.0	1	<1	<1	2	2	3	3	7
35-49	314	2.2	3	<1	<1	2	2	3	5	10
50-64	374	2.5	4	<1	1	2	3	4	6	12
65+	319	3.9	18	1	1	2	4	8	13	22
GRAND TOTAL	**2863**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	1.8	2	<1	<1	1	2	4	5	7
20-34	65	2.4	6	<1	<1	2	3	4	6	16
35-49	38	3.0	7	<1	1	2	3	5	9	14
50-64	30	2.8	7	<1	<1	2	2	7	8	12
65+	13	3.4	9	1	1	2	3	10	10	10
B. *Operated*										
0-19 YRS	667	2.2	2	<1	1	2	3	4	5	7
20-34	371	2.5	3	<1	1	2	3	4	5	11
35-49	281	3.1	6	<1	1	3	4	5	7	15
50-64	264	3.7	4	1	2	3	5	7	8	10
65+	114	4.8	22	1	2	4	5	8	11	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	4	<1	<1	2	3	6	7	8
20-34	38	3.7	10	<1	<1	3	5	9	11	14
35-49	44	5.6	63	<1	1	2	7	10	21	41
50-64	73	4.4	20	1	1	2	6	10	13	23
65+	60	8.0	66	1	2	6	11	16	27	94
B. *Operated*										
0-19 YRS	234	2.7	4	1	1	2	3	4	6	12
20-34	257	3.5	15	<1	1	3	4	6	8	20
35-49	269	4.4	22	1	2	3	5	8	12	24
50-64	419	5.9	43	1	2	4	7	10	14	30
65+	288	7.4	68	2	2	5	8	15	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.4	5	<1	<1	2	2	5	7	12
B. *Operated*	1697	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	269	4.9	36	<1	1	3	7	11	15	40
B. *Operated*	1467	5.0	35	1	1	3	6	9	14	29
1. SINGLE DX	1927	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1736	5.0	35	1	1	3	6	9	14	30
A. NOT OPERATED	499	3.8	23	<1	1	2	4	8	13	28
B. OPERATED	3164	3.8	20	1	1	3	4	7	10	22
TOTAL 0-19 YRS	1039	2.3	3	<1	1	2	3	4	5	9
20-34	731	2.9	8	<1	1	2	3	5	7	14
35-49	632	3.8	17	1	1	3	4	7	10	21
50-64	786	4.9	28	1	2	4	6	8	11	23
65+	475	6.8	57	2	2	5	8	14	19	46
GRAND TOTAL	**3663**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.5		<1	<1	1	2	2	2	2
35-49	8	1.5	1	<1	<1	1	2	3	3	3
50-64	6	3.0	3	1	1	3	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	98	2.0	1	<1	<1	2	2	3	4	6
20-34	799	2.1	1	<1	<1	2	2	3	4	6
35-49	1908	2.1	1	<1	<1	2	2	3	4	6
50-64	971	2.2	1	<1	1	2	3	3	4	7
65+	323	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	10	1.7	1	<1	<1	1	2	3	4	4
35-49	14	2.4	7	<1	<1	1	4	5	9	10
50-64	14	3.8	27	<1	<1	2	4	9	18	20
65+	5	5.4	24	2	2	3	7	14	14	14
B. *Operated*										
0-19 YRS	35	2.8	3	<1	1	2	3	6	6	7
20-34	375	2.5	3	<1	1	2	3	4	5	9
35-49	989	2.9	7	<1	1	2	3	5	7	13
50-64	772	3.2	6	1	1	2	4	6	8	14
65+	453	3.8	10	1	2	3	4	7	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	4099	2.2	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	45	2.9	14	<1	<1	1	3	7	11	20
B. *Operated*	2624	3.1	6	<1	1	2	3	5	7	14
1. SINGLE DX	4121	2.2	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2669	3.1	7	<1	1	2	3	5	7	14
A. NOT OPERATED	67	2.6	10	<1	<1	1	3	5	8	19
B. OPERATED	6723	2.5	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	136	2.2	1	<1	<1	2	3	3	5	7
20-34	1190	2.2	2	<1	<1	2	3	3	4	7
35-49	2919	2.4	3	<1	1	2	3	4	5	9
50-64	1763	2.7	4	<1	1	2	3	4	6	11
65+	782	3.2	7	1	2	2	3	5	8	16
GRAND TOTAL	**6790**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.5	11	1	1	3	6	9	10	16
20-34	30	3.9	4	1	1	4	6	7	7	7
35-49	18	3.7	3	1	2	4	5	6	6	6
50-64	6	2.5	4	1	1	2	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	365	2.9	2	1	1	3	4	4	5	6
20-34	710	2.9	4	<1	1	3	4	5	5	8
35-49	460	2.8	3	1	1	2	3	5	5	9
50-64	318	2.8	2	1	1	2	3	4	5	8
65+	163	2.7	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	4	<1	<1	1	3	5	7	8
20-34	44	3.2	8	<1	1	2	5	7	10	11
35-49	51	3.4	15	<1	<1	1	5	9	11	20
50-64	49	4.6	18	<1	<1	4	7	9	11	21
65+	33	8.1	142	<1	1	5	8	15	28	66
B. *Operated*										
0-19 YRS	80	3.3	5	1	1	3	4	5	9	12
20-34	292	3.6	6	1	2	3	4	6	8	16
35-49	378	3.5	6	1	1	3	4	6	7	16
50-64	358	4.2	19	2	2	3	5	8	11	19
65+	231	5.1	52	2	2	3	5	9	12	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.9	6	1	1	4	5	7	8	14
B. *Operated*	2016	2.8	3	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	192	4.4	37	<1	<1	2	6	9	11	26
B. *Operated*	1339	4.0	18	1	2	3	4	7	9	18
1. SINGLE DX	2102	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1531	4.1	20	1	1	3	4	7	10	19
A. NOT OPERATED	278	4.2	28	<1	<1	3	6	8	11	21
B. OPERATED	3355	3.3	9	1	1	3	4	5	7	15
TOTAL 0-19 YRS	491	3.0	3	1	1	3	4	5	6	10
20-34	1076	3.2	5	1	1	3	4	5	6	12
35-49	907	3.2	5	<1	1	3	4	5	7	13
50-64	731	3.6	12	1	1	3	4	7	8	17
65+	428	4.4	42	1	2	3	4	8	11	32
GRAND TOTAL	**3633**	**3.4**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	2.7	3	1	1	2	3	5	6	11
20-34	679	2.4	2	1	1	2	3	4	5	8
35-49	147	2.7	3	1	1	2	4	5	6	8
50-64	5	4.4	2	2	2	5	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	387	4.4	8	1	1	4	6	7	8	13
20-34	1399	4.3	7	1	1	4	6	7	8	12
35-49	384	5.5	8	1	2	6	7	8	10	14
50-64	67	6.9	9	<1	2	7	8	10	13	16
65+	27	9.1	18	5	6	8	10	13	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	3.2	9.	1	1	3	4	6	8	13
20-34	459	3.3	7	1	1	3	4	6	8	14
35-49	139	3.8	7	1	1	3	5	7	9	13
50-64	18	5.7	18	1	1	5	7	12	15	17
65+	10	11.3	144	2	2	6	13	33	37	37
B. *Operated*										
0-19 YRS	349	5.1	9	1	1	5	7	8	11	16
20-34	2320	5.5	11	1	2	5	7	9	11	17
35-49	1150	6.8	15	1	2	6	8	10	13	22
50-64	172	8.5	15	3	5	8	10	13	16	24
65+	106	10.6	37	5	6	9	12	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	2.5	3	1	1	2	3	5	6	8
B. *Operated*	2264	4.6	8	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	866	3.5	10	1	1	3	4	7	9	14
B. *Operated*	4097	6.1	14	1	2	6	7	10	12	21
1. SINGLE DX	3486	3.9	7	1	1	3	6	7	8	12
2. MULTIPLE DX	4963	5.7	14	1	1	5	7	9	11	20
A. NOT OPERATED	2088	2.9	6	1	1	2	4	5	7	12
B. OPERATED	6361	5.6	12	1	2	5	7	9	11	18
TOTAL 0-19 YRS	1366	3.9	8	1	1	3	5	7	8	13
20-34	4857	4.5	10	1	1	4	6	8	9	14
35-49	1820	6.0	14	1	2	6	7	9	12	20
50-64	262	7.8	14	2	4	7	9	12	15	22
65+	144	10.3	40	3	6	8	12	18	22	37
GRAND TOTAL	**8449**	**4.9**	**12**	**1**	**1**	**5**	**7**	**8**	**10**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	746	4.3	6	1	2	4	5	7	8	12
20-34	1778	4.8	7	2	2	4	6	8	10	14
35-49	271	5.4	10	2	2	5	7	10	12	16
50-64	22	4.9	8	1	2	5	6	8	11	14
65+	3	4.3	1	3	3	5	5	5	5	5
B. *Operated*										
0-19 YRS	153	5.4	24	<1	1	4	7	9	13	32
20-34	966	3.9	10	<1	1	3	6	8	9	14
35-49	292	5.2	18	<1	1	5	7	10	13	22
50-64	35	6.5	47	<1	1	5	7	17	19	32
65+	15	11.1	192	<1	2	6	14	24	46	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	355	5.5	10	2	2	5	7	10	11	16
20-34	1095	5.4	13	2	2	5	7	10	11	16
35-49	270	6.7	19	2	3	6	8	12	14	25
50-64	35	8.6	24	3	4	7	11	15	19	24
65+	27	7.9	19	2	2	7	12	14	16	16
B. *Operated*										
0-19 YRS	249	6.8	27	1	2	6	8	13	15	31
20-34	2633	5.2	15	<1	1	5	7	9	12	19
35-49	1048	7.0	31	1	2	6	9	13	17	26
50-64	107	10.5	86	2	2	8	12	23	33	44
65+	47	14.2	102	4	5	11	17	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2820	4.8	7	2	2	4	6	8	10	14
B. *Operated*	1461	4.5	16	<1	1	3	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	1782	5.7	14	2	2	5	7	10	12	17
B. *Operated*	4084	6.0	25	1	1	6	8	11	15	25
1. SINGLE DX	4281	4.7	10	1	2	4	6	8	10	16
2. MULTIPLE DX	5866	5.9	21	1	2	5	7	11	14	24
A. NOT OPERATED	4602	5.1	10	2	2	5	6	9	11	16
B. OPERATED	5545	5.6	23	<1	1	5	7	10	14	24
TOTAL 0-19 YRS	1503	5.2	13	1	2	4	6	9	11	18
20-34	6472	5.0	12	1	1	5	6	9	11	17
35-49	1881	6.5	25	1	2	6	8	12	15	24
50-64	199	8.8	63	1	2	7	10	17	26	43
65+	92	11.5	96	2	3	9	14	22	30	55
GRAND TOTAL	**10147**	**5.4**	**17**	**1**	**2**	**5**	**7**	**10**	**12**	**21**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	57	3.5	7	1	1	3	5	6	9	16
35-49	15	2.2	1	<1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	56	2.7	6	<1	1	2	3	5	8	15
20-34	938	3.7	7	<1	<1	2	6	7	8	10
35-49	432	5.5	8	<1	1	6	7	8	9	14
50-64	35	5.4	9	1	2	6	7	9	9	14
65+	5	6.8	9	3	3	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	24	<1	<1	2	9	12	13	13
20-34	60	3.4	6	<1	1	2	5	7	9	11
35-49	33	3.7	14	<1	<1	2	5	9	13	15
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	42	3.1	5	<1	1	2	5	6	7	9
20-34	2218	5.0	11	<1	1	5	7	8	10	14
35-49	2415	6.7	10	1	2	7	8	10	11	18
50-64	270	7.9	21	3	5	7	8	10	13	25
65+	22	9.3	63	2	3	7	9	18	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.2	6	1	1	3	4	6	8	14
B. *Operated*	1466	4.3	8	<1	1	4	6	8	8	13
2. MULTIPLE DX										
A. *Not Operated*	105	3.8	12	<1	<1	2	5	8	11	17
B. *Operated*	4967	6.0	12	1	2	6	8	9	11	17
1. SINGLE DX	1543	4.2	8	<1	1	4	6	8	8	13
2. MULTIPLE DX	5072	6.0	12	1	2	6	7	9	11	17
A. NOT OPERATED	182	3.6	10	<1	1	3	5	8	10	16
B. OPERATED	6433	5.6	12	<1	1	6	7	9	10	16
TOTAL 0-19 YRS	111	3.1	7	<1	1	2	4	7	9	14
20-34	3273	4.6	10	<1	1	5	7	8	9	13
35-49	2895	6.5	10	1	2	7	8	9	11	18
50-64	308	7.6	20	2	4	7	8	10	12	25
65+	28	9.2	55	2	3	7	9	18	22	39
GRAND TOTAL	**6615**	**5.5**	**12**	**<1**	**1**	**6**	**7**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.4		<1	<1	1	2	2	2	2
20-34	104	2.3	5	<1	<1	2	2	3	6	14
35-49	119	1.9	1	<1	1	2	2	3	4	7
50-64	64	2.2	1	1	1	2	3	3	4	7
65+	19	2.6	4	1	1	2	3	4	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.5	1	2	2	4	4	4	4	4
35-49	5	4.6	9	1	1	6	7	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	4	6	7
20-34	332	3.0	6	<1	<1	2	4	7	8	10
35-49	486	3.4	9	<1	<1	2	6	8	9	12
50-64	206	2.8	6	<1	1	2	3	6	8	10
65+	68	4.1	15	1	1	2	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	317	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	15	3.7	4	1	1	4	4	6	8	8
B. *Operated*	1106	3.2	8	<1	<1	2	4	7	8	12
1. SINGLE DX	320	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	1121	3.2	8	<1	<1	2	4	7	8	12
A. NOT OPERATED	18	3.3	4	<1	1	3	4	6	7	8
B. OPERATED	1423	2.9	7	<1	<1	2	3	7	8	11
TOTAL 0-19 YRS	26	1.7	2	<1	<1	1	2	3	4	7
20-34	447	2.8	6	<1	<1	2	3	7	7	9
35-49	610	3.1	8	<1	<1	2	4	7	9	12
50-64	270	2.6	5	<1	1	2	3	6	8	10
65+	88	3.8	13	1	1	2	4	8	10	19
GRAND TOTAL	**1441**	**2.9**	**7**	**<1**	**<1**	**2**	**3**	**7**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.9	4	<1	1	2	4	5	6	12
20-34	100	3.2	3	1	1	3	4	5	7	9
35-49	33	4.1	9	<1	1	4	5	8	11	13
50-64	7	3.9	6	2	2	3	5	8	9	9
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	116	2.2	2	<1	1	2	3	3	5	8
20-34	802	1.9	1	<1	1	2	2	3	4	6
35-49	411	2.2	4	<1	1	2	3	3	4	9
50-64	125	2.4	3	<1	<1	2	3	4	5	9
65+	29	3.2	8	<1	<1	3	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.0	7	1	2	4	5	7	7	15
20-34	120	4.9	12	<1	1	4	6	9	11	18
35-49	38	5.3	23	1	1	4	7	10	13	27
50-64	19	8.4	43	2	3	6	10	19	24	28
65+	39	10.1	79	1	2	7	13	22	28	43
B. *Operated*										
0-19 YRS	34	3.5	12	<1	1	2	4	8	11	16
20-34	321	3.0	6	<1	1	2	4	6	8	13
35-49	271	3.1	10	<1	<1	2	4	6	8	16
50-64	111	4.2	21	<1	1	2	5	10	13	24
65+	78	6.1	39	1	2	4	8	14	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	1483	2.1	2	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	274	5.7	28	1	1	4	7	11	15	28
B. *Operated*	815	3.5	14	<1	1	2	4	7	10	19
1. SINGLE DX	1681	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1089	4.1	18	<1	1	3	5	8	11	22
A. NOT OPERATED	472	4.7	19	1	1	4	6	9	12	25
B. OPERATED	2298	2.6	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	264	2.9	5	<1	1	2	4	6	7	14
20-34	1343	2.5	4	<1	1	2	3	5	6	10
35-49	753	2.7	8	<1	1	2	3	6	7	14
50-64	262	3.6	16	<1	1	2	4	8	11	20
65+	148	6.6	48	1	2	4	8	15	19	35
GRAND TOTAL	**2770**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	3.4	11	1	1	1	6	8	8	8
50-64	7	2.9	9	<1	<1	1	4	8	9	9
65+	4	6.0	13	1	1	7	8	9	9	9
B. *Operated*										
0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	169	5.6	5	1	2	6	7	8	9	12
35-49	432	6.7	6	4	4	6	8	9	11	13
50-64	802	7.2	5	4	5	7	8	10	11	15
65+	705	7.4	9	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	37	3.4	19	<1	1	2	4	8	12	23
50-64	43	3.3	7	<1	1	3	5	8	9	12
65+	96	5.9	43	<1	1	4	7	15	27	99+
B. *Operated*										
0-19 YRS	5	9.0	16	6	6	8	10	16	16	16
20-34	644	5.7	11	<1	<1	6	7	9	10	15
35-49	1804	7.3	9	3	4	7	8	11	13	17
50-64	1922	8.2	11	4	5	8	9	12	14	19
65+	1932	9.2	31	5	5	8	10	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	10	<1	1	2	7	9	9	9
B. *Operated*	2112	7.0	7	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	186	4.6	29	<1	1	3	6	11	17	75
B. *Operated*	6307	8.0	18	3	5	7	9	12	14	22
1. SINGLE DX	2129	7.0	7	4	4	7	8	10	11	15
2. MULTIPLE DX	6493	7.9	18	2	4	7	9	12	14	23
A. NOT OPERATED	203	4.5	28	<1	1	3	6	11	16	65
B. OPERATED	8419	7.8	15	3	5	7	9	11	14	20
TOTAL 0-19 YRS	9	7.6	13	4	4	7	8	13	16	16
20-34	824	5.6	10	<1	<1	6	7	9	10	14
35-49	2278	7.1	9	2	4	7	8	10	12	17
50-64	2774	7.8	10	4	5	7	9	11	13	18
65+	2737	8.6	26	4	5	8	10	13	16	30
GRAND TOTAL	**8622**	**7.7**	**16**	**3**	**4**	**7**	**9**	**11**	**14**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	130	1.7	3	<1	<1	1	2	2	3	8
35-49	251	1.5	1	<1	<1	1	2	2	2	6
50-64	31	1.5		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	9	3.0	8	<1	<1	2	4	8	9	9
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	120	2.3	4	<1	<1	2	2	5	7	10
35-49	286	2.8	10	<1	<1	2	3	6	8	12
50-64	43	2.4	8	<1	<1	2	2	5	10	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.3		<1	<1	1	2	2	3	3
B. *Operated*	419	1.6	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.7	5	<1	<1	2	4	6	8	9
B. *Operated*	457	2.6	8	<1	<1	2	2	6	8	12
1. SINGLE DX	434	1.6	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	474	2.6	8	<1	<1	2	2	6	8	12
A. NOT OPERATED	32	2.1	3	<1	<1	1	2	4	6	9
B. OPERATED	876	2.1	5	<1	<1	2	2	3	6	11
TOTAL 0-19 YRS	20	2.1	2	<1	<1	2	3	4	5	5
20-34	269	2.0	3	<1	<1	2	2	3	6	9
35-49	544	2.2	6	<1	<1	2	2	4	7	11
50-64	75	2.0	5	<1	<1	2	2	2	8	12
65+										
GRAND TOTAL	**908**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**3**	**6**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	1.9	1	<1	<1	1	2	3	4	7
20-34	200	1.5	1	<1	<1	1	2	2	3	4
35-49	56	1.6	2	<1	<1	1	2	3	4	9
50-64	8	1.5		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	193	1.6	1	<1	<1	1	2	2	3	6
20-34	2475	1.5	1	<1	<1	1	2	2	3	7
35-49	3853	1.7	1	<1	<1	1	2	2	3	7
50-64	551	1.6	1	<1	<1	1	2	2	3	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	2	1	1	2	3	4	5	8
20-34	180	2.4	4	<1	<1	2	3	5	6	11
35-49	174	2.3	6	<1	<1	1	3	5	6	11
50-64	33	1.8	1	<1	<1	2	2	3	5	6
65+										
B. *Operated*										
0-19 YRS	150	2.4	3	<1	1	2	3	4	7	9
20-34	2660	2.6	6	<1	<1	2	3	6	7	11
35-49	5625	2.9	8	<1	<1	2	3	7	8	12
50-64	807	2.9	8	<1	<1	2	3	7	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	1.6	1	<1	<1	1	2	3	3	6
B. *Operated*	7072	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	460	2.3	4	<1	<1	2	3	4	6	10
B. *Operated*	9242	2.8	7	<1	<1	2	3	7	8	12
1. SINGLE DX	7434	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	9702	2.8	7	<1	<1	2	3	7	8	12
A. NOT OPERATED	822	2.0	3	<1	<1	1	2	4	5	9
B. OPERATED	16314	2.3	5	<1	<1	2	2	6	7	10
TOTAL 0-19 YRS	514	2.0	2	<1	1	2	2	4	5	8
20-34	5515	2.1	4	<1	<1	1	2	4	6	10
35-49	9708	2.4	6	<1	<1	2	2	6	7	11
50-64	1399	2.3	6	<1	<1	2	2	5	7	12
65+										
GRAND TOTAL	**17136**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	4.8	38	1	1	2	8	14	14	14
65+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	1.6		<1	<1	2	2	2	2	2
35-49	397	1.7	1	<1	<1	2	2	2	2	7
50-64	1533	1.6	1	<1	<1	2	2	2	2	4
65+	376	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	16	4.3	7	1	1	5	6	7	8	9
50-64	45	2.4	8	<1	<1	1	2	4	8	17
65+	66	4.3	16	1	1	3	6	9	11	22
B. *Operated*										
0-19 YRS										
20-34	9	2.8	2	<1	<1	3	3	5	6	6
35-49	336	2.3	6	<1	<1	2	2	5	8	14
50-64	1601	2.4	8	<1	1	2	2	4	7	13
65+	769	3.5	16	1	1	2	3	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	15	<1	<1	2	3	9	14	14
B. *Operated*	2314	1.7	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	128	3.6	13	<1	1	2	5	8	9	18
B. *Operated*	2715	2.7	10	<1	1	2	2	5	9	14
1. SINGLE DX	2324	1.7	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX	2843	2.8	10	<1	1	2	2	6	9	15
A. NOT OPERATED	138	3.6	13	<1	1	2	5	8	10	18
B. OPERATED	5029	2.2	6	<1	<1	2	2	3	6	13
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	2.3	2	<1	<1	2	3	4	5	6
35-49	751	2.0	4	<1	<1	2	2	3	6	10
50-64	3183	2.0	5	<1	<1	2	2	3	4	11
65+	1215	3.1	12	1	1	2	3	7	9	16
GRAND TOTAL	**5167**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**3**	**6**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.8	4	<1	<1	2	4	5	7	9
20-34	98	2.9	12	<1	1	2	3	6	8	21
35-49	22	2.5	2	<1	1	2	4	4	5	5
50-64	9	3.9	21	<1	<1	2	4	12	15	15
65+	8	4.5	29	1	1	2	6	14	16	16
B. *Operated*										
0-19 YRS	97	2.5	4	<1	<1	2	3	5	7	12
20-34	1296	2.4	3	<1	<1	2	3	5	6	10
35-49	1234	2.5	6	<1	<1	2	2	6	8	13
50-64	655	2.3	5	<1	<1	2	2	4	7	9
65+	213	3.0	10	1	1	2	3	5	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.0	6	<1	1	2	4	7	9	10
20-34	111	2.8	7	<1	<1	2	4	6	8	14
35-49	79	3.7	13	<1	<1	2	5	8	11	19
50-64	43	4.6	23	<1	1	3	6	11	16	22
65+	68	7.6	45	1	1	6	10	15	19	36
B. *Operated*										
0-19 YRS	120	4.1	22	<1	<1	3	5	8	9	31
20-34	1478	3.6	12	<1	1	2	5	7	9	15
35-49	2747	3.6	11	<1	<1	2	6	8	9	15
50-64	1782	3.9	19	<1	1	2	6	8	11	20
65+	818	7.1	95	1	1	3	8	16	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.0	10	<1	1	2	4	5	8	16
B. *Operated*	3495	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	338	4.2	21	<1	1	3	5	10	13	21
B. *Operated*	6945	4.1	25	<1	1	2	6	8	11	24
1. SINGLE DX	3679	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	7283	4.1	24	<1	1	2	6	8	11	24
A. NOT OPERATED	522	3.8	17	<1	1	2	5	8	11	21
B. OPERATED	10440	3.6	19	<1	<1	2	5	8	10	20
TOTAL 0-19 YRS	301	3.3	12	<1	<1	2	4	7	8	17
20-34	2983	3.1	8	<1	<1	2	4	7	8	13
35-49	4082	3.3	10	<1	<1	2	5	7	9	14
50-64	2489	3.5	16	<1	<1	2	4	8	10	18
65+	1107	6.3	78	1	1	3	8	14	22	44
GRAND TOTAL	**10962**	**3.6**	**19**	**<1**	**<1**	**2**	**5**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	1.9	1	1	1	2	2	3	4	6
20-34	262	2.2	5	<1	1	2	2	4	6	13
35-49	53	2.2	3	<1	1	2	2	4	6	9
50-64	5	5.0	19	1	1	4	7	12	12	12
65+	3	7.3	30	<1	<1	10	11	11	11	11
B. *Operated*										
0-19 YRS	110	2.5	6	<1	<1	2	2	5	8	14
20-34	1146	2.7	5	<1	<1	2	3	6	7	10
35-49	494	4.7	10	<1	1	5	7	9	10	12
50-64	210	7.7	11	2	3	8	10	12	13	16
65+	104	7.9	13	2	2	8	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	2.3	2	<1	1	2	3	4	6	8
20-34	251	2.7	8	<1	<1	2	3	5	7	11
35-49	82	2.2	4	<1	<1	2	3	5	7	10
50-64	17	2.6	2	<1	1	2	3	5	6	6
65+	31	10.8	293	1	2	6	11	20	30	96
B. *Operated*										
0-19 YRS	70	3.0	11	<1	<1	2	4	6	9	21
20-34	2153	3.6	6	<1	<1	2	6	7	8	10
35-49	944	5.7	14	<1	1	6	8	10	12	18
50-64	293	8.1	20	1	2	8	10	14	16	23
65+	214	11.7	117	2	4	9	13	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	2.1	3	<1	1	2	2	4	5	10
B. *Operated*	2064	3.9	11	<1	<1	2	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	502	3.0	27	<1	1	2	3	6	8	18
B. *Operated*	3674	4.9	21	<1	1	5	7	9	12	20
1. SINGLE DX	2612	3.5	10	<1	<1	2	6	8	10	13
2. MULTIPLE DX	4176	4.7	22	<1	1	4	7	9	11	20
A. NOT OPERATED	1050	2.6	15	<1	1	2	3	5	6	13
B. OPERATED	5738	4.6	17	<1	<1	3	7	9	11	17
TOTAL 0-19 YRS	526	2.3	4	<1	1	2	2	4	6	10
20-34	3812	3.1	6	<1	<1	2	5	7	8	10
35-49	1573	5.1	13	<1	1	5	7	9	11	17
50-64	525	7.7	17	1	2	8	10	13	14	22
65+	352	10.4	103	2	2	9	11	17	24	71
GRAND TOTAL	**6788**	**4.3**	**18**	**<1**	**1**	**2**	**6**	**9**	**10**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	34	2.1	3	<1	1	1	2	5	6	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	110	5.4	3	3	4	5	6	8	8	10
20-34	1508	5.4	3	3	4	5	6	7	8	10
35-49	198	6.0	6	3	4	6	7	8	10	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	15	2.5	4	<1	<1	2	4	5	6	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	5.9	8	3	4	6	7	9	11	19
20-34	1298	5.9	4	3	4	6	7	8	9	13
35-49	225	6.1	4	3	4	6	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.1	3	<1	1	1	2	5	6	7
B. *Operated*	1816	5.5	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	21	2.3	3	<1	<1	2	3	5	6	7
B. *Operated*	1612	5.9	5	3	4	6	7	8	9	13
1. SINGLE DX	1857	5.4	3	3	3	5	6	7	8	10
2. MULTIPLE DX	1633	5.9	5	3	4	6	7	8	9	13
A. NOT OPERATED	62	2.2	3	<1	<1	2	2	5	6	7
B. OPERATED	3428	5.7	4	3	4	5	7	8	9	12
TOTAL 0-19 YRS	209	5.5	5	2	3	5	6	8	9	12
20-34	2855	5.6	4	3	4	5	6	8	8	11
35-49	426	6.0	5	3	4	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**3490**	**5.6**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	1.2		1	1	1	1	2	2	4
20-34	131	1.3	1	<1	<1	1	1	2	3	5
35-49	18	1.1		1	1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4338	1.3		<1	<1	1	1	2	2	4
20-34	10627	1.2		<1	<1	<1	1	2	2	3
35-49	1211	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.1		<1	<1	<1	1	1	2	4
20-34	111	1.2		<1	<1	<1	1	2	2	4
35-49	17	1.1		<1	<1	1	1	1	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	947	1.4	3	<1	<1	<1	<1	2	3	8
20-34	3095	1.6	3	<1	<1	<1	1	3	4	9
35-49	774	2.0	2	<1	<1	1	2	4	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	1.2		<1	1	1	1	2	2	4
B. *Operated*	16176	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	178	1.2		<1	<1	<1	1	2	2	4
B. *Operated*	4816	1.6	3	<1	<1	<1	2	3	4	8
1. SINGLE DX	16416	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	4994	1.6	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	418	1.2		<1	<1	1	1	2	2	4
B. OPERATED	20992	1.3	1	<1	<1	<1	1	2	3	5
TOTAL 0-19 YRS	5426	1.3	1	<1	<1	<1	1	2	2	4
20-34	13964	1.3	1	<1	<1	<1	1	2	3	5
35-49	2020	1.5	1	<1	<1	<1	1	2	4	7
50-64										
65+										
GRAND TOTAL	**21410**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED										
B. OPERATED	3	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	1.5	1	<1	<1	1	2	2	3	4
20-34	637	1.6	1	<1	<1	1	2	3	4	6
35-49	86	1.3	1	<1	<1	1	1	2	3	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1441	1.4	1	<1	<1	1	2	2	3	5
20-34	10333	1.3	1	<1	<1	1	1	2	3	4
35-49	1785	1.3	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	6	<1	1	2	3	5	7	13
20-34	128	2.5	4	1	1	2	3	4	7	12
35-49	14	2.4	5	<1	1	2	2	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	190	2.0	3	<1	1	1	2	4	5	11
20-34	1435	2.1	4	<1	1	1	2	4	6	10
35-49	429	2.1	3	<1	1	2	2	4	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	13559	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	169	2.5	5	<1	1	2	3	5	7	13
B. *Operated*	2054	2.1	4	<1	1	1	2	4	6	10
1. SINGLE DX	14442	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2223	2.1	4	<1	1	1	2	4	6	10
A. NOT OPERATED	1052	1.7	2	<1	<1	1	2	3	4	8
B. OPERATED	15613	1.4	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	1818	1.5	1	<1	<1	1	2	2	3	5
20-34	12533	1.4	1	<1	<1	1	2	2	3	6
35-49	2314	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**16665**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.5	6	1	1	3	5	7	8	11
20-34	269	2.6	5	<1	1	2	3	6	7	10
35-49	31	2.1	4	<1	1	1	2	5	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	156	2.0	2	<1	1	2	2	4	6	8
20-34	1721	1.5	1	<1	<1	1	2	2	3	6
35-49	256	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.9	9	<1	1	3	6	6	9	15
20-34	87	3.8	11	1	1	3	5	8	11	17
35-49	15	3.4	9	<1	1	2	4	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	51	3.2	5	<1	1	3	4	6	7	10
20-34	413	2.8	17	<1	<1	2	3	5	8	17
35-49	82	3.3	9	<1	1	2	4	7	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	2.8	5	<1	1	2	4	6	7	10
B. *Operated*	2133	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	127	3.8	10	1	1	3	5	7	11	16
B. *Operated*	546	2.9	15	<1	<1	2	3	6	8	15
1. SINGLE DX	2508	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	673	3.1	14	<1	<1	2	4	6	8	15
A. NOT OPERATED	502	3.0	7	<1	1	2	4	6	8	13
B. OPERATED	2679	1.8	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	307	2.7	4	<1	1	2	3	6	7	10
20-34	2490	1.9	5	<1	<1	1	2	4	5	10
35-49	384	2.0	4	<1	<1	1	2	4	6	11
50-64										
65+										
GRAND TOTAL	**3181**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	2.1	2	<1	1	2	3	4	4	6
20-34	1107	2.2	2	<1	1	2	3	4	5	7
35-49	98	2.2	2	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	23	1.9	1	<1	<1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	2	2	3	5	6
20-34	197	3.0	6	1	1	2	4	5	7	13
35-49	29	3.3	9	1	1	3	4	6	8	15
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	3.5	8	1	1	3	5	8	10	11
35-49	2	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	31	2.0	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	259	2.9	6	<1	1	2	4	5	7	14
B. *Operated*	23	4.0	8	1	1	3	6	8	9	11
1. SINGLE DX	1418	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	282	3.0	6	<1	1	2	4	6	8	13
A. NOT OPERATED	1646	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	54	2.9	5	<1	1	2	3	6	8	11
TOTAL 0-19 YRS	224	2.1	2	<1	<1	2	3	4	4	6
20-34	1346	2.3	3	<1	1	2	3	4	5	9
35-49	130	2.5	4	<1	1	2	3	5	7	10
50-64										
65+										
GRAND TOTAL	**1700**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
20-34	43	1.9	1	<1	<1	2	3	3	4	6
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	7	3.3	8	1	1	2	4	8	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	6	<1	<1	3	4	7	9	9
B. *Operated*	2	1.0		1	1	1	1	1	1	1
1. SINGLE DX	56	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	12	2.8	5	<1	<1	2	4	6	9	9
A. NOT OPERATED	65	2.0	2	<1	<1	2	3	4	5	9
B. OPERATED	3	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	10	2.2	3	<1	<1	2	2	5	6	6
20-34	51	2.1	2	<1	<1	2	3	4	4	9
35-49	7	1.3	1	<1	<1	1	1	3	3	3
50-64										
65+										
GRAND TOTAL	**68**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	3.5	5	1	1	3	4	6	8	12
20-34	965	3.3	5	1	1	3	4	6	8	13
35-49	98	4.1	9	1	1	3	5	8	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.9	5	<1	<1	3	5	7	8	11
20-34	160	3.6	8	<1	1	3	5	8	8	15
35-49	20	4.3	44	<1	<1	2	5	7	19	31
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.8	19	<1	1	3	5	7	12	26
20-34	239	4.4	11	1	2	4	6	8	9	22
35-49	45	4.4	10	1	1	4	6	9	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.8	6	<1	<1	2	4	7	7	7
20-34	82	4.5	10	<1	<1	4	6	8	9	17
35-49	15	5.1	48	<1	<1	2	5	16	23	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	3.4	6	1	1	3	4	6	8	13
B. *Operated*	225	3.7	10	<1	<1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	330	4.3	12	1	1	3	5	8	10	22
B. *Operated*	105	4.4	15	<1	<1	3	6	8	10	21
1. SINGLE DX	1495	3.4	6	1	1	3	4	7	8	14
2. MULTIPLE DX	435	4.3	13	<1	1	3	6	8	10	22
A. NOT OPERATED	1600	3.6	7	1	1	3	4	7	8	14
B. OPERATED	330	4.0	12	<1	<1	3	5	8	9	16
TOTAL 0-19 YRS	306	3.6	7	1	1	3	5	7	8	14
20-34	1446	3.6	7	1	1	3	4	7	8	14
35-49	178	4.3	16	<1	1	3	5	8	11	23
50-64										
65+										
GRAND TOTAL	**1930**	**3.6**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	3.1	3	1	1	3	4	5	6	8
20-34	1346	4.0	7	1	2	3	5	7	9	14
35-49	62	5.2	9	2	2	4	6	10	12	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	3.4	9	1	1	3	4	9	10	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.5	7	1	2	3	4	6	8	16
20-34	395	4.5	14	1	1	4	5	8	12	21
35-49	26	5.9	20	1	2	5	7	14	17	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.1	8	1	1	6	7	9	9	9
20-34	29	7.7	68	1	1	6	10	15	22	41
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1637	3.9	7	1	2	3	5	7	9	14
B. *Operated*	17	3.4	8	1	1	3	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	514	4.4	14	1	2	3	5	8	11	20
B. *Operated*	38	7.2	53	1	1	6	8	15	19	41
1. SINGLE DX	1654	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	552	4.6	17	1	1	4	5	8	12	21
A. NOT OPERATED	2151	4.0	8	1	2	3	5	7	9	16
B. OPERATED	55	6.0	42	1	1	4	7	14	15	40
TOTAL 0-19 YRS	330	3.2	4	1	1	3	4	5	7	10
20-34	1786	4.1	10	1	2	3	5	7	10	17
35-49	90	5.4	12	2	2	5	7	10	13	18
50-64										
65+										
GRAND TOTAL	**2206**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1074	1.1		<1	<1	<1	1	1	2	4
20-34	4461	1.1		<1	<1	<1	1	1	2	4
35-49	295	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	187	1.1		<1	<1	<1	1	1	2	5
20-34	876	1.1		<1	<1	<1	1	1	2	3
35-49	65	1.3	1	<1	<1	<1	1	2	3	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.7	1	<1	<1	1	2	3	4	5
20-34	335	2.0	14	<1	<1	1	2	3	6	12
35-49	14	1.4	1	<1	<1	1	1	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.8	2	<1	<1	1	2	4	5	6
20-34	109	1.5	2	<1	<1	1	1	3	4	9
35-49	12	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5830	1.1		<1	<1	<1	1	1	2	4
B. *Operated*	1128	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	414	2.0	12	<1	<1	1	2	3	5	11
B. *Operated*	142	1.5	2	<1	<1	1	1	3	4	7
1. SINGLE DX	6958	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	556	1.8	9	<1	<1	1	2	3	5	10
A. NOT OPERATED	6244	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	1270	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1347	1.2		<1	<1	<1	1	1	2	4
20-34	5781	1.2	1	<1	<1	<1	1	1	2	5
35-49	386	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**7514**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	1	1	2	3	4	5	6
20-34	349	3.3	11	<1	1	3	4	6	8	22
35-49	57	3.4	7	<1	1	3	4	6	7	17
50-64										
65+										
B. *Operated*										
0-19 YRS	5	5.4	41	<1	<1	<1	6	15	15	15
20-34	49	3.9	12	<1	<1	3	5	10	12	15
35-49	7	4.9	7	1	1	8	[illegible]	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	95	5.3	25	<1	1	4	6	13	16	23
35-49	9	5.9	26	2	2	4	8	15	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	5.9	29	<1	1	5	7	14	19	24
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	3.3	10	<1	1	3	4	6	8	20
B. *Operated*	61	4.1	14	<1	<1	3	6	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	109	5.2	24	<1	1	4	6	13	16	22
B. *Operated*	26	5.7	26	<1	1	5	6	12	18	24
1. SINGLE DX	490	3.4	10	<1	1	3	4	6	8	19
2. MULTIPLE DX	135	5.3	24	<1	1	4	6	13	16	23
A. NOT OPERATED	538	3.7	13	<1	1	3	4	7	10	22
B. OPERATED	87	4.6	18	<1	<1	4	6	10	13	21
TOTAL 0-19 YRS	34	2.7	8	<1	1	2	3	5	8	15
20-34	516	3.9	15	<1	1	3	5	7	10	22
35-49	75	3.8	10	<1	1	3	4	7	10	17
50-64										
65+										
GRAND TOTAL	**625**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	1.9	2	<1	<1	2	2	3	4	8
20-34	554	2.3	5	<1	<1	2	3	4	6	11
35-49	39	2.5	4	<1	<1	2	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	3	3	4	4
20-34	93	2.3	4	<1	<1	1	3	5	6	11
35-49	10	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	5	<1	1	1	3	4	8	11
20-34	124	3.5	22	<1	1	2	4	7	11	25
35-49	13	3.3	12	1	1	2	4	7	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.7	16	<1	<1	1	2	8	14	14
20-34	39	3.1	8	<1	<1	2	4	9	10	11
35-49	8	3.3	11	<1	<1	2	4	9	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	2.3	5	<1	<1	2	3	4	6	11
B. *Operated*	123	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	170	3.2	18	<1	1	2	4	7	11	20
B. *Operated*	57	3.0	10	<1	<1	2	3	9	11	14
1. SINGLE DX	812	2.3	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	227	3.2	16	<1	<1	2	4	7	11	20
A. NOT OPERATED	859	2.5	8	<1	<1	2	3	5	7	12
B. OPERATED	180	2.5	5	<1	<1	2	3	5	8	12
TOTAL 0-19 YRS	159	2.0	3	<1	<1	1	2	4	5	11
20-34	810	2.5	8	<1	<1	2	3	5	7	12
35-49	70	2.7	6	<1	<1	2	3	5	8	13
50-64										
65+										
GRAND TOTAL	**1039**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	3.6	6	1	1	3	5	6	9	11
20-34	543	3.2	3	<1	1	3	4	5	7	9
35-49	29	3.7	6	1	1	3	5	8	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	101	1.4	1	<1	<1	<1	1	3	4	6
20-34	159	1.5	2	<1	<1	<1	1	3	5	7
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	3.8	6	1	1	3	5	6	8	14
20-34	397	3.8	8	<1	1	3	5	7	8	14
35-49	18	3.4	4	<1	<1	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	51	2.7	8	<1	<1	1	4	7	10	13
20-34	115	3.1	22	<1	<1	2	4	6	9	24
35-49	6	2.3	2	<1	<1	2	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	3.3	4	1	1	3	4	6	7	10
B. *Operated*	263	1.5	2	<1	<1	<1	1	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	576	3.8	7	<1	1	3	5	7	8	14
B. *Operated*	172	3.0	17	<1	<1	1	4	6	9	13
1. SINGLE DX	1037	2.9	4	<1	<1	2	4	5	7	9
2. MULTIPLE DX	748	3.6	10	<1	<1	3	5	7	8	13
A. NOT OPERATED	1350	3.5	5	1	1	3	5	6	7	10
B. OPERATED	435	2.1	8	<1	<1	<1	2	5	6	10
TOTAL 0-19 YRS	515	3.1	6	<1	<1	3	4	6	8	11
20-34	1214	3.2	7	<1	<1	3	4	6	7	10
35-49	56	3.4	5	<1	<1	3	5	7	8	9
50-64										
65+										
GRAND TOTAL	**1785**	**3.2**	**7**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.6	13	<1	1	3	5	8	10	20
20-34	694	4.0	10	1	1	3	5	8	11	16
35-49	115	4.8	10	1	1	4	7	8	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.6	2	1	1	2	3	4	5	5
20-34	73	3.4	12	<1	<1	2	4	8	11	19
35-49	12	3.8	15	<1	<1	2	6	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	4.0	16	<1	1	3	5	8	10	21
20-34	1128	4.0	13	1	1	3	5	8	10	18
35-49	125	4.5	11	1	1	4	6	8	12	17
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.6	6	<1	<1	3	5	7	8	10
20-34	227	4.9	22	<1	<1	4	7	10	14	25
35-49	23	5.5	16	<1	1	4	8	11	14	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	4.1	10	1	1	3	5	8	11	16
B. *Operated*	95	3.4	11	<1	<1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1445	4.1	14	1	1	3	5	8	10	18
B. *Operated*	278	4.8	20	<1	<1	4	7	10	14	23
1. SINGLE DX	1006	4.0	10	<1	1	3	5	8	11	16
2. MULTIPLE DX	1723	4.2	15	<1	1	3	5	8	11	19
A. NOT OPERATED	2356	4.1	12	1	1	3	5	8	10	17
B. OPERATED	373	4.5	18	<1	<1	3	6	10	13	20
TOTAL 0-19 YRS	332	3.8	14	<1	1	3	5	8	10	19
20-34	2122	4.1	13	<1	1	3	5	8	11	18
35-49	275	4.7	11	<1	1	4	7	9	12	15
50-64										
65+										
GRAND TOTAL	**2729**	**4.1**	**13**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	518	2.4	6	<1	<1	1	3	5	6	15
20-34	2309	2.7	11	<1	<1	1	3	6	8	16
35-49	175	3.2	16	<1	<1	1	3	9	11	23
50-64										
65+										
B. *Operated*										
0-19 YRS	222	2.1	6	<1	<1	1	2	4	6	13
20-34	1452	2.5	8	<1	<1	2	3	5	6	10
35-49	169	2.4	3	<1	<1	2	3	4	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.2	19	<1	<1	2	4	6	9	27
20-34	1049	3.8	33	<1	<1	2	4	8	13	29
35-49	98	5.2	39	<1	<1	3	7	12	15	36
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.5	12	<1	<1	2	4	7	10	19
20-34	986	2.9	19	<1	<1	1	3	7	10	23
35-49	612	1.3	3	<1	<1	<1	<1	<1	3	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3002	2.7	11	<1	<1	1	3	6	8	16
B. *Operated*	1843	2.4	7	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1367	3.8	31	<1	<1	2	4	8	13	29
B. *Operated*	1695	2.4	13	<1	<1	<1	2	5	8	19
1. SINGLE DX	4845	2.6	9	<1	<1	2	3	5	8	14
2. MULTIPLE DX	3062	3.0	22	<1	<1	1	3	6	10	24
A. NOT OPERATED	4369	3.1	17	<1	<1	2	3	6	10	21
B. OPERATED	3538	2.4	10	<1	<1	1	3	5	7	14
TOTAL 0-19 YRS	1057	2.6	10	<1	<1	1	3	5	7	16
20-34	5796	2.9	16	<1	<1	2	3	6	9	20
35-49	1054	2.2	10	<1	<1	<1	2	4	7	15
50-64										
65+										
GRAND TOTAL	**7907**	**2.8**	**14**	**<1**	**<1**	**1**	**3**	**6**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.3	1	2	2	3	4	4	6	7
20-34	550	3.4	4	2	2	3	4	4	5	8
35-49	53	3.4	1	2	3	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	46	4.6	26	2	3	4	5	6	8	37
20-34	372	4.6	12	2	3	4	6	7	9	18
35-49	38	5.1	7	2	3	5	7	8	9	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.8	5	2	2	3	4	5	7	16
20-34	532	4.1	21	2	3	3	4	5	7	19
35-49	51	4.3	7	2	3	4	5	5	7	17
50-64										
65+										
B. *Operated*										
0-19 YRS	123	5.0	14	2	3	4	5	9	12	24
20-34	1145	5.8	36	2	3	4	6	9	13	38
35-49	191	6.4	32	3	3	5	7	10	14	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	696	3.4	3	2	2	3	4	4	5	8
B. *Operated*	456	4.7	13	2	3	4	6	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	651	4.1	19	2	3	3	4	5	7	17
B. *Operated*	1459	5.8	34	2	3	4	6	9	13	35
1. SINGLE DX	1152	3.9	8	2	2	3	4	6	7	14
2. MULTIPLE DX	2110	5.3	30	2	3	4	6	8	12	27
A. NOT OPERATED	1347	3.7	11	2	2	3	4	5	6	13
B. OPERATED	1915	5.6	29	2	3	4	6	9	12	30
TOTAL 0-19 YRS	330	4.2	11	2	2	3	4	6	9	20
20-34	2599	4.8	24	2	3	4	5	7	10	25
35-49	333	5.5	22	3	3	4	6	9	11	32
50-64										
65+										
GRAND TOTAL	**3262**	**4.8**	**22**	**2**	**3**	**4**	**5**	**7**	**10**	**25**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6030	3.0	1	2	2	3	3	4	4	5
20-34	41069	3.0	1	2	2	3	3	4	4	5
35-49	2704	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1061	3.1	1	2	2	3	3	4	4	5
20-34	8245	3.1	1	2	2	3	3	4	4	5
35-49	556	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	3.3	1	2	2	3	4	4	5	8
20-34	939	3.3	1	2	2	3	4	5	5	7
35-49	62	3.3	1	2	2	3	4	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	89	3.6	3	2	2	3	4	5	5	13
20-34	4254	3.7	1	2	3	4	4	5	5	7
35-49	675	3.9	1	3	3	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49803	3.0	1	2	2	3	3	4	4	5
B. *Operated*	9862	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1139	3.3	1	2	2	3	4	5	5	7
B. *Operated*	5018	3.7	1	2	3	4	4	5	5	7
1. SINGLE DX	59665	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX	6157	3.7	1	2	3	4	4	5	5	7
A. NOT OPERATED	50942	3.1	1	2	2	3	3	4	4	5
B. OPERATED	14880	3.3	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	7318	3.1	1	2	2	3	3	4	4	5
20-34	54507	3.1	1	2	2	3	4	4	4	5
35-49	3997	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**65822**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	3.0	2	1	1	3	4	4	5	9
35-49	4	4.5		4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7	8.1	40	3	3	7	8	19	22	22
20-34	163	8.6	65	3	4	6	8	16	28	42
35-49	29	8.2	20	5	5	7	9	19	23	99+
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	32	3.4	7	1	1	3	3	6	8	16
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	16	9.5	60	3	3	7	9	20	30	34
20-34	329	9.6	110	3	4	7	8	17	31	57
35-49	86	8.8	54	4	5	6	8	15	28	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.2	2	1	1	3	4	5	5	9
B. *Operated*	199	8.5	58	3	4	6	8	17	27	50
2. MULTIPLE DX										
A. *Not Operated*	34	3.6	7	1	2	3	4	6	8	16
B. *Operated*	431	9.4	97	3	4	7	8	17	30	53
1. SINGLE DX	231	7.8	53	2	3	6	7	16	25	46
2. MULTIPLE DX	465	9.0	93	3	3	6	8	16	29	53
A. NOT OPERATED	66	3.4	5	1	2	3	4	5	7	15
B. OPERATED	630	9.2	85	3	4	6	8	17	29	53
TOTAL 0-19 YRS	23	9.1	53	3	3	7	9	21	26	34
20-34	552	8.6	89	2	3	6	8	16	28	53
35-49	121	8.5	44	4	5	6	8	16	27	58
50-64										
65+										
GRAND TOTAL	**696**	**8.6**	**80**	**2**	**3**	**6**	**8**	**16**	**28**	**52**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	1	<1	1	2	3	4	5	5
20-34	214	2.8	2	1	1	3	3	4	5	9
35-49	17	2.4	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.1	3	1	2	4	5	6	8	8
20-34	201	4.4	3	2	2	4	6	7	8	9
35-49	26	4.6	4	1	2	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.2	3	1	1	3	4	5	7	10
20-34	143	3.3	3	1	1	3	4	5	6	10
35-49	13	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	69	5.4	15	1	2	5	6	10	12	22
20-34	565	5.2	8	2	3	5	6	8	10	17
35-49	73	6.5	11	2	3	6	8	10	12	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	2.7	2	1	1	3	3	4	5	9
B. *Operated*	251	4.4	3	2	2	4	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	187	3.2	3	1	1	3	4	5	6	10
B. *Operated*	707	5.4	9	2	3	5	6	8	10	18
1. SINGLE DX	506	3.6	3	1	1	3	5	6	7	9
2. MULTIPLE DX	894	4.9	8	2	2	4	6	8	10	17
A. NOT OPERATED	442	2.9	2	1	1	3	4	4	5	9
B. OPERATED	958	5.1	8	2	3	5	6	8	10	17
TOTAL 0-19 YRS	148	4.2	10	1	1	4	5	7	10	20
20-34	1123	4.4	6	1	2	4	6	7	8	13
35-49	129	5.2	10	1	2	5	7	9	11	16
50-64										
65+										
GRAND TOTAL	**1400**	**4.4**	**7**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	37	3.0	1	1	1	3	4	4	5	6
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.1	1	1	1	3	4	4	5	7
20-34	455	3.0	1	1	2	3	3	4	4	5
35-49	31	3.4	2	1	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	14	3.6	6	1	1	3	4	6	9	10
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.9	1	1	1	3	3	4	5	5
20-34	253	3.6	4	2	2	3	4	5	6	11
35-49	29	6.1	215	1	2	3	4	6	12	82
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.9	1	1	1	3	4	4	5	6
B. *Operated*	544	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	18	3.6	4	1	1	3	4	6	8	10
B. *Operated*	313	3.8	23	1	2	3	4	5	6	11
1. SINGLE DX	587	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	331	3.8	22	1	2	3	4	5	6	11
A. NOT OPERATED	61	3.1	2	1	1	3	4	5	6	10
B. OPERATED	857	3.3	9	1	2	3	4	4	5	8
TOTAL 0-19 YRS	95	3.0	1	1	1	3	4	4	5	7
20-34	759	3.2	2	1	2	3	4	4	5	8
35-49	64	4.6	98	1	2	3	4	5	7	72
50-64										
65+										
GRAND TOTAL	**918**	**3.3**	**9**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.0	1	1	2	3	4	4	5	5
20-34	184	3.1	1	1	2	3	4	4	5	6
35-49	10	3.7	1	3	3	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.3	5	1	1	3	4	7	9	9
20-34	82	3.2	2	1	2	3	4	5	6	8
35-49	4	3.8	6	1	1	3	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	4	2	2	4	4	7	9	10
20-34	81	3.9	6	2	2	4	4	5	6	19
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	18	3.7	2	1	2	4	4	6	7	7
20-34	108	3.8	3	2	2	4	5	6	6	9
35-49	11	4.3	1	3	3	4	5	6	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	3.2	1	1	2	3	4	4	5	6
B. *Operated*	95	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	100	3.9	6	2	2	4	4	5	6	17
B. *Operated*	137	3.8	2	2	2	4	4	6	7	9
1. SINGLE DX	323	3.2	1	1	2	3	4	4	5	7
2. MULTIPLE DX	237	3.8	4	2	2	4	4	5	6	11
A. NOT OPERATED	328	3.4	3	2	2	3	4	5	5	8
B. OPERATED	232	3.6	2	1	2	3	4	5	6	9
TOTAL 0-19 YRS	77	3.4	2	1	2	3	4	5	6	10
20-34	455	3.4	3	1	2	3	4	5	6	8
35-49	28	3.9	2	2	3	4	4	5	7	7
50-64										
65+										
GRAND TOTAL	**560**	**3.5**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	114	3.8	2	2	3	4	4	5	6	10
35-49	15	3.1	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.8	4	2	2	5	6	7	7	7
20-34	87	5.1	6	3	3	5	6	7	8	20
35-49	8	3.1	1	1	1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	2	3	3	3	4	6	7	7
20-34	103	3.9	3	2	2	4	5	5	7	11
35-49	13	3.8	5	2	2	4	4	6	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	33	6.2	18	3	3	5	7	9	18	22
20-34	656	6.3	23	3	3	5	7	9	12	32
35-49	64	6.8	16	3	4	6	7	10	14	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.7	2	2	3	4	4	5	6	9
B. *Operated*	100	5.0	7	3	3	4	6	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	126	3.9	3	2	2	4	4	5	7	11
B. *Operated*	753	6.3	22	3	3	6	7	9	12	29
1. SINGLE DX	233	4.3	5	2	3	4	5	6	7	14
2. MULTIPLE DX	879	6.0	20	3	3	5	7	9	11	27
A. NOT OPERATED	259	3.8	2	2	2	4	4	5	6	10
B. OPERATED	853	6.1	20	3	3	5	7	9	11	28
TOTAL 0-19 YRS	52	5.4	13	3	3	5	6	8	9	22
20-34	960	5.6	18	3	3	5	6	8	10	24
35-49	100	5.6	14	2	3	5	7	9	11	24
50-64										
65+										
GRAND TOTAL	**1112**	**5.6**	**17**	**3**	**3**	**5**	**6**	**8**	**10**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	1	1	2	3	3	4	5	5
20-34	156	3.0	1	1	2	3	4	4	5	6
35-49	21	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	185	5.2	3	2	3	5	6	7	8	11
20-34	1411	5.1	2	3	3	5	6	7	7	8
35-49	100	5.4	2	3	3	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	1	<1	<1	3	4	4	4	4
20-34	60	3.1	1	1	2	3	4	4	5	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	163	5.7	5	3	3	6	7	8	10	14
20-34	1766	5.8	8	3	3	6	7	8	9	14
35-49	227	6.0	6	3	3	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	3.0	1	1	2	3	4	4	5	6
B. *Operated*	1696	5.2	2	3	3	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	68	3.1	1	<1	2	3	4	4	5	6
B. *Operated*	2156	5.8	7	3	3	6	7	8	9	14
1. SINGLE DX	1883	4.9	3	2	3	5	6	7	7	8
2. MULTIPLE DX	2224	5.7	7	3	3	6	7	8	9	14
A. NOT OPERATED	255	3.1	1	1	2	3	4	4	5	6
B. OPERATED	3852	5.5	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	364	5.3	4	2	3	5	6	7	8	13
20-34	3393	5.3	5	2	3	5	6	7	8	12
35-49	350	5.7	5	3	3	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	**4107**	**5.4**	**5**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	1	2	2	3	3	4	5	5
20-34	252	3.1	1	2	2	3	3	4	5	7
35-49	16	3.0	1	1	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	71	4.5	2	3	3	4	5	7	7	9
20-34	743	4.6	3	2	3	5	6	7	7	9
35-49	65	4.8	3	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.2	2	1	2	3	3	4	6	8
20-34	149	3.3	2	2	2	3	4	5	6	9
35-49	16	3.5	2	1	1	3	5	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	245	5.0	4	2	3	5	6	7	8	12
20-34	2338	5.4	8	3	3	5	6	7	8	14
35-49	275	6.0	5	3	3	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.1	1	2	2	3	3	4	5	7
B. *Operated*	879	4.6	3	3	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	190	3.3	2	2	2	3	4	5	6	9
B. *Operated*	2858	5.4	7	3	3	5	6	7	8	14
1. SINGLE DX	1167	4.3	3	2	3	4	5	7	7	9
2. MULTIPLE DX	3048	5.3	7	3	3	5	6	7	8	13
A. NOT OPERATED	478	3.2	1	2	2	3	4	4	5	8
B. OPERATED	3737	5.2	6	3	3	5	6	7	8	12
TOTAL 0-19 YRS	361	4.7	4	2	3	4	6	7	8	12
20-34	3482	5.0	6	2	3	5	6	7	8	11
35-49	372	5.5	5	2	3	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**4215**	**5.0**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	1	3	3	3	4	5	5	5
20-34	54	3.6	2	2	2	3	4	6	6	9
35-49	7	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	301	5.8	2	4	4	6	7	8	8	11
20-34	2332	5.8	2	4	4	6	6	7	8	9
35-49	158	5.9	1	4	4	6	7	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	23	4.1	3	1	2	3	6	6	7	9
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	586	6.4	6	4	4	6	7	9	11	15
20-34	4324	6.1	3	4	5	6	7	8	9	12
35-49	372	6.5	4	4	5	6	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.5	2	2	2	3	4	6	6	9
B. *Operated*	2791	5.8	2	4	4	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	30	3.5	3	2	2	3	5	6	6	9
B. *Operated*	5282	6.2	4	4	5	6	7	8	9	13
1. SINGLE DX	2857	5.8	2	4	4	6	6	7	8	9
2. MULTIPLE DX	5312	6.2	4	4	5	6	7	8	9	13
A. NOT OPERATED	96	3.6	2	2	2	3	4	6	6	9
B. OPERATED	8073	6.0	3	4	4	6	7	8	8	12
TOTAL 0-19 YRS	896	6.2	5	4	4	6	7	8	10	16
20-34	6733	6.0	3	4	4	6	7	8	8	11
35-49	540	6.3	3	4	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**8169**	**6.0**	**3**	**4**	**4**	**6**	**7**	**8**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.3	1	2	2	3	4	4	5	6
20-34	685	3.2	1	2	2	3	4	4	5	6
35-49	37	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	119	4.6	3	2	3	4	6	7	7	11
20-34	1010	4.3	3	2	3	4	6	7	7	8
35-49	72	4.6	3	2	2	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.6	1	2	2	4	4	5	5	8
20-34	387	3.5	2	2	2	3	4	5	6	9
35-49	28	3.6	1	2	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	271	4.8	5	2	3	4	6	7	9	14
20-34	2341	4.7	4	2	3	4	6	7	8	11
35-49	196	5.1	4	2	3	5	7	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	826	3.2	1	2	2	3	4	4	5	6
B. *Operated*	1201	4.4	3	2	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	486	3.5	2	2	2	3	4	5	5	8
B. *Operated*	2808	4.7	4	2	3	4	6	7	8	11
1. SINGLE DX	2027	3.9	2	2	2	4	5	6	7	8
2. MULTIPLE DX	3294	4.5	4	2	3	4	6	7	8	11
A. NOT OPERATED	1312	3.3	1	2	2	3	4	4	5	7
B. OPERATED	4009	4.6	4	2	3	4	6	7	8	10
TOTAL 0-19 YRS	565	4.3	4	2	3	4	5	7	8	10
20-34	4423	4.3	4	2	3	4	5	7	7	10
35-49	333	4.6	3	2	3	4	6	7	8	9
50-64										
65+										
GRAND TOTAL	**5321**	**4.3**	**4**	**2**	**3**	**4**	**5**	**7**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	2	1	1	3	4	5	5	5
20-34	103	3.2	1	2	2	3	4	4	5	6
35-49	14	3.2	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.0	2	2	3	3	5	6	6	6
20-34	413	5.0	3	2	3	5	6	7	8	9
35-49	38	5.3	4	2	3	5	7	8	9	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.2	57	1	1	4	5	17	27	27
20-34	53	3.7	13	1	2	3	4	5	5	27
35-49	11	4.5	4	3	3	4	4	7	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	72	5.6	5	3	3	5	7	8	11	13
20-34	813	5.5	13	2	3	5	6	8	9	19
35-49	114	6.4	21	3	3	6	7	8	14	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.2	1	2	2	3	4	4	5	6
B. *Operated*	474	5.0	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	74	4.1	17	1	2	3	4	5	7	28
B. *Operated*	999	5.6	14	2	3	5	7	8	9	20
1. SINGLE DX	599	4.6	3	2	3	4	6	7	8	9
2. MULTIPLE DX	1073	5.5	14	2	3	5	6	8	9	22
A. NOT OPERATED	199	3.6	7	1	2	3	4	5	5	19
B. OPERATED	1473	5.4	11	2	3	5	6	8	8	15
TOTAL 0-19 YRS	113	5.2	9	3	3	5	6	8	9	18
20-34	1382	5.1	10	2	3	5	6	7	8	14
35-49	177	5.8	16	2	3	5	7	8	11	37
50-64										
65+										
GRAND TOTAL	**1672**	**5.2**	**11**	**2**	**3**	**5**	**6**	**7**	**8**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	4	2	2	3	4	7	8	8
20-34	94	3.8	11	2	2	3	4	5	7	22
35-49	7	3.7	3	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	280	5.8	1	4	4	6	6	7	8	9
20-34	6276	6.0	2	4	5	6	7	7	8	9
35-49	480	6.5	2	4	5	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	4.2	4	1	2	4	6	7	8	9
35-49	5	5.0	3	3	3	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	175	6.2	3	4	5	6	7	8	9	14
20-34	6608	6.2	4	4	5	6	7	8	8	12
35-49	933	6.9	13	5	5	6	7	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.8	10	2	2	3	4	6	7	18
B. *Operated*	7036	6.0	2	4	5	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	40	4.3	4	1	2	4	6	7	8	9
B. *Operated*	7716	6.3	5	4	5	6	7	8	9	12
1. SINGLE DX	7144	6.0	2	4	4	6	7	7	8	9
2. MULTIPLE DX	7756	6.3	5	4	5	6	7	8	9	12
A. NOT OPERATED	148	3.9	8	2	2	3	4	6	7	9
B. OPERATED	14752	6.1	3	4	5	6	7	8	8	11
TOTAL 0-19 YRS	462	5.9	2	4	4	6	7	8	8	11
20-34	13013	6.1	3	4	5	6	7	8	8	10
35-49	1425	6.7	9	4	5	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**14900**	**6.1**	**3**	**4**	**5**	**6**	**7**	**8**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	3.5	1	2	2	3	4	5	6	9
20-34	1607	3.4	1	2	2	3	4	4	5	7
35-49	112	3.2	1	2	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	147	3.8	2	2	2	3	4	6	7	9
20-34	1165	3.8	6	2	3	3	4	6	7	8
35-49	105	4.1	3	2	2	4	5	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.8	3	2	2	3	4	6	7	10
20-34	795	3.8	6	2	2	3	4	5	6	13
35-49	72	3.7	2	2	2	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	344	4.8	13	2	3	4	6	7	8	16
20-34	3278	4.9	7	2	3	4	6	7	8	14
35-49	347	5.1	6	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1942	3.4	1	2	2	3	4	4	5	7
B. *Operated*	1417	3.9	6	2	3	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	999	3.8	6	2	2	3	4	5	7	12
B. *Operated*	3969	4.9	7	2	3	4	6	7	8	14
1. SINGLE DX	3359	3.6	3	2	2	3	4	5	6	8
2. MULTIPLE DX	4968	4.7	7	2	3	4	6	7	8	14
A. NOT OPERATED	2941	3.5	3	2	2	3	4	5	5	9
B. OPERATED	5386	4.6	7	2	3	4	6	7	8	13
TOTAL 0-19 YRS	846	4.1	7	2	2	4	5	6	7	10
20-34	6845	4.2	6	2	3	4	5	7	8	12
35-49	636	4.4	5	2	3	4	6	7	8	13
50-64										
65+										
GRAND TOTAL	**8327**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	3.0	1	2	2	3	3	4	4	5
20-34	3776	3.0	1	2	2	3	3	4	4	5
35-49	256	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	204	3.2	1	2	2	3	4	4	5	8
20-34	1684	3.2	1	2	2	3	4	4	5	7
35-49	118	3.4	1	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	3.1	2	2	2	3	3	4	5	10
20-34	897	3.2	1	2	2	3	4	4	5	6
35-49	77	3.6	5	2	2	3	4	5	5	18
50-64										
65+										
B. *Operated*										
0-19 YRS	224	3.6	3	2	2	3	4	5	6	10
20-34	2083	3.6	2	2	2	3	4	5	6	8
35-49	204	4.0	3	2	3	4	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4474	3.0	1	2	2	3	3	4	4	5
B. *Operated*	2006	3.2	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1093	3.2	1	2	2	3	4	4	5	6
B. *Operated*	2511	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	6480	3.1	1	2	2	3	4	4	4	6
2. MULTIPLE DX	3604	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	5567	3.1	1	2	2	3	4	4	4	6
B. OPERATED	4517	3.4	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	989	3.2	2	2	2	3	4	4	5	8
20-34	8440	3.2	1	2	2	3	4	4	5	7
35-49	655	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**10084**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	1	1	2	3	3	4	4	5
20-34	483	2.8	1	1	1	3	3	4	4	5
35-49	38	3.0	1	1	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	819	2.9	1	2	2	3	3	4	4	5
20-34	7764	2.9	1	1	2	3	3	4	4	5
35-49	753	3.0	1	1	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.7	8	2	2	3	4	9	11	11
20-34	161	2.8	1	1	1	3	3	4	5	6
35-49	13	3.7	2	2	2	4	4	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	315	3.3	5	2	2	3	4	4	5	9
20-34	3693	3.3	2	2	2	3	4	5	5	7
35-49	516	3.6	3	2	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	2.8	1	1	2	3	3	4	4	5
B. *Operated*	9336	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	191	2.9	2	1	1	3	3	4	5	9
B. *Operated*	4524	3.4	2	2	2	3	4	5	5	7
1. SINGLE DX	9918	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4715	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	773	2.8	1	1	1	3	3	4	4	6
B. OPERATED	13860	3.1	1	2	2	3	3	4	5	6
TOTAL 0-19 YRS	1212	3.0	2	2	2	3	3	4	4	6
20-34	12101	3.0	1	1	2	3	3	4	5	6
35-49	1320	3.2	2	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**14633**	**3.0**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.8	1	2	2	3	3	4	4	5
20-34	299	2.9	1	1	2	3	3	4	4	6
35-49	6	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	605	3.1	1	2	2	3	3	4	4	6
20-34	3350	3.2	1	2	2	3	4	4	4	5
35-49	155	3.2	1	2	2	3	4	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.7	2	2	2	3	5	6	6	6
20-34	71	3.3	2	1	2	3	4	5	6	9
35-49	4	3.0	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	328	3.4	1	2	2	3	4	4	5	7
20-34	1987	3.6	2	2	2	3	4	5	5	8
35-49	108	3.6	1	2	3	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.9	1	1	2	3	3	4	4	6
B. *Operated*	4110	3.2	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	90	3.4	2	1	2	3	4	5	6	9
B. *Operated*	2423	3.5	2	2	2	3	4	5	5	8
1. SINGLE DX	4488	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX	2513	3.5	2	2	2	3	4	5	5	8
A. NOT OPERATED	468	3.0	1	1	2	3	3	4	5	7
B. OPERATED	6533	3.3	1	2	2	3	4	4	5	7
TOTAL 0-19 YRS	1021	3.2	1	2	2	3	4	4	5	6
20-34	5707	3.3	1	2	2	3	4	4	5	7
35-49	273	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**7001**	**3.3**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	1	2	2	3	3	4	4	6
20-34	196	2.9	1	1	2	3	3	4	4	8
35-49	9	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	276	3.0	1	2	2	3	3	4	4	6
20-34	1203	3.1	1	2	2	3	3	4	4	6
35-49	75	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	2	1	2	3	4	4	6	7
20-34	83	3.3	4	1	2	3	4	4	6	15
35-49	6	7.3	147	<1	<1	3	4	29	32	32
50-64										
65+										
B. *Operated*										
0-19 YRS	192	3.5	6	2	2	3	4	4	7	24
20-34	1080	3.5	2	2	2	3	4	5	6	9
35-49	70	3.8	1	3	3	3	5	6	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	2.9	1	1	2	3	3	4	4	7
B. *Operated*	1554	3.1	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	108	3.5	11	1	2	3	4	4	6	24
B. *Operated*	1342	3.5	3	2	2	3	4	5	6	9
1. SINGLE DX	1803	3.1	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1450	3.5	4	2	2	3	4	5	6	9
A. NOT OPERATED	357	3.1	4	1	2	3	3	4	4	8
B. OPERATED	2896	3.3	2	2	2	3	4	4	5	8
TOTAL 0-19 YRS	531	3.2	3	2	2	3	3	4	5	8
20-34	2562	3.3	2	2	2	3	4	4	5	8
35-49	160	3.7	6	2	3	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**3253**	**3.3**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	932	3.2	2	1	2	3	4	5	5	8
20-34	4558	3.3	4	1	2	3	4	5	5	10
35-49	445	3.4	2	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1284	3.7	3	2	2	3	4	6	7	10
20-34	8737	3.7	3	2	2	3	4	6	7	10
35-49	739	4.2	6	2	3	4	5	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	3.8	16	1	2	3	4	6	8	14
20-34	2622	3.5	6	1	2	3	4	5	7	13
35-49	267	3.7	6	1	2	3	4	5	7	15
50-64										
65+										
B. *Operated*										
0-19 YRS	1877	5.0	14	2	2	4	6	8	11	19
20-34	12950	4.9	11	2	3	4	6	7	9	18
35-49	1543	5.5	16	2	3	5	6	9	11	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5935	3.3	3	1	2	3	4	5	5	9
B. *Operated*	10760	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	3434	3.6	8	1	2	3	4	5	7	13
B. *Operated*	16370	4.9	12	2	3	4	6	8	10	19
1. SINGLE DX	16695	3.6	3	2	2	3	4	5	6	10
2. MULTIPLE DX	19804	4.7	12	2	2	4	6	7	9	18
A. NOT OPERATED	9369	3.4	5	1	2	3	4	5	6	11
B. OPERATED	27130	4.5	9	2	3	4	5	7	9	16
TOTAL 0-19 YRS	4638	4.1	9	2	2	3	5	7	8	14
20-34	28867	4.2	8	2	2	4	5	7	8	14
35-49	2994	4.7	11	2	2	4	5	7	9	18
50-64										
65+										
GRAND TOTAL	**36499**	**4.2**	**8**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.2	10	1	2	4	5	6	7	21
20-34	126	4.4	7	1	2	4	6	7	10	13
35-49	7	3.4	3	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	16	6.1	24	<1	1	5	7	15	16	16
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	5	2	2	3	5	8	9	9
20-34	43	5.2	9	1	2	5	7	9	12	13
35-49	6	6.5	4	4	4	7	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	21	7.8	81	<1	1	5	8	20	30	39
35-49	2	15.5	145	7	7	15	24	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.3	7	1	2	4	5	7	10	14
B. *Operated*	20	6.0	22	<1	1	5	7	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	62	5.1	8	1	2	5	7	9	10	13
B. *Operated*	25	8.1	80	1	1	5	8	22	28	39
1. SINGLE DX	193	4.5	9	1	2	4	6	7	11	16
2. MULTIPLE DX	87	6.0	30	1	2	5	7	10	14	33
A. NOT OPERATED	235	4.5	8	1	2	4	6	8	10	13
B. OPERATED	45	7.1	54	1	1	5	8	16	22	39
TOTAL 0-19 YRS	58	4.3	9	1	2	4	5	6	9	20
20-34	206	5.0	17	1	2	4	6	9	12	20
35-49	16	6.1	28	2	2	4	7	9	19	24
50-64										
65+										
GRAND TOTAL	**280**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.3		<1	1	<1	2	2	3	3
20-34	81	2.0	1	<1	<1	2	3	4	4	6
35-49	5	1.6		<1	<1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	38	1.8	1	<1	<1	1	2	4	4	6
20-34	267	1.7	2	<1	<1	1	2	3	4	6
35-49	17	2.2	3	<1	<1	1	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	35	3.1	9	1	1	3	3	5	8	17
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.2	14	1	1	2	3	5	13	16
20-34	158	2.7	4	1	1	2	3	5	8	10
35-49	10	4.0	10	1	1	3	6	9	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	1.9	1	<1	<1	2	2	4	4	6
B. *Operated*	322	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	40	3.0	8	1	1	2	3	5	7	17
B. *Operated*	183	2.8	6	1	1	2	3	6	8	11
1. SINGLE DX	423	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	223	2.9	6	1	1	2	3	5	8	13
A. NOT OPERATED	141	2.2	3	<1	1	2	3	4	5	10
B. OPERATED	505	2.2	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	71	2.0	4	<1	1	1	2	4	5	14
20-34	541	2.2	3	<1	<1	2	3	4	5	10
35-49	34	2.6	5	<1	1	2	3	6	7	11
50-64										
65+										
GRAND TOTAL	**646**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.2	42	2	2	4	11	18	20	20
20-34	99	4.5	12	1	1	3	5	11	12	15
35-49	8	5.8	14	2	2	4	9	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.8	5	1	1	3	3	4	8	11
20-34	166	2.9	5	<1	1	3	3	4	7	16
35-49	21	2.2	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.2	30	2	2	5	7	13	21	22
20-34	56	7.2	47	1	2	4	9	17	23	33
35-49	10	8.0	28	<1	1	8	10	16	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	20	5.7	70	1	2	3	5	9	25	40
20-34	127	3.9	11	1	1	3	4	8	11	18
35-49	4	6.0	23	2	2	4	9	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	4.8	15	1	1	3	6	11	13	17
B. *Operated*	224	2.8	5	<1	1	3	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	77	7.1	42	1	2	5	9	17	21	31
B. *Operated*	151	4.2	19	1	1	3	4	8	13	19
1. SINGLE DX	341	3.5	9	1	1	3	4	7	11	16
2. MULTIPLE DX	228	5.2	29	1	1	3	6	11	17	27
A. NOT OPERATED	194	5.7	27	1	2	4	8	12	16	25
B. OPERATED	375	3.4	11	1	1	3	3	6	9	17
TOTAL 0-19 YRS	78	4.6	31	1	1	3	5	10	14	35
20-34	448	4.1	15	1	1	3	4	9	12	19
35-49	43	4.6	17	<1	1	3	6	10	14	17
50-64										
65+										
GRAND TOTAL	**569**	**4.2**	**18**	**1**	**1**	**3**	**4**	**9**	**13**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	750	4.3	7	2	2	4	5	7	9	16
20-34	687	4.7	7	2	2	4	6	8	10	13
35-49	480	5.2	10	2	2	4	6	9	11	20
50-64	427	6.6	17	2	3	6	8	11	14	20
65+	368	8.5	62	2	3	7	10	15	20	60
B. *Operated*										
0-19 YRS.	326	5.1	12	<1	1	4	7	10	12	16
20-34	423	5.5	25	1	2	4	7	10	13	21
35-49	280	6.1	33	1	2	5	7	12	14	29
50-64	200	7.1	50	2	2	5	9	13	17	39
65+	129	9.6	63	2	2	8	12	19	27	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	647	5.2	17	2	2	4	6	9	12	21
20-34	909	6.2	21	2	2	5	8	11	15	24
35-49	980	8.1	46	2	3	6	10	15	19	30
50-64	1678	9.4	58	3	4	7	11	17	23	38
65+	2922	11.7	69	3	4	9	14	21	30	59
B. *Operated*										
0-19 YRS.	283	8.0	81	1	2	6	9	15	23	55
20-34	542	8.7	70	2	2	7	10	16	23	44
35-49	545	12.2	133	2	3	9	14	26	37	65
50-64	855	15.8	219	3	4	11	19	35	49	87
65+	1112	18.5	230	4	5	14	24	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2712	5.5	19	2	2	4	7	10	12	20
B. *Operated*	1358	6.2	32	1	2	5	8	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	7136	9.4	66	2	3	7	11	17	24	45
B. *Operated*	3337	14.3	188	2	3	10	18	32	44	90
1. SINGLE DX	4070	5.7	23	2	2	5	7	10	13	22
2. MULTIPLE DX	10473	10.9	110	2	3	8	13	22	32	64
A. NOT OPERATED	9848	8.3	56	2	3	6	10	16	21	41
B. OPERATED	4695	11.9	157	2	3	8	14	27	38	80
TOTAL 0-19 YRS.	2006	5.2	23	1	2	4	6	9	12	23
20-34	2561	6.2	30	2	2	5	7	11	15	28
35-49	2285	8.2	64	2	2	6	10	16	23	44
50-64	3160	10.6	106	3	3	8	12	21	30	60
65+	4531	13.0	131	3	4	10	16	26	36	82
GRAND TOTAL	**14543**	**9.5**	**91**	**2**	**3**	**7**	**11**	**19**	**27**	**56**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	304	4.7	9	2	2	4	6	8	11	17
20-34	148	4.4	10	2	2	4	6	7	9	15
35-49	68	5.0	12	1	2	4	6	8	9	20
50-64	57	6.2	25	2	2	5	7	11	17	29
65+	47	7.3	23	2	2	7	10	11	17	25
B. *Operated*										
0-19 YRS.	170	4.7	40	<1	<1	3	5	10	13	29
20-34	174	4.9	19	<1	1	4	6	10	14	22
35-49	95	5.7	58	<1	<1	3	6	11	27	37
50-64	80	6.4	49	<1	1	3	9	16	20	38
65+	64	7.9	99	<1	<1	4	10	18	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	308	4.7	9	2	2	4	5	8	10	14
20-34	163	5.7	26	2	2	4	6	10	15	29
35-49	142	6.7	24	2	2	5	9	12	15	28
50-64	207	8.9	52	2	3	7	11	14	21	42
65+	305	11.6	116	3	4	8	13	22	31	68
B. *Operated*										
0-19 YRS.	132	5.6	25	1	1	6	8	11	14	25
20-34	176	8.4	63	1	2	6	10	18	23	51
35-49	173	10.2	135	2	2	6	12	26	37	93
50-64	244	10.3	114	1	2	7	13	22	30	56
65+	314	14.9	219	2	3	10	20	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	5.0	13	2	2	4	6	9	11	20
B. *Operated*	583	5.5	45	<1	1	3	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	1126	7.7	57	2	2	6	9	16	20	66
B. *Operated*	1039	10.7	138	1	2	7	13	25	36	77
1. SINGLE DX	1207	5.2	28	1	1	4	6	10	16	29
2. MULTIPLE DX	2165	9.2	98	2	2	6	11	15	20	61
A. NOT OPERATED	1750	6.8	43	2	2	5	8	13	17	34
B. OPERATED	1622	8.9	111	1	1	5	11	21	29	66
TOTAL 0-19 YRS.	914	4.8	17	1	1	4	6	9	12	21
20-34	661	5.9	32	1	2	4	7	12	17	29
35-49	479	7.5	73	1	2	5	9	15	27	53
50-64	588	8.9	77	2	2	6	11	17	26	68
65+	730	12.4	158	2	3	9	15	26	40	87
GRAND TOTAL	**3372**	**7.8**	**77**	**1**	**2**	**5**	**9**	**16**	**26**	**51**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	4	<1	1	3	5	5	6	6
20-34	15	3.1	8	<1	1	2	4	7	10	11
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	1185	3.8	6	1	2	3	4	6	7	11
20-34	1996	3.6	3	1	2	3	4	6	6	10
35-49	279	3.6	5	1	2	3	4	6	7	9
50-64	58	4.1	8	1	2	3	4	8	10	17
65+	14	5.6	37	1	1	4	5	14	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	9	<1	<1	1	3	8	10	11
20-34	17	2.5	10	<1	<1	1	2	7	11	13
35-49	4	3.0	8	<1	<1	2	5	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	7.7	114	<1	<1	2	15	20	20	20
B. *Operated*										
0-19 YRS	120	4.5	9	2	2	4	5	8	10	18
20-34	267	4.9	10	2	2	4	6	8	11	17
35-49	99	5.5	20	2	2	4	6	9	14	25
50-64	39	6.0	46	2	2	4	6	10	12	44
65+	20	11.8	297	1	2	6	12	29	58	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.1	6	<1	1	2	4	6	9	11
B. *Operated*	3532	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	43	3.0	16	<1	<1	1	3	7	12	20
B. *Operated*	545	5.3	26	2	2	4	6	9	12	24
1. SINGLE DX	3566	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX	588	5.1	25	1	2	4	6	9	12	23
A. NOT OPERATED	77	3.1	11	<1	<1	2	4	7	10	18
B. OPERATED	4077	3.9	8	1	2	3	5	6	8	13
TOTAL 0-19 YRS	1339	3.8	6	1	2	3	5	6	7	11
20-34	2295	3.7	4	1	2	3	5	6	7	12
35-49	384	4.1	9	1	2	3	5	6	8	23
50-64	99	4.9	24	2	2	4	6	9	11	31
65+	37	9.1	186	1	1	4	9	19	36	74
GRAND TOTAL	**4154**	**3.9**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	2.8	2	<1	<1	3	4	4	4	4
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	198	1.6	1	<1	<1	1	2	3	3	4
20-34	379	1.6	1	<1	<1	1	2	3	4	6
35-49	305	1.6	2	<1	<1	1	2	3	3	8
50-64	258	1.6	1	<1	<1	1	2	3	4	7
65+	120	2.0	8	<1	<1	1	2	3	5	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	9	1.8	2	<1	<1	1	2	4	4	4
50-64	9	4.8	42	<1	<1	1	6	16	20	20
65+	4	6.8	16	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	22	3.0	15	<1	<1	2	3	6	12	19
20-34	78	2.4	3	<1	<1	2	3	4	6	10
35-49	110	2.5	7	<1	<1	2	3	5	6	16
50-64	140	3.4	64	<1	<1	2	3	6	8	26
65+	130	4.6	29	<1	1	3	5	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	4	<1	<1	3	4	6	8	8
B. *Operated*	1260	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	16	<1	<1	1	3	9	11	20
B. *Operated*	480	3.3	30	<1	<1	2	4	7	9	21
1. SINGLE DX	1270	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	515	3.3	29	<1	<1	2	3	7	9	21
A. NOT OPERATED	45	2.9	13	<1	<1	1	3	8	10	20
B. OPERATED	1740	2.1	10	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	229	1.7	2	<1	<1	1	2	3	3	8
20-34	468	1.7	2	<1	<1	1	2	3	4	7
35-49	424	1.8	3	<1	<1	1	2	3	4	10
50-64	408	2.3	25	<1	<1	1	2	4	6	11
65+	256	3.4	20	<1	<1	2	3	7	11	24
GRAND TOTAL	**1785**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	3.3	6	1	1	3	4	6	8	10
20-34	154	5.8	34	1	1	4	7	16	19	26
35-49	137	6.7	39	1	1	4	10	13	20	30
50-64	147	7.1	41	1	2	5	8	16	21	32
65+	161	12.2	191	2	3	8	14	23	35	81
B. *Operated*										
0-19 YRS	590	2.4	9	<1	<1	2	2	4	7	16
20-34	768	3.5	19	<1	<1	2	3	7	12	24
35-49	550	4.5	50	<1	<1	2	4	9	14	39
50-64	516	4.8	61	<1	<1	2	4	12	20	37
65+	373	10.1	200	<1	1	3	14	29	40	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	5.0	26	1	1	4	6	9	16	27
20-34	323	7.8	75	1	1	5	9	18	27	50
35-49	362	10.1	126	1	2	7	12	21	28	58
50-64	653	11.1	94	2	3	8	14	23	29	50
65+	1606	15.3	205	3	4	11	19	32	48	99+
B. *Operated*										
0-19 YRS	364	7.4	119	<1	1	3	8	17	30	60
20-34	701	10.7	260	1	1	4	12	28	51	91
35-49	728	12.2	239	1	1	6	16	34	48	99+
50-64	1138	14.3	305	1	2	7	21	40	58	99+
65+	1773	20.9	370	2	3	16	30	56	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	946	6.3	61	1	1	4	7	14	20	34
B. *Operated*	2797	4.6	60	<1	<1	2	4	10	19	42
2. MULTIPLE DX										
A. *Not Operated*	3359	11.9	154	2	2	8	15	26	36	85
B. *Operated*	4704	15.4	319	1	2	9	22	44	63	99+
1. SINGLE DX	3743	5.0	61	<1	<1	2	5	11	19	40
2. MULTIPLE DX	8063	14.0	253	1	2	9	19	35	54	99+
A. NOT OPERATED	4305	10.7	139	1	2	7	14	24	32	78
B. OPERATED	7501	11.4	250	<1	1	4	15	33	51	99+
TOTAL 0-19 YRS	1716	4.3	40	<1	1	2	4	8	14	37
20-34	1946	7.0	126	<1	1	3	7	18	26	70
35-49	1777	9.0	153	<1	1	4	11	23	35	78
50-64	2454	11.0	196	1	1	6	14	28	42	83
65+	3913	17.2	292	2	2	12	23	44	63	99+
GRAND TOTAL	**11806**	**11.1**	**210**	**<1**	**1**	**6**	**15**	**29**	**45**	**95**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.6	58	1	2	5	8	15	23	39
20-34	50	7.1	47	2	2	6	8	12	16	43
35-49	55	7.6	49	2	2	6	9	11	20	39
50-64	21	9.1	33	2	4	8	12	16	23	26
65+	12	8.7	48	3	3	7	10	21	24	25
B. *Operated*										
0-19 YRS	12	7.0	134	1	1	3	5	22	39	42
20-34	23	8.7	112	<1	1	4	11	27	34	42
35-49	18	7.4	51	2	2	4	11	17	24	29
50-64	16	9.9	56	<1	1	10	16	25	74	99+
65+	10	17.7	138	1	3	17	22	35	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	8.4	39	1	2	7	11	16	23	26
20-34	121	9.3	57	2	3	7	12	19	23	38
35-49	177	12.2	150	2	3	10	14	22	34	73
50-64	168	11.0	113	3	4	8	14	22	26	67
65+	157	14.1	149	3	4	10	16	29	44	68
B. *Operated*										
0-19 YRS	24	17.9	362	1	4	13	20	27	70	87
20-34	74	15.2	146	2	3	11	22	32	45	88
35-49	93	16.9	141	3	3	15	23	34	44	79
50-64	107	17.4	192	4	5	13	22	43	50	99+
65+	115	22.5	445	3	4	15	30	53	73	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	7.7	48	2	2	6	9	13	20	39
B. *Operated*	79	9.5	99	<1	1	5	14	26	36	83
2. MULTIPLE DX										
A. *Not Operated*	669	11.6	119	2	3	9	14	23	30	64
B. *Operated*	413	18.3	257	3	4	14	23	43	53	99+
1. SINGLE DX	249	8.3	64	1	2	6	10	17	26	42
2. MULTIPLE DX	1082	14.1	182	2	3	10	18	29	44	90
A. NOT OPERATED	839	10.8	107	2	3	8	13	21	29	63
B. OPERATED	492	16.9	242	2	3	12	22	41	51	99+
TOTAL 0-19 YRS	114	10.0	135	1	2	7	13	21	24	72
20-34	268	10.5	93	2	2	8	13	23	31	49
35-49	343	12.5	136	2	3	10	16	26	36	65
50-64	312	13.0	141	3	4	10	16	26	42	95
65+	294	17.3	278	3	4	12	21	42	58	92
GRAND TOTAL	**1331**	**13.0**	**165**	**2**	**3**	**9**	**16**	**28**	**41**	**87**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	5.9	23	2	2	4	7	11	14	29
20-34	38	5.8	14	2	2	5	7	11	15	18
35-49	49	7.3	22	2	2	5	10	15	17	18
50-64	98	8.1	36	2	2	6	10	18	21	28
65+	108	9.2	49	2	3	8	11	17	28	38
B. *Operated*										
0-19 YRS	26	4.7	18	1	1	3	6	10	14	19
20-34	40	8.5	43	1	2	8	11	17	21	32
35-49	102	7.4	49	2	2	5	10	14	25	35
50-64	250	9.9	78	2	2	7	13	20	29	41
65+	161	12.5	106	2	3	10	16	28	33	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	8.3	60	1	1	6	10	22	27	32
20-34	43	8.5	58	2	2	6	11	17	24	40
35-49	98	7.2	32	1	2	6	9	16	20	67
50-64	335	10.2	85	2	3	8	12	20	28	54
65+	674	12.2	133	3	4	9	15	23	35	82
B. *Operated*										
0-19 YRS	19	11.4	65	1	2	10	17	24	26	27
20-34	45	13.2	205	1	2	7	16	33	47	60
35-49	117	13.7	238	2	2	9	15	31	39	87
50-64	390	12.6	143	2	3	9	16	27	35	65
65+	454	17.5	224	3	4	14	23	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	7.5	34	2	2	6	9	14	18	30
B. *Operated*	579	9.8	80	2	2	7	13	22	30	41
2. MULTIPLE DX										
A. *Not Operated*	1223	10.9	108	2	3	8	13	22	30	70
B. *Operated*	1025	14.9	196	2	3	11	19	32	43	87
1. SINGLE DX	979	8.9	62	2	2	6	11	18	26	37
2. MULTIPLE DX	2248	12.7	152	2	3	9	16	27	37	82
A. NOT OPERATED	1623	10.1	92	2	3	7	12	20	27	60
B. OPERATED	1604	13.1	160	2	3	10	17	29	37	78
TOTAL 0-19 YRS	225	7.0	41	1	2	5	8	16	23	30
20-34	166	9.1	90	2	2	6	11	18	32	56
35-49	366	9.4	110	2	2	6	11	18	29	76
50-64	1073	10.8	102	2	3	8	14	23	30	52
65+	1397	13.7	160	3	4	10	17	29	40	88
GRAND TOTAL	**3227**	**11.6**	**128**	**2**	**3**	**8**	**15**	**25**	**33**	**71**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	9	2.4	2	1	1	2	4	4	4	4
35-49	16	7.0	97	1	1	4	8	11	33	42
50-64	63	6.3	23	1	1	5	9	12	17	22
65+	147	7.0	55	1	2	6	8	11	17	35
B. *Operated*										
0-19 YRS	23	3.0	9	2	2	2	3	5	9	16
20-34	184	4.6	27	1	1	3	5	11	15	19
35-49	353	5.3	36	1	1	3	6	12	16	26
50-64	1044	9.5	55	2	2	8	14	18	22	36
65+	1323	14.4	54	2	4	14	18	23	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.5	23	1	1	3	5	11	17	18
35-49	59	7.0	23	1	1	7	10	13	17	22
50-64	310	6.6	42	1	1	5	8	12	15	33
65+	1363	11.1	136	2	3	8	13	22	32	84
B. *Operated*										
0-19 YRS	12	8.5	136	1	2	4	8	26	40	42
20-34	130	6.3	57	1	2	3	8	16	22	40
35-49	315	7.9	87	1	2	4	11	18	23	40
50-64	1454	12.3	103	2	2	11	17	24	31	53
65+	2939	18.1	122	3	6	17	23	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	6.6	47	1	1	6	8	11	16	35
B. *Operated*	2927	10.9	63	2	2	11	16	20	24	36
2. MULTIPLE DX										
A. *Not Operated*	1743	10.1	118	2	2	7	12	20	29	78
B. *Operated*	4850	15.4	125	2	3	15	20	28	36	68
1. SINGLE DX	3165	10.6	63	1	2	10	16	20	24	36
2. MULTIPLE DX	6593	14.0	129	2	3	12	19	26	34	68
A. NOT OPERATED	1981	9.7	111	1	2	7	11	19	26	73
B. OPERATED	7777	13.7	107	2	2	13	18	25	32	55
TOTAL 0-19 YRS	38	4.9	53	2	2	2	4	10	18	42
20-34	334	5.2	38	1	1	3	6	12	17	31
35-49	743	6.6	59	1	1	4	8	16	19	34
50-64	2871	10.6	81	2	2	9	15	21	26	45
65+	5772	15.4	118	2	4	14	19	27	34	69
GRAND TOTAL	**9758**	**12.9**	**110**	**2**	**2**	**12**	**17**	**24**	**31**	**59**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	9.5	56	2	3	7	14	20	27	31
20-34	67	6.3	22	2	2	5	7	12	14	28
35-49	59	6.6	20	2	2	5	9	14	16	20
50-64	49	8.7	82	1	1	6	10	25	28	38
65+	59	7.5	48	2	2	7	8	13	21	44
B. *Operated*										
0-19 YRS	59	12.8	74	2	3	11	21	25	28	30
20-34	173	7.1	69	1	2	4	8	16	26	42
35-49	152	5.5	25	1	2	4	7	12	15	23
50-64	174	6.8	44	2	2	4	9	16	19	35
65+	103	14.4	191	2	2	13	18	28	51	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	10.0	63	2	3	7	15	23	25	35
20-34	93	9.2	98	1	2	6	11	18	30	57
35-49	108	8.9	61	1	2	7	11	20	24	40
50-64	169	8.1	55	1	2	6	10	17	24	38
65+	371	11.4	125	2	3	8	14	24	34	70
B. *Operated*										
0-19 YRS	54	17.6	163	2	3	17	24	32	40	63
20-34	121	10.5	232	1	2	5	11	23	37	84
35-49	158	9.7	119	1	2	6	12	24	34	43
50-64	236	14.7	245	2	2	9	21	36	48	81
65+	250	23.3	365	3	4	17	34	52	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	7.9	46	2	2	6	10	17	23	31
B. *Operated*	661	8.3	82	1	2	5	11	19	25	50
2. MULTIPLE DX										
A. *Not Operated*	822	10.0	95	2	2	7	12	22	28	51
B. *Operated*	819	15.9	278	2	2	10	22	42	52	85
1. SINGLE DX	1000	8.2	70	2	2	5	10	18	24	41
2. MULTIPLE DX	1641	13.0	195	2	2	8	16	30	43	78
A. NOT OPERATED	1161	9.4	81	2	2	7	12	20	27	46
B. OPERATED	1480	12.5	205	2	2	7	16	31	43	78
TOTAL 0-19 YRS	299	11.8	89	2	3	9	18	25	29	39
20-34	454	8.3	114	1	2	5	9	17	28	60
35-49	477	7.8	67	1	2	5	9	17	24	42
50-64	628	10.3	137	2	2	6	12	25	35	58
65+	783	15.3	236	2	3	10	19	38	51	88
GRAND TOTAL	**2641**	**11.1**	**153**	**2**	**2**	**7**	**14**	**26**	**37**	**67**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	4	<1	<1	2	3	6	8	9
20-34	26	3.3	4	1	1	3	4	7	8	8
35-49	15	4.3	10	<1	<1	4	6	9	10	11
50-64	7	3.4	19	<1	<1	1	4	11	13	13
65+	6	5.0	13	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	928	2.7	3	<1	1	2	3	5	6	9
20-34	1853	2.9	4	<1	1	2	4	5	7	12
35-49	903	3.0	5	1	1	2	4	6	7	11
50-64	408	3.1	7	1	1	2	4	6	8	11
65+	81	3.1	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	18	<1	<1	1	2	4	12	21
20-34	56	2.8	10	<1	<1	1	3	7	10	15
35-49	31	2.3	5	<1	<1	1	3	5	5	11
50-64	33	3.4	12	<1	<1	2	4	8	9	16
65+	28	6.5	55	<1	1	5	8	12	15	40
B. *Operated*										
0-19 YRS	496	3.0	8	1	1	2	4	5	7	11
20-34	1305	3.3	9	1	1	2	4	6	8	15
35-49	954	3.4	11	1	1	3	4	6	9	14
50-64	811	3.6	13	1	1	3	4	7	9	24
65+	310	4.7	20	1	2	3	6	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.5	8	<1	<1	3	4	8	9	13
B. *Operated*	4173	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	173	3.4	19	<1	<1	2	4	8	11	20
B. *Operated*	3876	3.5	11	1	1	3	4	6	9	16
1. SINGLE DX	4246	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	4049	3.5	12	1	1	3	4	6	9	16
A. NOT OPERATED	246	3.4	16	<1	<1	2	4	8	10	16
B. OPERATED	8049	3.2	8	1	1	2	4	6	8	13
TOTAL 0-19 YRS	1468	2.8	5	1	1	2	3	5	6	10
20-34	3240	3.1	6	<1	1	2	4	6	7	13
35-49	1903	3.2	8	1	1	2	4	6	8	13
50-64	1259	3.4	11	1	1	2	4	5	9	16
65+	425	4.6	19	1	1	3	5	10	12	23
GRAND TOTAL	**8295**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.6	6	1	1	3	5	6	8	12
20-34	50	4.6	17	<1	<1	3	6	11	14	18
35-49	45	4.7	8	1	1	5	7	8	9	13
50-64	35	5.0	15	1	1	4	7	10	12	19
65+	57	6.8	27	1	2	6	9	13	18	94
B. *Operated*										
0-19 YRS	950	3.3	6	1	1	3	4	6	7	10
20-34	1375	3.5	5	1	1	3	4	6	7	11
35-49	459	3.6	9	1	1	3	4	7	8	14
50-64	188	4.4	21	<1	1	3	5	9	14	28
65+	94	8.0	112	1	1	4	11	19	23	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.5	26	<1	1	3	5	10	14	22
20-34	101	4.5	30	<1	<1	3	6	9	12	33
35-49	104	4.7	16	1	1	3	6	10	11	21
50-64	150	6.9	47	1	1	5	8	16	23	33
65+	326	10.8	146	2	2	7	13	22	31	84
B. *Operated*										
0-19 YRS	480	5.4	42	1	2	4	5	9	18	40
20-34	621	4.4	15	1	2	3	5	9	12	18
35-49	403	5.1	30	1	2	3	6	10	15	21
50-64	285	5.9	43	1	2	4	7	13	20	35
65+	225	13.0	147	2	2	9	20	31	36	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	4.6	14	1	1	4	6	9	12	19
B. *Operated*	3066	3.6	10	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	842	7.4	83	1	1	5	9	16	23	52
B. *Operated*	2014	6.0	49	1	2	4	6	13	20	37
1. SINGLE DX	3385	3.7	11	1	1	3	4	6	8	16
2. MULTIPLE DX	2856	6.4	60	1	1	4	7	14	20	41
A. NOT OPERATED	1161	6.6	66	1	1	4	8	14	19	49
B. OPERATED	5080	4.5	27	1	1	3	5	8	13	30
TOTAL 0-19 YRS	1723	4.0	18	1	1	3	5	7	9	26
20-34	2147	3.8	9	1	1	3	5	6	9	16
35-49	1011	4.3	19	1	1	3	5	8	11	20
50-64	658	5.7	37	1	1	4	7	12	18	31
65+	702	10.8	136	2	2	7	14	25	33	84
GRAND TOTAL	**6241**	**4.9**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	30	3	3	5	10	15	15	15
20-34	2	10.0	32	6	6	10	14	14	14	14
35-49	3	8.0	109	<1	<1	3	16	20	20	20
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	18.0	128	10	10	18	26	26	26	26
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	5	8.0	23	2	2	8	12	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	19.5	613	2	2	19	37	37	37	37
20-34	6	4.8	11	1	1	5	7	9	9	9
35-49	13	6.7	4	3	4	7	8	9	9	9
50-64	10	11.6	123	2	2	7	16	31	32	32
65+	14	9.8	32	3	4	9	11	18	23	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	11.3	35	4	4	12	16	17	17	17
35-49	5	23.6	403	9	9	9	44	48	48	48
50-64	7	23.4	291	2	3	19	39	44	45	45
65+	8	26.3	858	1	2	18	30	77	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.0	44	<1	1	6	14	18	20	20
B. *Operated*	12	8.7	52	1	2	7	12	18	25	26
2. MULTIPLE DX										
A. *Not Operated*	45	9.1	61	2	3	8	10	17	30	37
B. *Operated*	25	21.6	437	2	2	16	36	45	59	93
1. SINGLE DX	21	8.4	46	1	1	6	14	17	23	26
2. MULTIPLE DX	70	13.5	228	2	3	9	16	36	43	84
A. NOT OPERATED	54	8.9	58	1	3	7	10	17	29	37
B. OPERATED	37	17.4	345	1	2	11	20	43	47	93
TOTAL 0-19 YRS	9	8.7	130	2	2	4	9	28	37	37
20-34	14	9.3	47	1	1	8	14	18	24	26
35-49	23	10.7	139	1	2	8	9	25	45	48
50-64	22	14.5	181	2	2	10	19	37	43	45
65+	23	15.2	361	2	3	10	17	28	58	93
GRAND TOTAL	**91**	**12.3**	**190**	**1**	**2**	**8**	**15**	**31**	**41**	**75**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	25	5.7	19	1	2	4	8	12	14	16
35-49	90	5.7	14	2	2	5	7	11	13	18
50-64	137	5.9	20	1	1	5	9	12	13	22
65+	176	8.8	48	2	3	7	12	17	21	31
B. *Operated*										
0-19 YRS	3	7.0	16	3	3	7	10	11	11	11
20-34	33	6.1	27	2	2	4	8	12	16	25
35-49	179	6.8	56	1	2	5	9	13	16	33
50-64	228	7.7	46	1	2	6	10	17	23	30
65+	128	8.6	45	2	2	8	11	17	24	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	3	3	7	54	99+	99+	99+
20-34	27	6.2	11	2	3	5	8	12	13	13
35-49	216	8.0	33	2	2	6	10	17	20	28
50-64	651	8.0	31	2	3	7	10	15	19	28
65+	1542	11.0	86	3	4	8	14	22	27	52
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	30	12.4	207	2	2	7	16	26	28	75
35-49	161	8.5	50	2	2	8	11	17	20	31
50-64	427	10.2	89	2	2	9	13	20	25	66
65+	509	15.7	174	2	3	13	20	32	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	7.1	32	1	2	6	9	13	17	25
B. *Operated*	571	7.5	40	1	2	6	10	15	22	33
2. MULTIPLE DX										
A. *Not Operated*	2439	9.9	68	2	3	8	12	19	25	46
B. *Operated*	1128	12.5	133	2	2	10	16	25	36	92
1. SINGLE DX	1000	7.3	41	1	2	6	9	14	19	30
2. MULTIPLE DX	3567	10.7	90	2	3	8	13	21	28	60
A. NOT OPERATED	2868	9.5	63	2	3	7	12	18	24	4[illegible]
B. OPERATED	1699	10.8	110	2	2	8	14	22	30	69
TOTAL 0-19 YRS	8	6.5	7	3	3	7	9	64	99+	99+
20-34	115	7.7	74	2	2	5	9	15	24	45
35-49	646	7.5	42	2	2	6	9	15	19	29
50-64	1443	8.4	51	2	2	7	11	16	21	37
65+	2355	11.7	104	3	3	9	15	23	32	68
GRAND TOTAL	4567	10.0	81	2	2	8	13	20	28	52

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	9.5	102	1	2	7	12	16	23	54
20-34	818	7.6	24	1	2	7	10	14	17	23
35-49	1228	8.5	30	2	2	8	11	16	18	27
50-64	693	9.5	35	2	3	9	12	16	21	29
65+	197	9.4	34	2	3	9	13	17	20	27
B. *Operated*										
0-19 YRS	111	6.8	31	1	2	6	8	16	20	24
20-34	2522	7.2	34	1	2	6	9	15	19	27
35-49	3501	7.7	40	1	2	6	10	16	20	31
50-64	1582	8.6	46	1	2	7	12	17	22	31
65+	290	10.4	63	2	2	9	14	22	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.4	114	<1	1	7	12	14	37	65
20-34	305	8.7	42	1	2	7	11	17	22	35
35-49	851	10.0	51	2	3	9	13	18	23	37
50-64	1003	10.3	46	2	3	9	13	18	23	33
65+	915	12.0	61	3	4	10	15	21	27	39
B. *Operated*										
0-19 YRS	25	10.3	70	2	3	7	14	23	29	40
20-34	741	10.4	70	2	2	9	13	20	26	42
35-49	1484	11.4	85	2	2	9	15	23	29	48
50-64	1331	12.6	102	2	3	10	16	25	31	55
65+	689	16.0	130	3	4	13	21	32	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2985	8.6	32	2	2	8	11	16	18	27
B. *Operated*	8006	7.8	40	1	2	6	10	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	3169	10.5	53	2	3	9	14	19	24	36
B. *Operated*	4270	12.3	98	2	3	10	16	25	31	51
1. SINGLE DX	10991	8.0	38	1	2	7	11	16	20	29
2. MULTIPLE DX	7439	11.5	80	2	3	9	15	22	29	46
A. NOT OPERATED	6154	9.6	44	2	3	8	13	17	21	32
B. OPERATED	12276	9.4	65	1	2	7	12	19	25	39
TOTAL 0-19 YRS	200	8.1	61	1	2	6	10	17	21	47
20-34	4466	7.9	40	1	2	7	10	15	20	30
35-49	7064	8.9	51	1	2	7	11	17	22	35
50-64	4609	10.3	63	2	2	9	13	20	25	38
65+	2091	12.9	87	2	4	11	17	25	31	48
GRAND TOTAL	18430	9.4	58	2	2	8	12	19	24	37

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.2	18	2	2	5	8	12	16	17
20-34	150	7.5	22	1	2	7	10	14	16	19
35-49	256	8.4	33	2	2	7	11	15	20	26
50-64	144	8.4	31	2	2	7	10	15	18	31
65+	46	11.0	83	2	2	9	14	19	34	44
B. *Operated*										
0-19 YRS	10	9.7	54	1	2	8	13	22	23	23
20-34	248	7.4	38	2	2	6	10	17	19	27
35-49	582	7.5	37	1	2	6	9	15	20	30
50-64	274	7.8	32	1	2	7	10	15	19	29
65+	34	12.2	70	2	3	10	16	24	29	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	37	3	3	8	16	17	17	17
20-34	87	9.1	72	2	3	7	10	14	23	52
35-49	245	9.3	45	2	2	8	12	16	20	31
50-64	286	9.3	48	2	3	8	13	15	18	31
65+	241	11.3	70	3	4	9	14	20	28	53
B. *Operated*										
0-19 YRS	5	8.4	28	3	3	9	13	14	14	14
20-34	114	9.9	103	1	2	7	12	20	24	61
35-49	361	9.5	59	2	3	8	12	20	25	35
50-64	356	11.4	114	2	3	9	14	21	31	63
65+	122	14.5	207	2	2	11	17	33	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	8.3	34	2	2	7	10	15	19	31
B. *Operated*	1148	7.7	38	1	2	6	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	865	9.8	56	2	3	8	13	17	22	42
B. *Operated*	958	10.9	106	2	2	8	13	21	29	58
1. SINGLE DX	1756	7.9	37	2	2	7	10	16	19	30
2. MULTIPLE DX	1823	10.4	82	2	3	8	13	19	26	54
A. NOT OPERATED	1473	9.2	47	2	3	8	12	16	20	38
B. OPERATED	2106	9.2	71	2	2	7	11	18	23	42
TOTAL 0-19 YRS	33	8.2	33	2	3	7	11	17	20	23
20-34	599	8.1	52	2	2	7	10	16	20	40
35-49	1444	8.5	44	2	2	7	11	16	21	33
50-64	1060	9.5	66	2	3	8	12	17	22	45
65+	443	12.2	110	2	3	10	15	24	33	54
GRAND TOTAL	**3579**	**9.2**	**61**	**2**	**2**	**8**	**12**	**17**	**22**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.9	17	1	2	7	11	12	12	12
20-34	63	7.7	15	3	3	7	9	14	15	23
35-49	78	8.0	23	2	3	7	10	14	18	26
50-64	51	7.0	13	3	3	6	8	13	15	16
65+	10	9.0	19	3	3	10	11	15	16	16
B. *Operated*										
0-19 YRS										
20-34	75	6.0	78	1	2	4	6	12	14	60
35-49	78	5.7	27	1	1	4	8	13	17	26
50-64	23	5.7	25	2	2	4	7	10	16	25
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.0	43	<1	2	6	7	13	25	28
20-34	95	8.2	25	2	3	8	11	13	16	30
35-49	101	8.2	27	2	3	7	9	14	16	31
50-64	93	9.4	35	3	4	9	12	17	22	30
65+	67	9.2	31	3	4	8	11	19	22	26
B. *Operated*										
0-19 YRS	4	15.5	94	10	10	11	21	30	30	30
20-34	42	9.1	92	1	2	5	13	24	31	37
35-49	64	10.2	70	2	2	8	15	22	25	40
50-64	32	12.4	150	2	2	9	17	22	30	65
65+	13	18.3	131	4	5	17	23	31	46	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	7.7	18	3	3	7	10	14	15	24
B. *Operated*	177	5.9	48	1	2	4	7	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	370	8.6	30	2	3	8	11	15	20	28
B. *Operated*	155	11.2	102	2	2	8	16	23	29	49
1. SINGLE DX	390	6.8	32	1	2	6	9	13	15	26
2. MULTIPLE DX	525	9.4	52	2	3	8	12	19	23	35
A. NOT OPERATED	583	8.3	26	2	3	7	10	14	18	28
B. OPERATED	332	8.3	80	1	2	5	11	19	25	43
TOTAL 0-19 YRS	29	8.1	45	1	2	7	11	12	28	30
20-34	275	7.6	48	1	2	6	10	14	18	35
35-49	321	7.9	36	2	2	7	10	15	20	28
50-64	199	8.9	50	2	3	7	11	16	22	31
65+	91	10.5	52	3	4	9	13	20	25	40
GRAND TOTAL	**915**	**8.3**	**45**	**2**	**2**	**7**	**10**	**15**	**21**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	8.2	29	2	2	10	12	14	14	14
20-34	121	6.6	14	2	2	6	9	12	14	16
35-49	194	7.4	18	2	2	7	10	13	15	21
50-64	116	8.8	33	1	2	8	12	16	18	29
65+	73	9.5	50	2	2	8	13	17	21	41
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	61	5.3	24	1	1	3	7	12	16	24
35-49	92	7.1	81	1	1	3	9	17	27	47
50-64	32	7.9	33	1	2	6	11	17	19	20
65+	8	7.6	30	1	1	7	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	12	2	2	7	10	11	11	11
20-34	115	8.8	26	2	4	8	11	15	18	28
35-49	192	9.1	29	2	3	8	11	16	19	28
50-64	241	9.4	40	2	3	9	12	16	20	32
65+	339	11.7	84	3	4	10	15	21	26	56
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	39	7.6	51	1	2	5	11	20	24	26
35-49	49	9.2	51	2	2	9	12	18	22	37
50-64	52	11.2	79	2	3	8	17	22	31	39
65+	52	18.8	182	3	4	16	26	41	53	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	7.8	26	2	2	7	10	14	16	24
B. *Operated*	197	6.6	52	1	1	3	9	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	894	10.1	54	2	4	9	12	18	22	36
B. *Operated*	194	12.0	110	2	2	9	16	26	33	56
1. SINGLE DX	706	7.5	34	1	2	6	10	14	17	27
2. MULTIPLE DX	1088	10.4	64	2	3	9	13	19	25	49
A. NOT OPERATED	1403	9.3	45	2	3	8	12	16	20	35
B. OPERATED	391	9.3	88	1	2	6	14	20	29	52
TOTAL 0-19 YRS	18	6.7	17	2	2	7	10	12	13	14
20-34	336	7.2	26	2	2	6	9	14	16	25
35-49	527	8.1	37	1	2	7	10	15	18	29
50-64	441	9.3	42	2	3	8	12	17	20	32
65+	472	12.1	94	3	4	10	15	22	30	57
GRAND TOTAL	**1794**	**9.3**	**54**	**2**	**2**	**8**	**12**	**17**	**22**	**37**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	4.7	14	<1	1	4	6	10	13	16
20-34	875	7.0	27	1	2	6	9	14	17	27
35-49	1218	7.6	32	1	2	7	10	15	18	26
50-64	677	7.7	30	1	2	7	10	14	17	25
65+	278	7.7	46	1	2	6	10	16	18	33
B. *Operated*										
0-19 YRS	58	5.2	44	1	2	3	6	11	14	38
20-34	719	4.7	21	1	1	3	6	11	14	23
35-49	938	6.0	37	1	2	4	8	13	19	28
50-64	567	7.0	41	1	2	5	10	15	19	32
65+	223	9.9	63	1	2	9	14	19	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	4.7	17	1	1	3	7	10	12	22
20-34	783	7.8	30	1	2	7	10	14	19	25
35-49	1403	8.6	43	2	2	7	11	16	20	33
50-64	1496	9.1	41	2	3	8	12	17	20	33
65+	1502	10.8	73	2	3	9	14	20	26	46
B. *Operated*										
0-19 YRS	32	5.1	7	1	2	5	7	9	10	10
20-34	492	7.7	55	1	2	5	10	16	21	37
35-49	858	9.7	87	1	2	7	13	21	27	47
50-64	870	10.5	92	2	2	8	14	22	27	44
65+	821	14.9	139	2	3	12	20	29	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3182	7.4	31	1	2	6	10	14	17	26
B. *Operated*	2505	6.2	38	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5277	9.2	50	2	2	8	12	17	21	33
B. *Operated*	3073	11.0	103	2	2	9	15	24	30	53
1. SINGLE DX	5687	6.8	34	1	2	5	9	14	18	29
2. MULTIPLE DX	8350	9.8	70	2	2	8	13	19	25	42
A. NOT OPERATED	8459	8.5	43	1	2	7	11	16	20	31
B. OPERATED	5578	8.8	79	1	2	6	12	20	26	44
TOTAL 0-19 YRS	317	4.8	20	1	1	4	6	10	13	23
20-34	2869	6.8	32	1	2	5	9	14	18	27
35-49	4417	8.0	49	1	2	6	11	16	21	35
50-64	3610	8.9	53	1	2	7	12	17	22	35
65+	2824	11.6	94	2	3	9	15	23	29	57
GRAND TOTAL	**14037**	**8.6**	**58**	**1**	**2**	**7**	**11**	**17**	**22**	**37**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	4.1	6	1	2	4	5	8	9	12
20-34	96	4.2	6	1	1	4	6	8	9	11
35-49	107	4.7	15	1	2	3	6	10	12	21
50-64	102	4.4	12	1	1	4	5	9	12	17
65+	38	5.4	17	1	1	4	7	11	15	17
B. *Operated*										
0-19 YRS	334	2.6	5	<1	<1	2	3	5	7	10
20-34	750	2.7	5	<1	<1	2	3	5	6	12
35-49	944	2.9	5	<1	<1	2	4	5	6	12
50-64	902	2.7	4	<1	<1	2	3	5	7	11
65+	282	3.6	25	<1	<1	2	4	6	9	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.8	12	<1	1	4	7	10	12	15
20-34	98	6.0	45	<1	1	5	7	11	14	43
35-49	131	5.6	29	<1	1	4	7	11	16	29
50-64	236	6.4	24	1	2	5	9	12	15	28
65+	300	8.4	57	2	3	7	10	17	23	36
B. *Operated*										
0-19 YRS	110	3.6	15	<1	1	3	4	7	11	23
20-34	383	3.8	16	1	1	3	4	7	10	22
35-49	597	4.4	26	1	1	3	5	8	13	22
50-64	746	4.6	29	1	2	3	5	9	12	24
65+	372	6.0	54	1	2	3	7	13	20	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	4.4	10	1	1	4	6	8	11	15
B. *Operated*	3212	2.8	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	842	6.8	39	1	2	5	8	13	17	31
B *Operated*	2208	4.6	30	1	1	3	5	9	13	28
1. SINGLE DX	3762	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX	3050	5.2	33	1	1	3	6	11	15	29
A. NOT OPERATED	1392	5.8	29	1	2	4	7	11	14	29
B. OPERATED	5420	3.5	17	<1	1	3	4	6	9	20
TOTAL 0-19 YRS	728	3.4	8	<1	1	3	4	7	9	14
20-34	1327	3.4	12	<1	1	2	4	6	9	16
35-49	1779	3.7	15	<1	1	3	4	7	10	19
50-64	1986	3.9	18	<1	1	3	4	8	11	18
65+	992	6.0	48	1	1	4	7	13	19	36
GRAND TOTAL	**6812**	**4.0**	**20**	**<1**	**1**	**3**	**4**	**8**	**11**	**23**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	2.3	9	<1	<1	1	2	8	9	9
35-49										
50-64	5	3.4	8	1	1	2	6	7	7	7
65+	3	3.7	21	<1	<1	1	7	9	9	9
B. *Operated*										
0-19 YRS	302	3.3	2	1	2	3	4	5	6	8
20-34	644	3.4	3	1	2	3	4	5	6	8
35-49	714	3.6	3	1	2	3	4	6	7	9
50-64	739	3.8	4	1	2	4	5	6	8	10
65+	406	4.0	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.1		<1	<1	1	1	2	2	2
20-34	30	1.6	1	<1	<1	1	2	3	4	5
35-49	29	1.9	5	<1	<1	1	2	4	7	12
50-64	55	2.3	6	<1	<1	1	2	7	8	11
65+	26	5.3	31	<1	1	3	6	13	16	25
B. *Operated*										
0-19 YRS	257	3.9	4	1	2	4	5	6	8	10
20-34	902	3.7	4	1	2	3	4	6	7	11
35-49	1114	4.1	7	2	2	4	5	6	7	15
50-64	2000	4.6	9	2	2	4	5	7	9	15
65+	1251	5.2	15	2	2	4	6	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.6	8	<1	<1	1	2	8	9	9
B. *Operated*	2805	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	153	2.5	10	<1	<1	1	2	6	9	14
B. *Operated*	5524	4.5	9	2	2	4	5	7	9	16
1. SINGLE DX	2824	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX	5677	4.4	9	1	2	4	5	7	9	16
A. NOT OPERATED	172	2.5	10	<1	<1	1	2	6	9	14
B. OPERATED	8329	4.2	7	1	2	4	5	7	8	14
TOTAL 0-19 YRS	576	3.5	3	1	2	3	4	6	7	10
20-34	1583	3.5	3	1	2	3	4	5	6	10
35-49	1857	3.9	6	1	2	4	5	6	7	11
50-64	2799	4.3	8	1	2	4	5	7	8	14
65+	1686	4.9	13	2	2	4	6	8	10	19
GRAND TOTAL	**8501**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	9	1.8	4	<1	<1	<1	1	5	7	7
35-49	7	2.7	5	1	1	2	4	6	7	7
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	442	1.7	1	<1	<1	2	2	3	3	5
20-34	841	1.8	1	<1	<1	2	2	3	3	6
35-49	492	1.9	1	<1	<1	2	2	3	4	6
50-64	345	2.4	3	<1	<1	2	3	4	5	9
65+	116	2.8	4	<1	<1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.0		<1	<1	<1	1	1	1	1
20-34	21	3.3	22	<1	<1	1	4	9	14	20
35-49	13	4.2	12	<1	<1	4	7	10	10	10
50-64	17	4.4	12	<1	1	4	7	9	11	12
65+	12	7.7	13	2	3	7	11	12	13	13
B. *Operated*										
0-19 YRS	54	2.0	2	<1	<1	2	2	3	3	11
20-34	137	2.5	4	<1	1	2	3	4	5	12
35-49	181	3.1	11	<1	1	2	3	6	8	12
50-64	234	3.3	8	<1	1	3	4	6	8	16
65+	128	4.8	37	1	1	3	5	8	11	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.1	3	<1	<1	1	2	5	7	7
B. *Operated*	2236	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	82	3.8	15	<1	<1	1	6	10	12	18
B. *Operated*	734	3.3	13	<1	1	2	4	6	8	17
1. SINGLE DX	2265	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	816	3.3	13	<1	<1	2	4	7	9	18
A. NOT OPERATED	111	3.3	13	<1	<1	1	5	9	10	16
B. OPERATED	2970	2.3	5	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	519	1.7	1	<1	<1	2	2	3	3	5
20-34	1008	1.9	2	<1	<1	2	2	3	4	7
35-49	693	2.2	4	<1	<1	2	3	4	5	10
50-64	603	2.8	5	<1	<1	2	3	5	7	14
65+	258	4.0	22	<1	1	3	5	8	10	23
GRAND TOTAL	**3081**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	15.3	102	1	2	14	24	29	30	40
20-34	30	14.1	106	3	5	11	18	30	40	40
35-49	18	13.4	112	1	2	11	23	28	32	34
50-64	31	14.6	85	3	5	11	22	28	32	36
65+	25	19.0	145	4	6	20	26	30	41	57
B. *Operated*										
0-19 YRS	94	19.2	174	3	4	18	28	38	42	54
20-34	69	14.2	167	1	2	9	20	30	45	58
35-49	72	16.9	258	2	3	12	25	41	59	94
50-64	93	14.6	190	2	2	10	21	34	45	90
65+	65	18.4	198	3	3	15	29	40	45	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	19.7	119	3	5	20	26	34	42	46
20-34	54	15.3	118	2	4	14	19	33	38	47
35-49	60	15.8	139	2	3	14	22	33	40	44
50-64	126	18.1	172	3	5	14	28	39	41	53
65+	174	20.1	237	4	5	15	29	40	54	95
B. *Operated*										
0-19 YRS	81	24.1	223	2	4	23	32	45	49	69
20-34	129	24.7	336	3	6	21	38	51	72	99+
35-49	155	26.0	421	3	5	20	38	65	78	99+
50-64	337	23.6	312	2	5	20	32	51	67	99+
65+	404	26.6	378	5	8	21	36	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	15.3	106	2	3	14	23	29	34	42
B. *Operated*	393	16.7	198	2	3	12	25	38	46	77
2. MULTIPLE DX										
A. *Not Operated*	487	18.4	179	3	5	15	26	37	44	71
B. *Operated*	1106	25.2	348	3	6	21	35	55	72	99+
1. SINGLE DX	584	16.2	168	2	3	13	24	35	43	61
2. MULTIPLE DX	1593	23.1	306	3	5	19	32	49	63	99+
A. NOT OPERATED	678	17.6	161	2	4	14	25	35	41	60
B. OPERATED	1499	22.9	323	3	4	19	32	50	64	99+
TOTAL 0-19 YRS	335	19.5	163	2	4	18	28	37	43	52
20-34	282	19.2	252	2	4	15	28	46	51	99+
35-49	305	21.1	332	2	4	15	32	47	66	99+
50-64	587	20.5	263	2	4	17	29	44	55	99+
65+	668	23.8	326	4	6	19	32	54	65	99+
GRAND TOTAL	**2177**	**21.3**	**278**	**3**	**4**	**17**	**30**	**45**	**59**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	5.1	37	1	1	2	7	13	18	31
20-34	101	3.3	5	<1	1	3	5	6	7	11
35-49	130	4.1	11	1	1	3	4	7	9	18
50-64	124	4.4	13	1	1	3	5	9	13	18
65+	178	9.7	67	2	2	8	13	19	26	42
B. *Operated*										
0-19 YRS	858	4.9	23	1	1	3	6	10	14	23
20-34	799	4.5	16	1	2	3	5	8	11	21
35-49	360	5.3	26	1	2	4	7	11	13	27
50-64	257	7.7	63	1	2	5	10	16	21	36
65+	191	11.5	60	2	3	10	16	23	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	7.5	88	<1	<1	4	10	21	27	42
20-34	130	4.6	27	1	1	3	5	8	14	33
35-49	320	4.9	16	1	2	4	6	9	12	23
50-64	606	8.5	48	2	2	6	11	18	23	36
65+	2418	12.8	111	3	4	10	16	25	33	65
B. *Operated*										
0-19 YRS	346	6.0	60	1	1	4	6	12	19	49
20-34	460	7.0	74	1	2	4	8	15	20	46
35-49	349	9.4	134	2	2	5	11	23	34	71
50-64	560	13.2	140	2	2	10	18	28	37	63
65+	960	19.6	231	2	5	16	25	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	5.7	37	1	1	4	7	13	17	34
B. *Operated*	2465	5.6	32	1	2	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3557	10.9	97	2	3	8	14	22	29	55
B. *Operated*	2675	13.0	180	2	2	9	18	30	42	82
1. SINGLE DX	3119	5.7	33	1	2	4	7	12	16	29
2. MULTIPLE DX	6232	11.8	133	2	2	8	16	25	35	69
A. NOT OPERATED	4211	10.1	91	1	2	7	13	21	28	50
B. OPERATED	5140	9.5	122	1	2	5	12	23	31	63
TOTAL 0-19 YRS	1408	5.3	37	1	1	3	6	11	17	34
20-34	1490	5.2	36	1	2	4	6	10	15	29
35-49	1159	6.3	58	1	2	4	7	13	19	43
50-64	1547	9.7	89	2	2	7	13	21	28	52
65+	3747	14.3	147	3	4	11	18	28	40	81
GRAND TOTAL	**9351**	**9.8**	**108**	**1**	**2**	**6**	**13**	**22**	**30**	**58**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	3	12.0	175	2	2	7	22	27	27	27
65+	2	14.0	288	2	2	14	26	26	26	26
B. *Operated*										
0-19 YRS	197	4.7	30	1	2	4	5	8	10	28
20-34	136	3.3	7	1	1	2	4	7	9	15
35-49	88	4.5	107	1	1	3	4	7	10	66
50-64	53	4.2	11	1	1	3	6	10	12	13
65+	22	8.8	52	1	2	7	12	17	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.0	55	<1	<1	2	5	17	25	30
20-34	12	2.5	4	<1	<1	1	4	6	7	7
35-49	6	14.2	268	1	1	7	32	36	37	37
50-64	10	9.4	168	1	1	4	9	32	41	41
65+	25	21.5	532	3	4	11	32	50	79	91
B. *Operated*										
0-19 YRS	316	7.4	81	2	2	5	8	13	19	53
20-34	186	4.8	29	1	2	3	5	9	13	30
35-49	133	4.6	16	1	1	3	5	10	15	20
50-64	133	6.7	46	1	2	5	8	14	20	36
65+	78	8.8	92	1	2	5	11	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.8	105	2	2	4	12	27	27	27
B. *Operated*	496	4.4	37	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	104	9.7	231	<1	1	4	10	30	38	82
B. *Operated*	846	6.4	56	1	2	4	7	13	18	45
1. SINGLE DX	505	4.5	39	1	1	3	5	8	11	26
2. MULTIPLE DX	950	6.7	76	1	1	4	8	14	21	48
A. NOT OPERATED	113	9.6	220	<1	1	4	10	28	37	81
B. OPERATED	1342	5.7	50	1	2	4	6	11	15	34
TOTAL 0-19 YRS	567	6.2	62	1	2	4	7	11	16	44
20-34	335	4.1	20	1	1	3	5	8	11	21
35-49	227	4.8	59	1	1	3	5	9	15	33
50-64	199	6.3	45	1	1	4	8	13	19	38
65+	127	11.4	194	1	2	7	15	25	38	79
GRAND TOTAL	**1455**	**6.0**	**64**	**1**	**1**	**4**	**7**	**12**	**17**	**45**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	6.5	24	<1	1	6	9	15	17	18
35-49	33	10.1	41	3	3	9	14	20	21	25
50-64	17	8.3	24	2	3	9	11	13	18	21
65+	13	6.1	17	<1	<1	4	9	12	14	14
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	9.9	110	1	1	6	14	24	36	39
35-49	30	4.0	11	1	1	3	5	10	11	12
50-64	15	6.2	31	2	2	6	8	9	20	24
65+	12	5.8	39	1	1	4	7	13	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	5.2	9	1	1	5	8	9	10	10
35-49	44	9.1	59	2	2	6	12	20	24	39
50-64	58	9.1	35	2	2	8	11	18	22	24
65+	85	10.1	80	2	3	8	11	19	30	52
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	7.6	35	2	2	7	11	15	21	22
35-49	25	12.8	61	2	5	12	17	20	31	32
50-64	30	12.2	95	2	3	9	19	22	34	44
65+	22	13.0	82	3	4	12	19	27	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	8.2	31	1	2	6	12	17	20	24
B. *Operated*	73	5.8	41	1	1	3	8	12	21	36
2. MULTIPLE DX										
A. *Not Operated*	201	9.2	58	2	2	7	11	19	23	39
B. *Operated*	90	11.9	74	2	3	9	16	22	31	40
1. SINGLE DX	160	7.1	37	1	2	5	10	15	20	25
2. MULTIPLE DX	291	10.1	65	2	2	8	13	20	25	39
A. NOT OPERATED	288	8.9	50	2	2	7	11	18	21	36
B. OPERATED	163	9.2	68	1	2	7	13	21	25	38
TOTAL 0-19 YRS	4	4.5	15	1	1	3	7	10	10	10
20-34	63	7.2	43	1	1	6	9	15	19	37
35-49	132	8.9	52	2	2	7	12	19	21	33
50-64	120	9.4	50	2	2	8	12	20	22	37
65+	132	9.8	74	2	3	8	12	20	30	43
GRAND TOTAL	**451**	**9.0**	**57**	**2**	**2**	**7**	**12**	**19**	**23**	**39**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	2.3	7	1	1	1	2	6	9	13
20-34	313	5.1	9	1	1	5	7	9	10	15
35-49	254	4.5	9	1	1	4	6	9	11	13
50-64	173	5.5	18	1	2	5	7	9	14	23
65+	91	5.8	16	1	2	5	8	10	12	23
B. *Operated*										
0-19 YRS	554	5.4	30	<1	1	3	9	11	15	29
20-34	656	3.5	14	<1	1	2	4	8	11	21
35-49	449	3.7	14	<1	1	2	4	8	12	23
50-64	518	3.2	10	1	1	2	3	6	8	17
65+	313	3.0	9	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.6	27	<1	1	2	6	11	16	23
20-34	365	5.5	26	1	1	5	7	10	13	25
35-49	421	5.8	18	1	2	5	8	11	14	21
50-64	506	5.9	20	1	2	5	8	11	14	21
65+	626	8.5	61	2	2	7	10	16	21	49
B. *Operated*										
0-19 YRS	564	6.8	84	1	1	3	8	14	23	52
20-34	744	4.6	39	1	1	3	5	5	16	33
35-49	608	5.6	58	1	2	4	6	11	15	41
50-64	648	6.5	77	1	2	4	7	14	21	49
65+	560	9.4	123	2	2	5	12	23	34	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1086	4.4	12	1	1	4	6	9	11	16
B. *Operated*	2490	3.9	17	<1	1	2	4	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	2133	6.4	35	1	1	5	8	12	16	28
B. *Operated*	3124	6.5	76	1	2	3	7	14	23	51
1. SINGLE DX	3576	4.0	16	1	1	3	5	9	11	19
2. MULTIPLE DX	5257	6.4	60	1	2	4	8	13	20	44
A. NOT OPERATED	3219	5.8	28	1	1	5	8	11	14	25
B. OPERATED	5614	5.3	52	1	1	3	6	11	17	39
TOTAL 0-19 YRS	1588	5.3	47	1	1	3	7	12	16	34
20-34	2078	4.5	25	1	1	3	6	9	12	26
35-49	1732	5.0	31	1	1	3	6	10	13	24
50-64	1845	5.4	39	1	2	3	6	11	15	32
65+	1590	7.6	76	1	2	5	9	17	24	56
GRAND TOTAL	**8833**	**5.5**	**43**	**1**	**1**	**3**	**7**	**11**	**16**	**34**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.4	3	<1	<1	2	3	5	6	6
35-49	7	4.0	14	<1	<1	3	4	10	12	12
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	5.0	13	2	2	4	8	9	9	9
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	12	1	1	3	3	9	12	12
20-34	36	7.3	26	1	2	7	10	14	17	24
35-49	31	6.0	14	3	3	4	7	11	15	17
50-64	25	4.2	7	<1	1	3	6	8	9	11
65+	16	5.1	6	2	2	5	7	8	9	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	8.7	57	2	2	6	17	19	19	19
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.3	6	<1	<1	2	4	6	10	12
B. *Operated*	12	3.8	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	116	5.7	16	1	2	4	7	11	14	20
B. *Operated*	9	8.0	38	2	2	7	11	18	19	19
1. SINGLE DX	28	3.5	7	<1	1	2	5	7	9	12
2. MULTIPLE DX	125	5.9	18	1	2	4	7	11	15	20
A. NOT OPERATED	132	5.4	16	1	2	4	7	11	13	19
B. OPERATED	21	5.6	23	1	2	4	8	12	18	19
TOTAL 0-19 YRS	10	3.6	10	1	1	3	3	8	12	12
20-34	46	6.2	25	1	2	5	9	13	16	24
35-49	47	6.0	19	2	2	4	8	12	17	19
50-64	32	4.3	7	1	1	4	6	8	9	11
65+	18	5.2	5	2	2	5	7	8	9	10
GRAND TOTAL	**153**	**5.5**	**17**	**1**	**2**	**4**	**7**	**11**	**14**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.4	6	<1	1	1	3	5	7	16
20-34	8	6.3	37	2	2	3	9	16	17	17
35-49	8	4.1	21	1	1	3	4	12	15	15
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	66	8.3	43	2	2	7	10	18	29	88
20-34	8	9.4	40	3	3	7	15	18	19	19
35-49	9	5.1	27	1	2	10	14	15	16	16
50-64	5	12.6	46	6	6	11	15	24	24	24
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.9	94	<1	1	3	6	12	21	84
20-34	16	5.8	25	1	1	4	7	14	18	19
35-49	9	11.8	380	<1	1	6	8	43	63	63
50-64	5	6.4	12	1	1	8	9	9	9	9
65+	7	7.1	24	2	2	7	13	74	99+	99+
B. *Operated*										
0-19 YRS	115	12.9	211	2	2	8	17	45	59	99+
20-34	16	23.7	572	2	3	15	42	75	92	99+
35-49	17	8.0	27	1	2	9	11	14	17	19
50-64	15	17.7	533	4	4	9	13	60	77	87
65+	12	12.8	113	5	6	10	13	26	41	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.9	11	<1	1	2	4	6	9	17
B. *Operated*	89	8.9	42	2	3	7	11	18	24	73
2. MULTIPLE DX										
A. *Not Operated*	196	6.2	96	<1	1	4	7	13	21	94
B. *Operated*	175	13.8	254	2	2	9	17	45	63	99+
1. SINGLE DX	197	5.6	34	1	1	4	8	14	18	31
2. MULTIPLE DX	371	9.8	185	1	1	5	11	24	51	99+
A. NOT OPERATED	304	5.1	68	<1	1	3	6	9	16	74
B. OPERATED	264	12.2	188	2	2	8	14	31	54	99+
TOTAL 0-19 YRS	429	7.4	113	<1	1	4	8	18	31	99+
20-34	48	12.4	268	2	2	6	16	36	68	99+
35-49	43	8.3	97	1	1	6	11	14	17	63
50-64	27	13.7	322	2	4	9	11	35	54	87
65+	21	11.1	82	3	4	9	15	28	66	99+
GRAND TOTAL	**568**	**8.4**	**136**	**1**	**1**	**5**	**10**	**19**	**39**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.1		<1	<1	<1	1	1	2	3
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	507	2.2	3	<1	1	2	3	4	5	9
20-34	134	2.8	4	1	1	2	3	5	6	11
35-49	54	2.8	2	<1	1	2	3	4	6	9
50-64	48	2.9	2	1	1	2	4	5	6	7
65+	30	2.3	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	1.9	5	<1	<1	1	2	4	5	15
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	3	4.7	22	1	1	3	8	10	10	10
B. *Operated*										
0-19 YRS	158	2.7	5	1	1	2	3	5	7	12
20-34	43	3.6	6	1	1	3	4	7	9	13
35-49	28	3.0	4	1	1	2	4	6	7	8
50-64	65	2.4	2	1	1	2	3	4	5	9
65+	115	2.6	2	1	2	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	1.1		<1	<1	<1	1	1	2	4
B. *Operated*	773	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	78	2.0	6	<1	<1	1	2	4	6	15
B. *Operated*	409	2.8	4	1	1	2	3	5	7	12
1. SINGLE DX	894	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	487	2.6	4	<1	1	2	3	5	7	12
A. NOT OPERATED	199	1.5	2	<1	<1	1	1	2	4	9
B. OPERATED	1182	2.5	3	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	857	2.1	3	<1	<1	2	2	4	5	11
20-34	181	3.0	4	<1	1	2	4	5	7	12
35-49	82	2.9	3	<1	1	2	4	5	7	9
50-64	113	2.6	2	1	1	2	3	4	5	8
65+	148	2.5	2	1	2	2	3	4	6	10
GRAND TOTAL	**1381**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.6	15	<1	1	2	4	7	16	18
20-34	20	3.4	10	<1	1	2	4	9	10	11
35-49	7	6.0	31	2	2	3	8	15	17	17
50-64	5	6.4	52	2	2	3	9	19	19	19
65+	5	6.0	28	2	2	4	8	15	15	15
B. *Operated*										
0-19 YRS	529	5.4	23	1	1	4	8	11	13	24
20-34	113	4.9	20	1	2	2	7	12	14	21
35-49	62	6.3	33	1	1	3	10	15	18	22
50-64	42	5.5	22	2	2	3	9	14	15	16
65+	15	7.8	63	2	2	3	11	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.5	20	<1	1	3	6	9	13	25
20-34	55	5.3	18	1	2	4	7	13	16	18
35-49	43	5.9	72	<1	1	3	7	11	17	53
50-64	35	8.4	137	1	2	5	9	18	41	54
65+	67	9.4	82	1	2	7	12	16	20	56
B. *Operated*										
0-19 YRS	772	8.7	91	1	2	8	11	17	24	60
20-34	145	9.2	88	2	2	7	13	20	24	44
35-49	87	8.6	48	2	2	8	11	15	21	33
50-64	88	9.3	81	2	2	8	13	19	28	47
65+	82	13.7	125	2	2	12	18	29	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.0	17	<1	1	2	5	9	16	19
B. *Operated*	761	5.4	24	1	1	3	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	398	5.9	49	<1	1	4	7	13	16	43
B. *Operated*	1174	9.2	90	1	2	8	12	19	27	52
1. SINGLE DX	860	5.3	24	1	1	3	8	11	15	23
2. MULTIPLE DX	1572	8.3	82	1	2	6	11	17	24	49
A. NOT OPERATED	497	5.5	43	<1	1	3	7	12	16	36
B. OPERATED	1935	7.7	68	1	2	6	10	16	22	45
TOTAL 0-19 YRS	1561	6.8	59	1	1	5	9	14	19	44
20-34	333	6.8	53	1	2	4	9	15	20	33
35-49	199	7.2	49	1	2	5	10	15	19	33
50-64	170	8.1	78	2	2	5	11	17	24	48
65+	169	11.3	105	2	2	8	15	25	32	57
GRAND TOTAL	**2432**	**7.3**	**63**	**1**	**2**	**5**	**10**	**15**	**21**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	379	4.5	5	2	2	4	6	7	8	11
20-34	26	4.4	5	1	2	4	6	7	10	10
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.7	6	<1	<1	1	1	2	5	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	278	4.8	25	2	2	4	6	7	9	20
20-34	13	3.8	6	2	2	3	5	7	9	10
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	406	4.5	5	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	57	1.7	6	<1	<1	1	1	2	5	17
B. *Operated*	297	4.7	24	2	2	4	5	7	9	19
1. SINGLE DX	408	4.5	5	2	2	4	6	7	8	11
2. MULTIPLE DX	354	4.2	22	<1	1	4	5	7	8	18
A. NOT OPERATED	59	1.8	6	<1	<1	1	1	3	6	17
B. OPERATED	703	4.6	13	2	2	4	6	7	8	14
TOTAL 0-19 YRS	715	4.4	13	1	2	4	6	7	8	15
20-34	40	4.1	6	1	2	4	5	7	10	10
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
GRAND TOTAL	**762**	**4.4**	**13**	**1**	**2**	**4**	**6**	**7**	**8**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	2	1	1	2	3	5	5	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	359	4.3	4	2	3	4	5	7	8	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	6	<1	1	3	5	8	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	5.4	8	2	3	5	6	8	11	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.5	2	1	1	2	3	5	5	7
B. *Operated*	359	4.3	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	24	3.4	6	<1	1	3	5	8	8	9
B. *Operated*	81	5.4	8	2	3	5	6	8	11	18
1. SINGLE DX	394	4.2	4	2	2	4	5	7	7	11
2. MULTIPLE DX	105	4.9	8	1	2	5	6	8	9	17
A. NOT OPERATED	59	2.8	4	1	1	2	3	5	7	9
B. OPERATED	440	4.5	5	2	3	4	5	7	8	14
TOTAL 0-19 YRS	499	4.3	5	2	2	4	5	7	8	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**499**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.6	9	<1	<1	2	3	5	8	19
20-34	9	3.9	6	1	1	3	6	8	8	8
35-49	5	3.8	8	<1	<1	4	6	7	7	7
50-64	6	4.7	11	<1	<1	5	7	9	9	9
65+	11	4.3	10	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	274	5.3	61	<1	1	3	6	11	17	30
20-34	63	4.9	43	1	1	3	5	11	12	43
35-49	18	5.6	26	<1	1	3	8	12	17	20
50-64	16	4.9	12	<1	1	4	7	10	12	13
65+	22	8.0	44	1	2	5	13	17	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.9	13	<1	<1	2	5	10	12	15
20-34	13	6.8	27	1	1	6	8	14	19	20
35-49	19	6.1	9	2	3	5	9	10	11	12
50-64	27	6.0	19	<1	1	4	9	13	15	18
65+	63	7.6	31	1	2	7	9	13	17	33
B. *Operated*										
0-19 YRS	251	10.7	161	1	2	7	13	28	50	99+
20-34	64	8.0	57	1	2	5	11	18	26	33
35-49	50	8.0	48	1	1	7	10	16	27	30
50-64	51	12.0	91	1	1	10	16	28	30	38
65+	68	14.6	151	2	2	13	20	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.0	9	<1	<1	2	4	7	9	16
B. *Operated*	393	5.4	53	<1	1	3	7	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	224	5.5	22	<1	1	4	8	11	14	21
B. *Operated*	484	10.8	130	1	2	8	15	26	33	99+
1. SINGLE DX	514	4.8	44	<1	<1	3	6	11	15	29
2. MULTIPLE DX	708	9.1	101	1	1	6	12	21	30	82
A. NOT OPERATED	345	4.7	19	<1	<1	3	7	10	13	20
B. OPERATED	877	8.4	103	1	1	5	11	20	29	79
TOTAL 0-19 YRS	717	6.7	92	<1	1	3	8	16	26	87
20-34	149	6.3	47	1	2	4	8	13	20	33
35-49	92	6.9	34	<1	1	6	9	13	18	30
50-64	100	8.8	64	<1	1	7	13	19	28	35
65+	164	10.3	94	1	2	8	14	21	26	42
GRAND TOTAL	**1222**	**7.3**	**82**	**<1**	**1**	**4**	**9**	**17**	**25**	**57**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	2	<1	<1	1	1	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	808	2.4	2	<1	1	2	3	4	5	7
20-34	49	3.1	2	2	2	3	4	6	6	8
35-49	19	3.5	1	2	2	3	4	5	7	7
50-64	4	3.5	6	2	2	3	5	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.2		<1	<1	1	1	1	3	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	698	2.5	3	<1	<1	2	3	4	5	9
20-34	52	4.0	6	2	2	3	5	6	8	16
35-49	21	3.9	5	1	1	3	5	7	8	10
50-64	8	3.5	2	<1	1	4	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*	882	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	58	1.2		<1	<1	1	1	2	3	4
B. *Operated*	780	2.6	3	<1	<1	2	3	4	6	9
1. SINGLE DX	888	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	838	2.5	3	<1	<1	2	3	4	6	9
A. NOT OPERATED	64	1.2		<1	<1	1	1	2	3	4
B. OPERATED	1662	2.6	2	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	1567	2.4	2	<1	<1	2	3	4	5	8
20-34	103	3.5	4	2	2	3	4	6	7	13
35-49	40	3.7	3	1	2	3	4	6	7	10
50-64	13	3.3	3	<1	1	3	4	6	7	7
65+	3	2.7		2	2	3	3	3	3	3
GRAND TOTAL	**1726**	**2.5**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.1	35	<1	<1	2	4	9	21	27
20-34	14	2.8	6	<1	<1	2	5	6	8	8
35-49	6	4.3	19	2	2	3	4	12	13	13
50-64	3	2.7		2	2	3	3	3	3	3
65+	5	5.4	43	1	1	3	7	17	17	17
B. *Operated*										
0-19 YRS	598	5.7	19	<1	1	5	9	11	14	17
20-34	216	4.4	24	<1	<1	3	6	8	13	20
35-49	50	4.5	17	<1	1	3	6	8	16	17
50-64	29	4.5	13	<1	<1	3	7	9	12	13
65+	17	8.7	73	1	2	6	10	24	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	31	<1	<1	1	5	11	13	28
20-34	24	4.9	14	1	2	3	7	10	13	15
35-49	41	8.2	60	2	2	6	10	19	26	37
50-64	34	6.2	26	1	2	6	9	9	15	27
65+	34	9.3	40	3	4	8	12	16	26	26
B. *Operated*										
0-19 YRS	421	7.2	56	<1	1	5	10	15	21	35
20-34	208	6.6	43	<1	1	5	8	14	18	35
35-49	142	6.5	27	1	2	6	8	13	16	22
50-64	97	9.8	87	2	2	8	12	21	30	45
65+	66	8.7	71	1	2	7	11	20	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.8	24	<1	<1	2	4	8	15	27
B. *Operated*	910	5.4	21	<1	1	4	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	196	6.3	39	<1	1	4	9	13	19	30
B. *Operated*	934	7.3	54	<1	1	6	10	15	21	37
1. SINGLE DX	968	5.3	22	<1	1	4	8	11	14	20
2. MULTIPLE DX	1130	7.1	51	<1	1	5	9	15	21	36
A. NOT OPERATED	254	5.8	37	<1	1	4	8	12	18	29
B. OPERATED	1844	6.4	39	<1	1	5	9	13	16	31
TOTAL 0-19 YRS	1112	6.1	35	<1	1	5	9	13	16	26
20-34	462	5.4	33	<1	1	4	7	11	15	32
35-49	239	6.3	32	1	2	5	8	13	17	31
50-64	163	8.0	64	1	2	6	9	18	25	41
65+	122	8.8	61	1	2	7	11	21	25	37
GRAND TOTAL	**2098**	**6.3**	**39**	**<1**	**1**	**5**	**9**	**13**	**17**	**31**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	321	3.6	4	1	2	3	4	6	8	11
20-34	19	4.3	5	2	2	5	5	7	9	11
35-49	16	3.6	3	<1	1	4	5	5	7	8
50-64	6	4.2	6	1	1	4	5	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	33	<1	<1	1	1	6	8	34
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	207	4.9	13	2	2	4	6	8	10	18
20-34	58	5.1	48	2	2	4	5	7	11	51
35-49	44	4.8	5	2	3	4	6	8	11	11
50-64	37	4.7	5	2	3	4	6	9	9	10
65+	21	6.0	11	3	3	5	7	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.4	1	<1	1	1	2	3	3	3
B. *Operated*	362	3.6	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	37	2.5	31	<1	<1	1	1	6	7	34
B. *Operaied*	367	5.0	17	2	2	4	6	8	10	17
1. SINGLE DX	378	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX	404	4.7	19	1	2	4	6	8	10	18
A. NOT OPERATED	53	2.2	22	<1	<1	1	1	4	6	33
B. OPERATED	729	4.3	11	1	2	4	5	7	9	15
TOTAL 0-19 YRS	578	3.9	10	1	1	3	5	7	9	15
20-34	80	4.8	37	2	2	4	5	7	10	43
35-49	60	4.5	5	2	2	4	5	8	9	11
50-64	43	4.6	5	1	2	4	6	8	9	10
65+	21	6.0	11	3	3	5	7	11	14	15
GRAND TOTAL	**782**	**4.2**	**12**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.7	9	<1	<1	1	3	6	9	15
20-34	12	4.9	11	<1	1	4	7	9	12	12
35-49	28	4.8	11	1	2	4	6	9	13	13
50-64	20	8.4	34	1	1	8	12	16	18	20
65+	9	6.7	5	4	4	6	9	10	10	10
B. *Operated*										
0-19 YRS	1311	4.6	19	1	1	3	6	9	12	22
20-34	434	3.6	15	1	1	2	4	7	11	18
35-49	225	4.1	24	1	1	3	4	9	14	23
50-64	107	5.2	19	1	1	4	8	10	12	24
65+	33	6.3	28	2	2	4	9	13	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.4	46	<1	<1	2	4	10	16	28
20-34	48	6.4	45	<1	1	4	8	18	21	28
35-49	59	7.1	21	1	1	7	11	14	15	17
50-64	80	11.1	109	1	3	9	14	23	30	93
65+	91	10.6	70	2	3	8	14	21	28	43
B. *Operated*										
0-19 YRS	721	7.8	92	1	2	5	9	20	25	56
20-34	329	4.9	38	1	1	3	5	11	15	40
35-49	190	5.3	30	1	1	3	7	13	17	25
50-64	149	8.9	78	2	2	6	12	17	25	47
65+	96	12.0	117	2	3	10	16	27	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.5	14	<1	<1	2	4	9	13	17
B. *Operated*	2110	4.4	19	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	539	6.9	64	<1	1	4	9	16	21	38
B. *Operated*	1485	7.2	76	1	1	4	9	17	24	50
1. SINGLE DX	2387	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX	2024	7.2	73	1	1	4	9	16	23	47
A. NOT OPERATED	816	5.8	50	<1	1	3	8	14	18	31
B. OPERATED	3595	5.6	45	1	1	3	7	12	18	37
TOTAL 0-19 YRS	2501	5.3	45	<1	1	3	6	11	17	34
20-34	823	4.3	27	1	1	3	5	9	14	31
35-49	502	5.0	26	1	1	3	6	11	15	23
50-64	356	8.3	69	1	2	6	11	17	23	47
65+	229	10.4	85	2	3	8	14	22	29	68
GRAND TOTAL	**4411**	**5.6**	**46**	**1**	**1**	**3**	**7**	**12**	**18**	**36**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1423	4.5	30	1	1	3	5	10	16	30
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	38	6.9	63	1	2	4	9	18	35	99+
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1157	11.1	171	1	2	6	14	26	37	71
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	118	23.0	604	2	3	16	45	96	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1423	4.5	30	1	1	3	5	10	16	30
B. *Operated*	38	6.9	63	1	2	4	9	18	35	99+
2. MULTIPLE DX										
A. *Not Operated*	1157	11.1	171	1	2	6	14	26	37	71
B. *Operated*	118	23.0	604	2	3	16	45	96	99+	99+
1. SINGLE DX	1461	4.6	31	1	1	3	5	10	16	30
2. MULTIPLE DX	1275	12.2	222	1	2	7	15	30	47	99
A. NOT OPERATED	2580	7.5	103	1	1	4	8	19	27	54
B. OPERATED	156	19.1	519	2	2	11	29	91	99+	99+
TOTAL 0-19 YRS	2736	8.1	134	1	1	4	9	21	31	80
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2736**	**8.1**	**134**	**1**	**1**	**4**	**9**	**21**	**31**	**80**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1670	3.0	6	<1	1	2	4	5	7	13
20-34	659	3.6	9	1	1	3	5	7	9	15
35-49	330	4.3	15	1	1	3	5	8	11	22
50-64	217	4.7	11	1	1	4	6	9	11	18
65+	183	5.4	26	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	11	3.8	5	1	1	3	6	7	8	8
20-34	15	8.1	136	2	2	5	8	11	39	49
35-49	13	5.3	27	2	2	4	5	10	20	22
50-64	12	5.3	13	1	2	4	7	10	13	14
65+	7	7.3	48	1	2	5	8	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1954	3.9	20	1	1	3	5	7	10	22
20-34	695	5.3	31	1	1	4	6	10	14	29
35-49	759	6.4	42	1	2	5	8	13	17	33
50-64	923	7.1	54	1	2	5	9	13	18	43
65+	1457	9.3	76	2	3	7	11	17	24	56
B. *Operated*										
0-19 YRS	46	11.4	193	1	2	6	14	35	50	99+
20-34	34	8.1	48	1	2	6	11	17	21	34
35-49	53	10.5	81	2	3	9	14	40	99+	99+
50-64	85	13.8	220	3	4	9	15	30	37	88
65+	132	15.6	195	3	5	11	19	40	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3059	3.5	10	1	1	3	4	7	9	16
B. *Operated*	58	6.0	50	1	2	4	7	10	19	47
2. MULTIPLE DX										
A. *Not Operated*	5788	6.3	48	1	1	4	8	13	17	38
B. *Operated*	350	13.1	174	2	3	10	16	32	49	99+
1. SINGLE DX	3117	3.6	10	1	1	3	4	7	9	16
2. MULTIPLE DX	6138	6.7	58	1	2	5	8	13	19	44
A. NOT OPERATED	8847	5.3	36	1	1	4	6	11	15	31
B. OPERATED	408	12.1	162	2	2	8	15	30	47	99+
TOTAL 0-19 YRS	3681	3.6	16	1	1	3	4	7	9	19
20-34	1403	4.6	23	1	1	3	6	9	12	23
35-49	1155	6.0	38	1	2	4	7	13	17	34
50-64	1237	7.1	61	1	2	5	9	13	18	43
65+	1779	9.3	84	2	3	7	11	18	26	65
GRAND TOTAL	**9255**	**5.6**	**44**	**1**	**1**	**4**	**7**	**12**	**16**	**37**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.2	5	1	1	3	4	5	7	11
20-34	88	4.3	7	1	2	3	6	8	9	14
35-49	54	5.6	11	2	2	5	7	11	13	14
50-64	61	6.1	18	1	2	5	8	10	14	23
65+	62	7.3	63	1	2	5	9	14	18	53
B. *Operated*										
0-19 YRS	8	6.4	42	<1	<1	5	7	17	21	21
20-34	10	6.4	13	<1	1	6	10	11	11	11
35-49	13	8.7	34	<1	<1	9	12	18	20	20
50-64	9	13.0	47	7	7	11	14	24	30	30
65+	9	10.7	29	1	2	13	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	3.6	8	1	1	3	4	6	7	13
20-34	191	5.7	27	1	2	4	6	12	16	30
35-49	191	6.4	21	1	2	5	8	12	14	27
50-64	359	7.1	35	2	3	6	9	12	15	26
65+	856	8.5	54	2	3	7	10	15	19	40
B. *Operated*										
0-19 YRS	20	9.8	73	1	3	6	14	29	64	99+
20-34	33	14.7	143	3	5	11	17	33	42	57
35-49	43	12.4	125	3	3	10	15	21	41	57
50-64	75	13.6	68	3	4	11	18	25	32	36
65+	138	17.5	130	4	6	15	23	35	40	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	4.2	14	1	1	3	5	8	10	19
B. *Operated*	49	9.0	36	<1	1	9	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	2195	6.5	38	1	2	5	8	12	16	29
B. *Operated*	309	15.1	117	3	4	13	20	32	37	57
1. SINGLE DX	726	4.5	17	1	1	3	5	9	11	21
2. MULTIPLE DX	2504	7.6	55	1	2	5	9	15	20	39
A. NOT OPERATED	2872	6.0	33	1	2	4	7	12	15	26
B. OPERATED	358	14.2	110	3	4	11	18	29	36	56
TOTAL 0-19 YRS	1038	3.6	9	1	1	3	4	6	8	20
20-34	322	6.3	41	1	2	4	7	13	17	34
35-49	301	7.2	39	1	2	6	9	13	16	38
50-64	504	8.1	44	2	3	6	10	15	21	33
65+	1065	9.6	74	2	3	8	12	18	25	45
GRAND TOTAL	**3230**	**6.9**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.1	6	<1	1	2	4	6	8	13
20-34	201	3.4	6	1	1	3	4	6	9	13
35-49	129	4.0	9	1	1	3	5	7	9	17
50-64	54	3.2	5	1	1	3	4	6	8	10
65+	30	4.3	12	1	1	3	6	10	11	15
B. *Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	23	4.1	9	2	2	3	5	7	11	15
35-49	15	4.1	8	2	2	3	5	8	10	11
50-64	12	2.7	3	1	1	2	3	6	7	7
65+	6	5.3	17	2	2	4	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.3	5	1	1	3	4	7	8	12
20-34	284	4.2	10	1	1	4	5	7	10	18
35-49	210	5.8	27	1	2	4	7	11	16	27
50-64	192	5.5	18	1	2	4	7	11	13	23
65+	161	6.4	31	1	2	4	8	14	17	27
B. *Operated*										
0-19 YRS	6	5.7	15	2	2	5	8	11	11	11
20-34	22	8.1	164	2	2	5	8	11	32	64
35-49	23	7.1	39	1	2	5	9	19	22	22
50-64	33	7.7	51	2	2	5	11	21	22	30
65+	37	9.5	34	2	3	8	13	17	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.5	7	1	1	3	5	7	9	13
B. *Operated*	61	3.8	8	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	955	5.1	19	1	1	4	6	10	13	23
B. *Operated*	121	8.1	61	2	2	6	10	17	22	40
1. SINGLE DX	582	3.5	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1076	5.4	25	1	2	4	7	11	15	24
A. NOT OPERATED	1476	4.5	15	1	1	4	6	9	12	21
B. OPERATED	182	6.6	48	2	2	4	8	15	18	30
TOTAL 0-19 YRS	226	3.2	6	1	1	3	4	7	8	12
20-34	530	4.1	15	1	1	3	5	7	10	16
35-49	377	5.2	21	1	2	4	6	10	15	24
50-64	291	5.2	20	1	1	4	6	11	13	23
65+	234	6.6	30	1	2	5	8	15	18	28
GRAND TOTAL	**1658**	**4.8**	**19**	**1**	**1**	**4**	**6**	**9**	**13**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	3	<1	1	2	3	4	6	8
20-34	62	3.2	3	1	1	3	4	6	7	8
35-49	67	3.4	4	1	1	3	5	5	6	12
50-64	112	3.6	4	1	1	3	5	6	7	10
65+	140	3.4	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	36	2.4	5	<1	<1	1	3	6	8	9
20-34	51	4.9	8	1	2	5	6	9	10	14
35-49	61	5.2	10	1	2	5	6	8	13	17
50-64	110	5.2	7	2	2	5	7	9	10	12
65+	80	4.7	8	1	2	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.1	3	1	1	3	4	6	7	7
20-34	32	3.7	6	1	1	3	5	6	10	14
35-49	89	4.9	17	1	1	4	6	9	10	26
50-64	221	4.9	23	1	2	4	6	8	11	33
65+	495	5.6	22	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	16	4.4	14	1	1	3	7	11	12	12
20-34	29	5.1	11	1	2	4	6	10	11	16
35-49	72	6.0	11	2	3	5	7	10	12	17
50-64	185	6.7	18	1	3	6	9	13	15	25
65+	287	8.0	56	2	2	6	9	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	3.3	4	1	1	3	4	6	7	11
B. *Operated*	338	4.7	8	<1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	884	5.1	21	1	1	4	6	9	13	24
B. *Operated*	589	7.1	36	1	2	6	9	14	19	32
1. SINGLE DX	748	4.0	7	1	1	3	5	7	9	13
2. MULTIPLE DX	1473	5.9	28	1	2	5	7	11	15	29
A. NOT OPERATED	1294	4.6	16	1	1	4	6	8	11	20
B. OPERATED	927	6.3	27	1	2	5	8	11	16	26
TOTAL 0-19 YRS	128	2.9	5	<1	<1	2	4	6	7	12
20-34	174	4.1	8	1	1	4	5	7	9	14
35-49	289	4.9	12	1	1	4	6	8	10	17
50-64	628	5.3	17	1	2	4	6	10	12	22
65+	1002	5.9	31	1	2	4	7	12	16	29
GRAND TOTAL	**2221**	**5.3**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.6	4	1	2	3	5	7	8	8
20-34	27	3.4	6	<1	1	3	5	6	8	13
35-49	17	2.8	5	<1	1	2	4	6	8	9
50-64	17	2.4	1	<1	1	2	3	4	4	4
65+	18	3.7	8	1	1	3	4	6	10	13
B. *Operated*										
0-19 YRS	180	2.3	5	<1	<1	2	2	4	7	12
20-34	216	2.7	13	<1	<1	2	3	5	7	17
35-49	126	2.5	4	<1	<1	2	3	4	6	12
50-64	101	2.9	6	<1	<1	2	3	6	9	12
65+	44	3.4	29	<1	1	2	3	6	7	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.4	33	<1	1	4	7	9	21	29
20-34	50	4.7	13	1	1	4	6	8	13	18
35-49	75	5.3	47	1	1	4	6	9	11	45
50-64	106	5.3	25	1	1	4	7	11	16	27
65+	193	9.0	84	1	2	6	11	20	27	49
B. *Operated*										
0-19 YRS	51	5.0	91	<1	<1	2	6	9	14	66
20-34	105	6.4	31	1	1	4	9	14	16	26
35-49	89	7.0	86	1	1	4	7	15	18	55
50-64	130	6.5	63	1	2	4	7	14	25	40
65+	109	9.0	93	1	2	4	13	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.3	5	1	1	3	4	6	7	13
B. *Operated*	667	2.6	9	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	476	6.7	55	1	1	4	8	15	22	38
B. *Operated*	484	7.0	71	1	1	4	9	16	25	56
1. SINGLE DX	792	2.7	8	<1	<1	2	3	5	7	13
2. MULTIPLE DX	960	6.9	63	1	1	4	8	15	22	46
A. NOT OPERATED	601	6.0	47	1	1	4	7	13	19	33
B. OPERATED	1151	4.5	40	<1	1	2	4	10	15	38
TOTAL 0-19 YRS	329	3.4	24	<1	<1	2	4	7	9	23
20-34	398	4.0	20	<1	1	2	5	9	13	21
35-49	307	4.5	42	<1	1	2	5	9	13	43
50-64	354	4.9	35	<1	1	3	6	10	14	33
65+	364	8.1	80	1	2	5	11	20	29	62
GRAND TOTAL	**1752**	**5.0**	**43**	**<1**	**1**	**3**	**6**	**11**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	5.0	32	<1	<1	4	9	9	9	9
B. *Operated*										
0-19 YRS	5	4.4	13	1	1	3	7	10	10	10
20-34	12	7.8	78	1	2	4	10	21	30	32
35-49	11	8.4	119	1	1	3	11	24	37	38
50-64	26	18.5	204	2	2	18	24	42	45	47
65+	53	17.5	257	3	3	14	22	40	79	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	89	4	4	8	18	22	22	22
20-34										
35-49	6	17.8	159	4	4	16	25	36	37	37
50-64	22	9.2	102	1	2	7	10	17	30	49
65+	100	9.7	46	2	3	8	12	22	26	64
B. *Operated*										
0-19 YRS	10	10.5	211	1	1	3	11	35	46	46
20-34	27	11.6	315	2	2	4	11	26	62	75
35-49	44	29.2	760	2	2	23	46	80	93	99+
50-64	269	25.1	385	4	7	20	34	66	87	99+
65+	788	26.8	379	6	8	22	38	64	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.3	12	<1	<1	6	8	9	9	9
B. *Operated*	107	15.1	216	1	2	12	21	38	46	99+
2. MULTIPLE DX										
A. *Not Operated*	131	10.0	62	2	3	8	12	23	27	58
B. *Operated*	1138	26.0	399	4	7	21	37	64	84	99+
1. SINGLE DX	113	14.6	210	1	2	11	20	38	46	99+
2. MULTIPLE DX	1269	24.3	388	4	6	19	34	61	81	99+
A. NOT OPERATED	137	9.8	61	2	2	8	12	23	26	55
B. OPERATED	1245	25.0	392	3	6	20	35	62	82	99+
TOTAL 0-19 YRS	19	8.5	129	1	1	4	10	24	37	46
20-34	40	10.3	235	2	2	4	10	24	46	75
35-49	61	24.3	646	1	2	12	34	67	91	99+
50-64	319	23.3	367	3	5	18	32	58	83	99+
65+	943	24.4	367	4	6	19	34	61	80	99+
GRAND TOTAL	**1382**	**23.5**	**380**	**3**	**5**	**18**	**33**	**59**	**80**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.6	3	1	1	2	3	5	5	11
20-34	469	2.7	3	1	1	2	3	5	6	10
35-49	1539	3.1	3	1	1	3	4	5	7	9
50-64	1282	3.4	4	1	1	3	4	6	7	10
65+	453	3.4	5	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	38	3.8	11	1	1	2	5	8	11	15
35-49	183	3.1	6	1	2	2	3	6	9	12
50-64	256	2.7	3	2	2	2	3	5	7	10
65+	48	3.4	10	1	1	2	3	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.1	4	1	1	3	4	5	7	12
20-34	614	3.7	6	1	1	3	5	7	9	12
35-49	2667	3.9	7	1	2	3	5	7	9	14
50-64	3903	4.4	10	1	2	4	5	8	10	15
65+	2821	5.0	16	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	3	7.0	21	2	2	8	10	11	11	11
20-34	64	4.7	13	2	2	3	6	9	14	17
35-49	373	4.8	18	2	2	3	7	10	14	19
50-64	593	5.4	31	2	2	3	7	12	16	25
65+	237	7.5	44	2	2	5	10	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3813	3.2	4	1	1	3	4	6	7	10
B. *Operated*	527	3.0	5	1	2	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	10083	4.4	11	1	2	4	5	8	10	16
B. *Operated*	1270	5.6	29	2	2	3	8	12	16	27
1. SINGLE DX	**4340**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**10**
2. MULTIPLE DX	**11353**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**17**
A. NOT OPERATED	**13896**	**4.1**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**
B. OPERATED	**1797**	**4.8**	**26**	**2**	**2**	**3**	**6**	**11**	**14**	**25**
TOTAL 0-19 YRS	153	2.9	4	1	1	2	4	5	7	12
20-34	1185	3.4	6	1	1	3	4	7	8	12
35-49	4762	3.7	7	1	1	3	5	7	8	14
50-64	6034	4.2	11	1	2	3	5	8	10	16
65+	3559	5.0	17	1	2	4	6	9	12	23
GRAND TOTAL	**15693**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	415	2.9	7	1	1	2	4	6	9	14
20-34	31	2.3	2	<1	<1	2	3	4	6	7
35-49	29	3.0	4	1	1	2	4	7	7	7
50-64	41	4.8	43	<1	1	3	4	9	22	34
65+	54	3.9	10	<1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	19	2.7	4	<1	1	2	3	4	7	10
20-34	24	3.1	5	<1	1	2	4	5	8	10
35-49	57	3.7	10	<1	1	3	4	9	11	15
50-64	103	3.4	7	<1	1	2	4	7	9	14
65+	67	5.0	44	1	1	3	6	10	13	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	362	4.3	21	1	1	3	5	9	14	22
20-34	99	4.0	14	1	1	3	5	8	10	23
35-49	120	4.9	52	1	1	3	6	9	13	37
50-64	352	6.9	37	1	2	6	8	13	18	32
65+	691	8.5	69	2	2	7	11	16	20	42
B. *Operated*										
0-19 YRS	29	7.0	89	<1	<1	3	11	23	42	99+
20-34	36	3.9	8	<1	1	3	5	9	10	11
35-49	71	5.5	25	1	2	4	7	12	16	26
50-64	266	7.4	72	1	2	5	10	15	18	46
65+	366	8.5	65	1	2	6	11	19	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.1	10	1	1	2	4	6	9	16
B. *Operated*	270	[illegible].8	17	<1	1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1624	6.6	50	1	1	5	8	14	18	33
B. *Operated*	768	7.6	64	1	2	5	10	16	22	41
1. SINGLE DX	840	3.3	12	<1	1	2	4	7	9	15
2. MULTIPLE DX	2392	6.9	54	1	2	5	9	14	19	35
A. NOT OPERATED	2194	5.7	42	1	1	4	7	12	16	30
B. OPERATED	1038	6.6	54	1	1	4	9	14	20	37
TOTAL 0-19 YRS	825	3.6	17	1	1	2	4	8	11	20
20-34	190	3.6	10	1	1	3	4	7	9	15
35-49	277	4.6	32	1	1	3	6	9	14	21
50-64	762	6.5	47	1	2	5	8	13	17	34
65+	1178	8.1	65	1	2	6	10	16	21	38
GRAND TOTAL	**3232**	**6.0**	**46**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.3	2	1	1	2	3	4	5	7
20-34	433	2.1	2	1	1	2	2	4	5	7
35-49	527	2.2	3	1	1	2	3	4	5	8
50-64	307	2.3	2	1	1	2	3	4	5	8
65+	155	3.4	11	1	1	3	4	6	7	23
B. *Operated*										
0-19 YRS	85	2.1	4	<1	<1	1	2	5	7	10
20-34	93	4.2	7	1	1	4	6	7	9	14
35-49	76	5.1	12	1	2	5	7	8	11	19
50-64	66	5.3	11	1	1	5	7	10	11	16
65+	84	6.4	26	1	2	5	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	5	<1	1	3	4	6	8	10
20-34	283	3.1	6	1	1	2	4	5	7	12
35-49	336	3.3	7	1	1	3	4	6	8	12
50-64	420	3.9	13	1	1	3	5	7	10	23
65+	604	6.7	70	1	2	4	8	14	20	63
B. *Operated*										
0-19 YRS	56	5.2	66	<1	<1	2	5	18	26	38
20-34	74	7.1	52	1	2	5	8	13	21	43
35-49	115	5.8	19	1	2	5	7	11	15	23
50-64	201	8.1	36	2	2	7	11	16	18	30
65+	485	12.6	116	2	4	10	15	23	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1506	2.3	3	1	1	2	3	4	5	8
B. *Operated*	404	4.6	14	<1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1711	4.6	33	1	1	3	5	9	12	32
B. *Operated*	931	9.9	87	1	2	8	13	20	26	61
1. SINGLE DX	1910	2.8	6	1	1	2	3	6	7	13
2. MULTIPLE DX	2642	6.5	58	1	1	4	8	14	20	43
A. NOT OPERATED	3217	3.5	20	1	1	2	4	7	9	23
B. OPERATED	1335	8.3	71	1	2	6	10	17	23	46
TOTAL 0-19 YRS	293	3.0	17	<1	<1	2	3	6	8	25
20-34	883	3.0	10	1	1	2	4	6	8	14
35-49	1054	3.2	8	1	1	2	4	6	8	15
50-64	994	4.3	18	1	1	3	5	9	13	22
65+	1328	8.5	88	1	2	6	11	18	25	64
GRAND TOTAL	**4552**	**4.9**	**40**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1838	2.3	3	1	1	2	3	4	6	8
20-34	1604	2.8	5	1	1	2	4	5	7	11
35-49	762	3.4	6	1	1	3	4	6	8	13
50-64	462	3.5	8	<1	1	3	4	7	9	12
65+	356	4.1	13	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	143	4.2	7	1	1	4	5	7	9	15
20-34	239	3.8	8	<1	1	3	5	7	9	15
35-49	93	4.7	19	<1	<1	4	6	9	12	24
50-64	52	4.6	18	1	1	3	6	8	10	24
65+	26	4.8	10	1	1	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	969	2.9	4	1	1	2	4	5	7	11
20-34	1240	3.6	9	1	1	3	5	7	9	15
35-49	842	4.8	19	1	1	4	6	9	11	19
50-64	1010	5.2	15	1	2	4	7	10	12	18
65+	1590	6.3	39	1	2	5	8	11	15	27
B. *Operated*										
0-19 YRS	108	4.2	7	<1	1	4	5	9	10	13
20-34	288	5.9	33	<1	1	4	8	13	16	30
35-49	174	7.9	40	1	2	6	10	15	19	32
50-64	153	9.2	66	2	2	7	11	18	23	37
65+	238	10.3	70	2	3	9	12	21	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5022	2.9	5	1	1	2	4	6	7	11
B. *Operated*	553	4.2	11	<1	1	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	5651	4.7	21	1	1	4	6	9	11	20
B. *Operated*	961	7.7	50	1	2	6	10	16	21	35
1. SINGLE DX	5575	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX	6612	5.1	26	1	1	4	6	10	13	23
A. NOT OPERATED	10673	3.9	14	1	1	3	5	8	10	16
B. OPERATED	1514	6.4	38	1	1	5	8	13	18	31
TOTAL 0-19 YRS	3058	2.7	4	1	1	2	3	5	6	10
20-34	3371	3.5	10	1	1	3	4	7	9	16
35-49	1871	4.5	17	1	1	3	6	9	11	19
50-64	1677	5.1	20	1	1	4	6	10	13	21
65+	2210	6.4	40	1	2	5	8	12	15	29
GRAND TOTAL	**12187**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.1	10	<1	1	2	4	6	8	14
20-34	79	3.3	5	1	1	3	4	7	8	10
35-49	64	3.6	13	<1	<1	2	5	9	10	19
50-64	55	4.1	17	<1	1	2	5	9	12	23
65+	67	5.2	68	1	1	3	6	10	14	57
B. *Operated*										
0-19 YRS	14	3.9	11	<1	1	3	5	9	11	11
20-34	30	3.4	9	<1	1	3	5	6	10	15
35-49	31	3.2	13	<1	<1	2	4	7	12	17
50-64	34	4.1	16	<1	1	3	5	9	14	18
65+	34	4.7	18	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	3.2	8	1	1	2	4	7	9	15
20-34	227	4.0	14	<1	1	3	5	9	12	18
35-49	220	5.3	29	1	1	4	7	12	16	28
50-64	357	6.0	27	1	1	5	8	12	15	26
65+	840	8.1	68	1	2	6	10	16	21	43
B. *Operated*										
0-19 YRS	30	9.7	232	1	2	4	8	24	27	79
20-34	53	4.8	17	1	1	4	7	11	14	19
35-49	80	7.8	46	1	1	6	11	16	18	36
50-64	176	10.0	125	1	2	7	13	21	25	67
65+	265	14.4	185	2	3	10	19	33	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	436	3.6	20	<1	1	2	4	7	10	19
B. *Operated*	143	3.9	14	<1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1961	6.1	43	1	1	4	8	13	17	32
B. *Operated*	604	11.2	146	1	2	7	14	24	39	64
1. SINGLE DX	579	3.7	18	<1	1	2	5	8	10	19
2. MULTIPLE DX	2565	7.3	72	1	1	5	9	15	22	46
A. NOT OPERATED	2397	5.7	40	1	1	4	7	12	16	29
B. OPERATED	747	9.8	129	1	1	6	13	22	29	55
TOTAL 0-19 YRS	532	3.6	24	1	1	2	4	7	10	22
20-34	389	3.9	12	1	1	3	5	8	11	18
35-49	395	5.4	30	<1	1	4	7	12	17	28
50-64	622	6.9	57	1	1	5	9	14	19	34
65+	1206	9.2	100	1	2	6	11	19	26	58
GRAND TOTAL	**3144**	**6.6**	**64**	**1**	**1**	**4**	**8**	**14**	**20**	**45**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	869	4.1	26	1	1	3	5	8	11	23
20-34	411	3.8	20	<1	1	3	5	7	9	25
35-49	406	3.5	12	1	1	3	4	6	7	16
50-64	504	3.7	16	1	1	3	5	7	9	18
65+	762	5.6	59	1	1	4	6	10	15	58
B. *Operated*										
0-19 YRS	88	3.7	23	<1	<1	2	4	7	13	27
20-34	129	2.6	6	<1	1	2	3	5	7	15
35-49	162	2.9	5	<1	1	2	3	6	8	12
50-64	148	3.2	12	1	1	2	3	7	9	13
65+	112	4.5	40	1	1	3	5	9	14	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1135	5.2	45	1	1	3	6	10	16	31
20-34	731	4.7	30	1	1	3	6	8	13	25
35-49	973	5.1	26	1	1	4	6	9	12	24
50-64	2461	5.9	29	1	2	4	7	12	16	26
65+	6464	7.8	55	2	2	6	9	15	20	45
B. *Operated*										
0-19 YRS	110	11.2	248	1	2	6	12	35	67	99+
20-34	142	7.3	134	<1	1	3	9	16	33	73
35-49	202	6.7	85	1	1	4	8	14	20	69
50-64	431	10.5	165	1	2	6	12	25	38	81
65+	961	14.5	214	2	3	10	18	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2952	4.3	31	1	1	3	5	8	11	28
B. *Operated*	639	3.3	16	<1	1	2	3	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	11764	6.7	46	1	2	5	8	13	18	37
B. *Operated*	1846	11.9	192	1	2	8	15	29	45	99+
1. SINGLE DX	3591	4.1	28	1	1	3	5	8	10	26
2. MULTIPLE DX	13610	7.5	69	1	2	5	9	15	21	51
A. NOT OPERATED	14716	6.3	44	1	1	4	8	12	17	35
B. OPERATED	2485	9.7	161	1	1	5	12	24	37	90
TOTAL 0-19 YRS	2202	5.0	49	1	1	3	6	10	15	37
20-34	1413	4.5	36	1	1	3	5	8	13	29
35-49	1743	4.7	29	1	1	3	6	9	12	25
50-64	3544	6.0	46	1	1	4	7	12	17	35
65+	8299	8.3	79	2	2	6	10	16	24	56
GRAND TOTAL	**17201**	**6.8**	**63**	**1**	**1**	**5**	**8**	**14**	**20**	**47**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	2.2	2	1	1	2	3	4	5	7
20-34	29	5.4	28	1	1	4	7	12	15	25
35-49	7	10.3	105	1	1	7	18	26	28	28
50-64	4	6.8	30	2	2	5	11	14	14	14
65+	5	3.4	8	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	60	5.7	14	2	2	5	7	10	12	22
20-34	24	9.2	167	1	1	6	8	18	36	65
35-49	6	7.8	49	2	2	7	8	20	21	21
50-64	2	6.0		6	6	6	6	6	6	6
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	4.7	40	1	1	3	5	10	17	29
20-34	38	5.7	26	1	1	4	8	13	15	24
35-49	41	6.9	28	1	2	5	10	14	16	26
50-64	23	10.6	64	3	4	8	13	18	30	39
65+	30	9.5	78	1	2	6	14	19	23	43
B. *Operated*										
0-19 YRS	87	11.4	167	1	2	8	14	25	44	61
20-34	93	18.2	429	1	3	10	23	67	76	99+
35-49	37	16.8	206	1	2	12	23	40	47	53
50-64	23	26.5	694	4	4	17	52	94	99+	99+
65+	23	17.4	189	2	3	13	28	37	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.7	8	1	1	2	3	5	7	15
B. *Operated*	94	6.7	55	2	2	5	7	11	17	47
2. MULTIPLE DX										
A. *Not Operated*	342	5.9	45	1	1	4	7	14	18	33
B. *Operated*	263	16.4	327	1	2	10	22	46	67	99+
1. SINGLE DX	479	3.5	20	1	1	2	4	7	8	22
2. MULTIPLE DX	605	10.5	194	1	1	6	12	26	45	95
A. NOT OPERATED	727	4.2	28	1	1	2	5	10	14	25
B. OPERATED	357	13.9	273	1	2	8	17	39	61	99+
TOTAL 0-19 YRS	697	4.4	43	1	1	2	5	9	15	35
20-34	184	12.4	282	1	1	7	14	32	67	99+
35-49	91	11.3	127	1	2	8	14	27	39	51
50-64	52	17.2	401	3	4	10	17	54	91	99+
65+	60	11.9	132	1	2	8	16	31	38	45
GRAND TOTAL	**1084**	**7.4**	**129**	**1**	**1**	**3**	**8**	**18**	**29**	**72**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	2.7	6	1	1	2	3	5	7	15
20-34	44	6.0	58	1	1	4	8	11	16	47
35-49	16	6.8	57	<1	1	4	8	17	26	29
50-64	13	5.3	36	1	1	3	6	14	20	22
65+	7	5.9	24	<1	<1	4	10	13	14	14
B. *Operated*										
0-19 YRS	23	8.4	44	1	2	6	12	18	23	25
20-34	15	6.9	25	1	2	7	8	15	16	16
35-49	3	5.3	5	4	4	4	7	8	8	8
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	5.6	42	1	1	3	7	12	19	36
20-34	104	6.8	32	1	2	5	9	13	20	29
35-49	65	10.7	242	1	1	5	11	24	41	82
50-64	42	10.4	170	2	2	8	12	16	32	78
65+	64	13.0	134	3	3	10	17	23	41	95
B. *Operated*										
0-19 YRS	68	17.4	335	3	3	11	23	36	54	90
20-34	104	13.4	137	2	3	10	18	34	40	99+
35-49	37	15.1	194	2	3	14	19	61	99+	99+
50-64	21	14.7	263	2	2	10	22	70	99+	99+
65+	24	24.9	279	4	6	32	44	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	3.7	21	1	1	2	4	8	11	22
B. *Operated*	44	7.6	32	1	2	6	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	436	8.2	102	1	1	5	10	18	25	69
B. *Operated*	254	15.9	229	2	3	12	22	42	85	99+
1. SINGLE DX	314	4.3	24	1	1	3	5	9	14	23
2. MULTIPLE DX	690	11.0	162	1	2	7	14	29	42	99+
A. NOT OPERATED	706	6.5	76	1	1	4	8	14	21	45
B. OPERATED	298	14.7	209	2	3	11	19	39	76	99+
TOTAL 0-19 YRS	442	6.3	96	1	1	3	7	15	24	48
20-34	267	9.2	87	1	2	7	12	20	33	64
35-49	121	11.4	203	1	2	7	14	29	56	99+
50-64	78	10.6	175	1	2	7	12	23	53	99+
65+	96	15.4	192	2	3	12	23	43	99+	99+
GRAND TOTAL	**1004**	**8.9**	**129**	**1**	**1**	**5**	**11**	**22**	**37**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.9	3	<1	1	1	2	4	5	9
20-34	64	2.5	4	<1	<1	2	3	5	6	11
35-49	22	3.6	22	1	1	2	4	7	15	22
50-64	10	2.1	2	1	1	2	3	4	5	5
65+	7	2.9	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	1016	2.2	3	<1	<1	2	3	4	5	8
20-34	1087	2.8	4	<1	1	2	3	5	6	10
35-49	291	3.0	5	<1	1	2	4	6	8	12
50-64	90	2.9	3	<1	<1	2	4	6	6	9
65+	45	3.9	9	1	1	3	5	7	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.2	2	<1	<1	2	3	5	6	7
20-34	152	2.9	8	<1	<1	2	3	6	8	11
35-49	68	3.9	9	1	1	3	6	8	10	14
50-64	55	5.3	21	1	1	4	7	12	14	25
65+	146	7.3	71	1	2	5	8	17	22	99+
B. *Operated*										
0-19 YRS	690	4.2	19	1	1	3	5	8	11	26
20-34	1080	5.2	43	1	1	4	6	10	14	28
35-49	353	5.8	31	1	2	4	8	12	17	28
50-64	211	6.6	28	2	2	5	9	13	18	26
65+	185	9.4	102	2	2	6	12	21	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.5	6	<1	1	2	3	5	6	11
B. *Operated*	2529	2.6	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	516	4.4	30	<1	1	3	5	9	13	25
B. *Operated*	2519	5.4	40	1	1	4	6	11	15	33
1. SINGLE DX	2679	2.6	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	3035	5.3	38	1	1	3	6	11	15	31
A. NOT OPERATED	666	4.0	25	<1	1	3	5	8	12	25
B. OPERATED	5048	4.0	24	<1	1	3	5	8	12	23
TOTAL 0-19 YRS	1848	2.9	10	<1	<1	2	3	6	8	14
20-34	2383	3.9	23	<1	1	3	5	7	10	20
35-49	734	4.4	20	1	1	3	6	10	12	21
50-64	366	5.4	23	1	1	4	7	12	14	25
65+	383	7.8	81	1	2	5	9	16	23	65
GRAND TOTAL	**5714**	**4.0**	**24**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	5.7	33	1	1	4	7	10	14	35
20-34	341	5.9	23	1	2	5	8	11	14	27
35-49	175	6.7	24	1	2	5	9	13	16	26
50-64	196	8.4	53	2	3	7	10	14	19	40
65+	370	10.1	49	2	3	8	14	18	22	39
B. *Operated*										
0-19 YRS	20	12.3	51	3	5	12	15	21	28	33
20-34	37	16.1	135	3	5	13	18	34	40	58
35-49	16	14.5	107	1	2	12	21	32	34	34
50-64	11	16.2	151	8	8	10	18	36	48	49
65+	19	10.8	69	1	2	8	14	24	29	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	6.1	38	1	1	5	8	11	14	30
20-34	313	7.6	32	2	2	6	10	14	19	28
35-49	223	9.7	85	2	3	7	11	18	24	48
50-64	370	11.0	92	3	3	9	13	20	26	57
65+	2064	14.1	112	4	5	12	18	25	34	79
B. *Operated*										
0-19 YRS	76	17.3	286	2	3	13	22	39	54	77
20-34	150	15.4	221	2	4	11	18	39	57	99
35-49	74	15.9	206	3	4	12	22	37	60	99+
50-64	84	18.9	300	3	3	14	26	48	51	81
65+	227	24.5	253	6	8	21	33	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1294	7.6	40	1	2	6	10	14	19	33
B. *Operated*	103	14.1	105	3	4	12	17	28	34	53
2. MULTIPLE DX										
A. *Not Operated*	3130	12.4	103	2	4	10	16	23	29	65
B. *Operated*	611	19.6	264	3	4	15	27	48	58	99+
1. SINGLE DX	1397	8.1	48	1	2	6	10	16	21	35
2. MULTIPLE DX	3741	13.5	136	3	4	11	17	26	37	78
A. NOT OPERATED	4424	11.0	89	2	3	9	14	21	27	57
B. OPERATED	714	18.8	244	3	4	14	25	43	56	99+
TOTAL 0-19 YRS	468	8.0	95	1	1	5	9	16	24	54
20-34	841	8.7	80	1	2	6	11	17	25	57
35-49	488	9.7	92	2	2	7	11	20	26	59
50-64	661	11.3	117	2	3	8	13	21	30	58
65+	2680	14.4	126	3	5	12	18	27	36	79
GRAND TOTAL	**5138**	**12.0**	**118**	**2**	**3**	**9**	**15**	**24**	**33**	**70**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	5	11.4	234	2	2	3	18	38	38	38
20-34	12	3.8	7	1	1	3	6	8	9	9
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	4	5.0	5	2	2	5	6	7	7	7
65+	3	14.3	101	5	5	13	22	25	25	25
B. *Operated*										
0-19 YRS.	7	20.0	177	11	11	15	21	44	49	49
20-34	10	17.3	200	5	6	15	23	72	98	99+
35-49	3	15.7	65	7	7	17	21	23	23	23
50-64	2	15.5	145	7	7	15	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	1	4.0		4	4	4	4	4	4	4
20-34	16	15.4	283	1	1	11	20	46	56	59
35-49	6	6.7	5	3	3	7	9	9	9	9
50-64	17	10.3	127	1	2	7	15	23	38	45
65+	31	15.8	233	3	5	12	21	37	69	99+
B. *Operated*										
0-19 YRS.	12	46.1	676	13	19	42	88	99+	99+	99+
20-34	35	44.4	528	14	15	46	72	99+	99+	99+
35-49	5	60.2	1315	10	22	98	99+	99+	99+	99+
50-64	8	26.6	752	6	6	17	39	73	79	79
65+	17	38.4	599	9	11	39	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.4	62	1	1	4	7	12	26	38
B. *Operated*	22	17.8	152	6	7	15	23	50	70	99+
2. MULTIPLE DX										
A. *Not Operated*	71	13.5	201	2	2	9	18	25	58	93
B. *Operated*	77	42.5	653	10	14	44	81	99+	99+	99+
1. SINGLE DX	50	11.4	132	1	2	7	16	25	48	99+
2. MULTIPLE DX	148	28.6	645	3	4	22	62	99+	99+	99+
A. NOT OPERATED	99	11.5	171	1	2	7	15	24	47	85
B. OPERATED	99	37.0	646	7	11	36	76	99+	99+	99+
TOTAL 0-19 YRS.	25	30.2	652	3	3	29	59	97	99+	99+
20-34	73	27.7	613	1	2	21	53	84	99+	99+
35-49	18	22.3	921	2	3	10	93	99+	99+	99+
50-64	31	14.2	310	2	2	7	18	33	59	79
65+	51	23.3	453	4	5	16	38	89	99+	99+
GRAND TOTAL	**198**	**24.2**	**570**	**2**	**3**	**18**	**45**	**90**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	23	2.2	2	<1	1	2	3	4	5	5
20-34	75	2.7	4	<1	1	2	4	5	6	11
35-49	86	3.4	8	1	1	2	4	6	10	15
50-64	101	4.1	7	1	1	4	6	7	9	13
65+	107	5.5	15	1	2	5	7	10	14	20
B. *Operated*										
0-19 YRS.										
20-34	4	5.0	45	1	1	2	9	15	15	15
35-49	3	31.0	2191	2	2	6	65	85	85	85
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	3	6.3	21	1	1	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	67	4.6	11	1	1	3	6	9	11	16
20-34	259	4.9	19	1	1	4	6	9	15	22
35-49	353	5.9	33	1	1	5	7	11	15	27
50-64	565	6.6	21	1	2	5	8	13	15	22
65+	1280	10.3	104	2	3	7	13	20	29	57
B. *Operated*										
0-19 YRS.	32	7.6	30	2	2	6	11	17	20	21
20-34	104	8.4	38	2	3	7	10	18	21	31
35-49	116	10.1	84	2	3	7	13	20	30	49
50-64	131	12.5	132	2	3	9	16	25	34	56
65+	219	19.3	284	4	5	13	25	43	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	4.0	10	1	1	3	5	8	10	16
B. *Operated*	12	12.1	546	1	1	5	9	36	78	85
2. MULTIPLE DX										
A. *Not Operated*	2524	8.1	69	1	2	6	10	16	21	44
B. *Operated*	602	13.5	177	2	3	10	17	30	43	85
1. SINGLE DX	404	4.2	26	1	1	3	5	8	10	16
2. MULTIPLE DX	3126	9.2	95	2	2	6	11	18	27	56
A. NOT OPERATED	2916	7.6	63	1	2	5	9	15	20	42
B. OPERATED	614	13.5	183	2	3	9	17	30	43	85
TOTAL 0-19 YRS.	122	4.8	17	1	1	3	6	11	13	20
20-34	442	5.4	24	1	1	4	7	11	17	24
35-49	558	6.5	55	1	1	5	8	13	17	43
50-64	799	7.1	44	1	2	5	9	14	18	34
65+	1609	11.2	134	2	3	8	13	23	34	73
GRAND TOTAL	**3530**	**8.6**	**89**	**1**	**2**	**6**	**10**	**17**	**25**	**56**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	6.5	39	1	2	5	9	11	18	37
20-34	69	10.9	108	2	2	7	13	19	41	53
35-49	44	11.1	73	3	4	10	13	20	25	51
50-64	73	12.5	142	2	3	10	15	24	40	68
65+	327	13.4	79	3	5	11	17	24	29	46
B. *Operated*										
0-19 YRS	4	5.0	6	3	3	5	7	8	8	8
20-34	6	25.2	535	5	5	15	48	59	60	60
35-49	6	31.0	346	5	6	33	48	52	52	52
50-64	2	22.0	50	17	17	22	27	27	27	27
65+	5	23.0	331	6	6	14	41	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	10.1	85	2	3	8	13	19	29	49
20-34	163	13.1	123	2	4	10	18	26	33	51
35-49	89	15.3	200	3	3	11	19	29	52	76
50-64	180	15.5	131	3	5	13	19	30	42	60
65+	1449	18.8	201	5	6	15	23	36	50	95
B. *Operated*										
0-19 YRS	55	20.2	327	2	4	13	27	47	58	77
20-34	109	29.0	428	5	7	24	49	62	69	99+
35-49	48	32.2	413	6	9	27	48	65	72	99+
50-64	60	28.3	421	8	9	21	38	67	74	99
65+	200	30.0	345	8	10	28	37	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	11.8	89	2	3	10	15	22	29	47
B. *Operated*	23	22.4	341	3	4	14	38	49	55	60
2. MULTIPLE DX										
A. *Not Operated*	2000	17.4	187	4	5	14	21	33	46	84
B. *Operated*	472	28.6	386	6	8	25	40	62	75	99+
1. SINGLE DX	631	12.2	101	2	3	10	15	23	33	51
2. MULTIPLE DX	2472	19.5	245	4	5	15	24	42	56	97
A. NOT OPERATED	2608	16.1	170	3	4	13	20	31	43	78
B. OPERATED	495	28.3	385	5	8	24	40	60	73	99+
TOTAL 0-19 YRS	273	10.8	140	2	2	7	12	24	36	61
20-34	347	17.9	281	2	4	12	22	48	54	89
35-49	187	19.2	296	3	4	12	25	49	60	81
50-64	315	17.3	217	3	4	13	20	37	49	75
65+	1981	19.1	212	5	6	15	23	37	52	97
GRAND TOTAL	**3103**	**18.0**	**224**	**3**	**5**	**14**	**22**	**38**	**52**	**89**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.8	27	1	1	2	4	10	16	24
20-34	26	4.5	34	1	1	2	4	10	16	28
35-49	20	2.9	4	1	1	2	4	6	7	8
50-64	60	5.7	57	1	1	3	6	14	26	36
65+	192	6.5	61	1	1	4	7	15	19	48
B. *Operated*										
0-19 YRS	710	4.5	30	1	1	3	5	10	18	26
20-34	130	5.0	65	1	1	4	5	9	11	46
35-49	121	4.7	33	<1	1	3	5	9	14	33
50-64	184	5.6	30	1	1	4	7	10	16	33
65+	282	6.5	40	1	1	5	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	5.9	98	1	1	3	7	11	19	64
20-34	42	6.9	75	1	1	4	7	22	30	34
35-49	22	7.4	78	<1	1	6	9	11	25	44
50-64	168	8.0	68	1	2	6	10	16	24	38
65+	844	12.5	179	2	2	8	16	27	39	85
B. *Operated*										
0-19 YRS	239	6.9	41	1	1	5	9	17	21	30
20-34	159	9.9	103	1	2	7	13	21	32	50
35-49	114	11.1	210	1	2	6	11	27	41	76
50-64	276	11.1	157	2	2	7	14	25	34	62
65+	771	14.5	236	2	3	10	19	35	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.3	47	1	1	3	6	13	18	34
B. *Operated*	1427	5.1	36	1	1	3	6	11	17	28
2. MULTIPLE DX										
A. *Not Operated*	1140	11.1	158	1	2	7	14	25	36	76
B. *Operated*	1559	12.0	184	1	2	8	15	28	42	90
1. SINGLE DX	1855	5.1	38	1	1	3	6	11	17	29
2. MULTIPLE DX	2699	11.6	173	1	2	7	14	27	39	87
A. NOT OPERATED	1568	9.5	134	1	1	6	12	22	31	70
B. OPERATED	2986	8.7	125	1	1	5	10	20	30	68
TOTAL 0-19 YRS	1143	5.0	37	1	1	3	5	12	18	27
20-34	357	7.4	86	1	1	4	8	17	27	46
35-49	277	7.4	117	1	1	4	8	14	30	59
50-64	688	8.4	98	1	2	5	10	18	27	54
65+	2089	11.9	180	1	2	7	15	27	41	90
GRAND TOTAL	**4554**	**9.0**	**128**	**1**	**1**	**5**	**11**	**21**	**30**	**68**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.0	2	<1	<1	1	3	4	5	6
20-34	35	2.7	3	<1	<1	2	4	5	7	8
35-49	21	2.0	2	<1	<1	1	2	4	5	7
50-64	13	2.8	3	1	1	3	4	5	7	7
65+	43	2.9	7	<1	1	2	4	5	8	14
B. *Operated*										
0-19 YRS	1723	1.9	5	1	1	1	2	4	5	9
20-34	467	3.4	8	1	1	3	4	6	9	16
35-49	333	3.2	7	1	1	3	4	6	8	12
50-64	534	3.0	5	1	1	2	4	6	7	12
65+	528	3.7	21	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.9	12	<1	1	2	3	6	9	22
20-34	65	3.4	7	1	1	3	4	9	9	12
35-49	37	4.6	24	1	1	2	6	11	17	19
50-64	57	6.5	55	1	1	4	7	12	23	42
65+	202	9.2	97	1	2	6	11	19	33	57
B. *Operated*										
0-19 YRS	412	4.9	36	1	1	3	5	11	18	36
20-34	340	6.6	40	1	2	5	8	13	17	35
35-49	232	6.7	75	1	2	4	8	13	18	56
50-64	405	7.0	94	1	2	4	8	15	20	58
65+	773	10.2	142	1	2	6	13	23	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.4	3	<1	<1	2	3	4	6	10
B. *Operated*	3585	2.7	8	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	424	6.6	66	1	1	4	8	15	21	48
B. *Operated*	2162	7.6	93	1	1	5	9	17	25	58
1. SINGLE DX	3778	2.7	8	1	1	2	3	5	7	12
2. MULTIPLE DX	2586	7.5	89	1	1	4	9	16	24	57
A. NOT OPERATED	617	5.3	50	<1	1	3	6	11	18	44
B. OPERATED	5747	4.5	46	1	1	3	5	9	15	35
TOTAL 0-19 YRS	2279	2.5	12	1	1	1	3	5	7	18
20-34	907	4.6	22	1	1	3	5	9	12	25
35-49	623	4.5	36	1	1	3	5	9	12	33
50-64	1009	4.8	47	1	1	3	5	9	14	37
65+	1546	7.7	100	1	1	4	9	18	25	60
GRAND TOTAL	**6364**	**4.6**	**46**	**1**	**1**	**3**	**5**	**10**	**15**	**36**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	2	<1	1	2	3	5	5	6
20-34	19	3.3	4	<1	<1	3	5	6	7	7
35-49	22	2.6	3	<1	1	2	4	5	6	6
50-64	14	3.2	8	1	1	3	4	5	10	12
65+	14	4.4	6	<1	<1	4	7	7	8	8
B. *Operated*										
0-19 YRS	546	2.0	3	<1	<1	2	2	3	4	8
20-34	624	2.3	5	<1	1	2	3	4	5	10
35-49	236	2.3	2	<1	1	2	3	4	5	7
50-64	127	2.7	5	<1	1	2	3	5	7	13
65+	70	3.6	11	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	13	<1	<1	3	6	10	10	14
20-34	35	4.0	9	<1	1	3	6	9	10	12
35-49	28	5.3	18	1	2	4	6	9	18	19
50-64	28	7.6	26	2	2	6	12	15	16	16
65+	56	10.3	80	1	2	7	13	22	27	43
B. *Operated*										
0-19 YRS	194	3.0	9	1	1	2	4	6	7	15
20-34	367	3.9	19	1	1	3	4	8	11	23
35-49	186	3.6	19	1	1	2	4	7	9	21
50-64	155	3.8	11	1	1	3	5	8	12	17
65+	130	8.6	112	1	2	5	9	21	31	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.0	4	<1	1	3	4	6	7	10
B. *Operated*	1603	2.3	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	184	6.6	42	1	1	5	9	14	18	35
B. *Operated*	1032	4.3	30	1	1	3	5	8	14	30
1. SINGLE DX	1704	2.3	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	1216	4.6	33	1	1	3	5	9	14	30
A. NOT OPERATED	285	5.4	31	<1	1	4	6	12	16	27
B. OPERATED	2635	3.1	15	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	809	2.3	5	<1	1	2	3	4	6	11
20-34	1045	3.0	10	<1	1	2	3	6	8	18
35-49	472	3.0	10	1	1	2	4	5	7	19
50-64	324	3.7	12	<1	1	3	4	8	12	16
65+	270	7.4	80	1	1	5	8	17	25	47
GRAND TOTAL	**2920**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	15.9	266	2	2	7	28	38	46	64
20-34	11	4.9	6	1	2	5	7	9	9	9
35-49	7	21.4	803	1	2	10	20	72	84	84
50-64	34	8.6	29	1	2	7	12	17	19	20
65+	153	12.9	137	1	2	10	17	27	42	68
B. *Operated*										
0-19 YRS	101	11.9	113	4	4	9	14	25	34	59
20-34	40	14.3	158	2	4	10	18	28	36	70
35-49	85	12.4	43	5	6	11	15	18	30	35
50-64	456	14.2	73	6	7	12	16	22	26	52
65+	2489	19.8	121	8	10	17	23	33	44	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	19.6	279	2	3	14	30	45	54	62
20-34	13	27.2	713	1	1	15	46	74	76	76
35-49	16	13.4	292	2	2	8	15	20	58	74
50-64	55	15.6	198	2	3	12	23	44	88	99+
65+	685	19.3	290	2	4	14	26	48	65	99+
B. *Operated*										
0-19 YRS	77	21.5	331	4	6	15	29	47	55	93
20-34	120	25.9	407	6	8	19	33	52	80	95
35-49	162	22.5	274	6	7	18	29	50	61	99+
50-64	831	22.1	231	8	9	18	27	43	70	99+
65+	9025	25.9	272	9	11	21	33	54	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	12.5	157	1	2	9	16	28	40	71
B. *Operated*	3171	18.5	119	7	9	16	22	31	41	71
2. MULTIPLE DX										
A. *Not Operated*	789	19.0	291	2	4	14	26	48	65	99+
B. *Operated*	10215	25.5	272	9	11	21	32	53	73	99+
1. SINGLE DX	3407	18.0	124	6	8	16	22	31	41	71
2. MULTIPLE DX	11004	25.0	276	8	10	20	32	53	73	99+
A. NOT OPERATED	1025	17.5	268	2	3	13	23	45	61	99+
B. OPERATED	13386	23.8	244	8	10	19	29	48	67	99+
TOTAL 0-19 YRS	229	16.3	237	3	4	11	21	37	46	76
20-34	184	22.2	388	4	5	16	26	50	73	91
35-49	270	18.7	235	5	6	14	22	41	53	99+
50-64	1376	18.9	188	6	8	15	22	37	55	99+
65+	12352	24.1	250	8	10	20	30	49	68	99+
GRAND TOTAL	**14411**	**23.4**	**249**	**7**	**10**	**19**	**29**	**47**	**67**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	21.0	265	1	2	20	30	44	55	71
20-34	19	33.1	1061	1	2	24	49	89	98	99
35-49	9	11.3	189	3	3	7	10	35	46	46
50-64	11	20.1	345	1	3	13	36	47	56	57
65+	74	15.7	345	1	2	9	19	40	63	88
B. *Operated*										
0-19 YRS	357	17.4	220	2	2	14	25	39	50	63
20-34	112	18.0	317	2	3	13	21	39	57	92
35-49	27	17.0	110	2	3	17	24	41	99+	99+
50-64	52	20.9	328	2	5	15	27	42	66	84
65+	127	22.1	204	6	9	19	27	48	68	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	25.6	350	1	3	23	36	54	66	97
20-34	27	30.8	692	4	6	25	53	84	95	99+
35-49	10	18.9	388	2	3	10	45	73	98	99+
50-64	48	19.0	317	2	3	14	24	53	72	99+
65+	240	25.6	513	2	4	20	43	69	95	99+
B. *Operated*										
0-19 YRS	408	27.1	380	4	6	23	40	56	65	95
20-34	331	26.2	427	3	6	20	36	67	85	99+
35-49	104	28.0	536	2	4	24	47	80	99+	99+
50-64	134	28.7	458	4	8	24	41	62	84	99+
65+	518	31.4	425	11	12	27	49	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	20.3	327	1	2	18	29	45	56	88
B. *Operated*	675	18.6	239	2	3	15	25	40	53	98
2. MULTIPLE DX										
A. *Not Operated*	493	25.1	448	2	3	21	38	61	81	99+
B. *Operated*	1495	28.6	427	4	8	24	42	71	95	99+
1. SINGLE DX	1077	19.3	272	2	3	16	26	43	55	94
2. MULTIPLE DX	1988	27.8	435	3	6	23	41	68	92	99+
A. NOT OPERATED	895	23.0	399	1	3	19	34	55	72	99+
B. OPERATED	2170	25.5	390	3	5	21	37	62	85	99+
TOTAL 0-19 YRS	1222	22.6	318	2	3	19	31	50	59	84
20-34	489	24.9	453	2	5	19	33	64	85	99+
35-49	150	24.4	454	2	3	20	37	69	99+	99+
50-64	245	24.8	413	3	5	19	34	58	75	99+
65+	959	27.5	434	4	7	23	42	77	99+	99+
GRAND TOTAL	**3065**	**24.8**	**394**	**2**	**4**	**20**	**36**	**60**	**81**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	2.9	9	1	1	2	3	5	8	16
20-34	113	4.5	18	1	1	3	6	10	13	22
35-49	94	5.7	37	1	1	5	7	11	14	38
50-64	89	7.0	47	1	1	5	9	14	18	39
65+	113	9.0	113	2	2	7	11	16	19	78
B. *Operated*										
0-19 YRS	745	4.3	23	1	1	3	5	8	11	21
20-34	496	6.5	32	1	2	5	8	12	17	28
35-49	306	7.1	41	1	2	5	9	13	18	33
50-64	246	9.5	98	1	2	7	11	19	25	61
65+	149	12.0	90	2	3	9	14	25	34	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	5.7	27	1	1	4	7	11	18	25
20-34	87	7.2	98	1	1	5	10	13	18	65
35-49	68	7.1	34	1	2	6	10	13	18	33
50-64	134	10.7	192	1	2	7	12	22	41	96
65+	287	14.8	157	3	3	11	20	32	44	66
B. *Operated*										
0-19 YRS	374	12.3	225	1	2	7	14	29	48	94
20-34	494	16.0	283	2	3	10	20	41	57	98
35-49	283	15.6	223	3	3	10	20	34	47	91
50-64	369	18.4	317	4	5	12	23	46	68	99+
65+	380	20.9	304	4	5	16	28	50	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	5.2	42	1	1	3	6	12	15	26
B. *Operated*	1942	6.5	48	1	1	5	8	13	18	39
2. MULTIPLE DX										
A. *Not Operated*	680	10.9	137	1	2	7	13	24	35	66
B. *Operated*	1900	16.7	281	2	3	11	21	42	62	99+
1. SINGLE DX	2609	6.2	47	1	1	4	8	13	18	36
2. MULTIPLE DX	2580	15.1	250	2	3	10	20	36	55	99+
A. NOT OPERATED	1347	8.1	98	1	1	5	10	18	25	56
B. OPERATED	3842	11.6	189	1	2	7	14	27	43	92
TOTAL 0-19 YRS	1481	6.2	85	1	1	3	6	13	20	53
20-34	1190	10.3	163	1	2	6	12	22	39	79
35-49	751	10.1	127	1	2	7	12	21	32	64
50-64	838	13.4	225	2	3	9	16	31	52	99+
65+	929	16.2	219	3	4	12	21	37	53	99+
GRAND TOTAL	**5189**	**10.6**	**168**	**1**	**2**	**6**	**13**	**25**	**39**	**86**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.2	10	<1	1	2	4	6	10	15
20-34	128	3.6	10	<1	1	3	4	7	9	17
35-49	103	3.7	7	1	1	3	5	7	10	12
50-64	116	4.1	17	1	1	3	5	7	11	22
65+	160	7.0	41	1	2	5	10	13	17	36
B. *Operated*										
0-19 YRS	845	3.9	10	1	1	3	5	7	9	17
20-34	1115	5.0	13	1	2	4	6	9	11	19
35-49	778	5.8	15	1	2	5	7	11	13	20
50-64	841	6.6	24	2	2	5	8	12	15	23
65+	454	9.0	55	2	3	7	11	17	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.8	16	1	1	4	7	10	12	20
20-34	136	5.0	25	1	1	4	6	9	12	31
35-49	105	6.1	66	1	1	5	8	11	14	47
50-64	208	6.7	48	1	2	5	8	12	15	23
65+	391	9.8	65	2	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	382	6.9	61	1	2	5	8	13	17	50
20-34	791	8.8	120	1	2	5	10	17	29	71
35-49	550	9.4	91	2	2	7	11	19	28	59
50-64	689	10.8	112	3	3	8	13	20	29	69
65+	846	14.8	176	3	4	11	18	32	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	4.4	20	1	1	3	5	10	12	22
B. *Operated*	4033	5.7	22	1	2	5	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	913	7.5	55	1	2	6	10	15	21	37
B. *Operated*	3258	10.6	128	2	3	7	13	21	34	70
1. SINGLE DX	4705	5.5	22	1	2	4	7	11	14	22
2. MULTIPLE DX	4171	10.0	114	2	2	7	12	20	30	66
A. NOT OPERATED	1585	6.2	43	1	1	4	8	13	17	30
B. OPERATED	7291	7.9	75	1	2	5	9	15	21	53
TOTAL 0-19 YRS	1465	4.7	25	1	1	3	5	9	12	27
20-34	2170	6.3	56	1	2	4	7	11	17	44
35-49	1536	6.9	49	1	2	5	8	13	18	40
50-64	1854	8.0	64	2	2	6	9	15	20	47
65+	1851	11.6	120	2	3	9	14	22	34	69
GRAND TOTAL	**8876**	**7.6**	**70**	**1**	**2**	**5**	**9**	**15**	**21**	**50**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	25	<1	1	1	3	4	6	29
20-34	20	2.7	3	<1	<1	2	4	5	6	7
35-49	9	1.8	2	<1	<1	1	2	4	5	5
50-64	11	3.6	9	1	1	2	5	9	11	11
65+	7	3.6	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	30	3.1	4	1	1	3	3	6	9	9
20-34	26	2.7	2	<1	1	2	3	5	6	6
35-49	10	3.5	5	2	2	2	4	7	8	8
50-64	5	7.2	22	3	3	5	11	14	14	14
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.3	15	<1	1	2	3	7	10	23
20-34	130	4.8	40	1	1	3	5	9	14	29
35-49	77	5.2	17	1	1	4	6	10	12	23
50-64	58	6.9	81	1	2	5	7	11	16	51
65+	151	11.0	167	2	2	8	13	24	36	85
B. *Operated*										
0-19 YRS	39	4.6	50	1	1	2	4	10	17	40
20-34	60	5.3	21	1	1	4	7	11	15	20
35-49	26	6.9	50	1	1	4	8	19	24	28
50-64	27	10.1	143	2	2	7	12	18	34	62
65+	40	13.1	113	2	3	10	17	32	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.8	13	<1	1	2	3	5	7	24
B. *Operated*	73	3.2	6	1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	516	6.6	82	1	1	4	8	14	20	57
B. *Operated*	192	7.7	76	1	1	5	10	18	28	54
1. SINGLE DX	151	3.0	9	<1	1	2	4	6	7	14
2. MULTIPLE DX	708	6.9	80	1	1	4	8	15	22	57
A. NOT OPERATED	594	6.1	74	1	1	4	7	13	19	53
B. OPERATED	265	6.5	61	1	1	3	8	15	20	44
TOTAL 0-19 YRS	200	3.4	22	1	1	2	3	7	10	29
20-34	236	4.5	29	1	1	3	5	9	14	20
35-49	122	5.2	23	1	1	4	6	10	14	25
50-64	101	7.4	89	1	2	5	9	12	18	56
65+	200	11.1	152	2	2	8	14	25	37	92
GRAND TOTAL	**859**	**6.2**	**70**	**1**	**1**	**4**	**7**	**13**	**20**	**51**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	5	1	1	3	4	6	8	8
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34										
35-49	2	17.0	98	10	10	17	24	24	24	24
50-64										
65+	2	44.5	1201	20	20	44	69	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.1	72	1	1	4	6	24	27	28
20-34	3	6.7	25	2	2	6	10	12	12	12
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	14.5	1	14	14	14	15	15	15	15
65+	9	19.8	635	3	3	11	23	60	83	83
B. *Operated*										
0-19 YRS	6	32.5	806	<1	2	22	55	76	78	78
20-34	11	29.3	671	7	8	25	51	87	98	99+
35-49	7	26.9	925	1	3	20	64	97	99+	99+
50-64	3	38.7	1700	6	6	25	70	85	85	85
65+	8	25.5	524	3	4	20	36	63	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.7	12	1	1	3	4	8	13	15
B. *Operated*	6	24.3	522	6	6	18	24	64	69	69
2. MULTIPLE DX										
A. *Not Operated*	28	11.8	257	1	2	6	14	24	33	83
B. *Operated*	35	29.3	701	2	6	25	46	84	96	99+
1. SINGLE DX	23	9.1	213	1	1	4	9	21	40	69
2. MULTIPLE DX	63	21.5	573	1	3	12	26	78	86	99+
A. NOT OPERATED	45	8.8	178	1	1	4	11	23	26	83
B. OPERATED	41	28.6	664	2	6	23	42	83	93	99+
TOTAL 0-19 YRS	35	10.1	260	1	1	4	8	23	48	78
20-34	14	24.4	613	3	6	23	26	82	95	99+
35-49	10	23.4	660	1	6	14	35	94	99+	99+
50-64	7	21.6	845	2	2	14	22	73	85	85
65+	20	24.3	582	3	3	17	29	70	77	83
GRAND TOTAL	**86**	**18.2**	**504**	**1**	**1**	**10**	**25**	**70**	**83**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	15	2.1	6	<1	<1	1	2	4	8	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	8	3.5	35	<1	<1	1	2	13	18	18
B. *Operated*										
0-19 YRS	100	2.9	3	<1	1	3	4	5	7	9
20-34	301	3.0	2	1	1	3	4	5	6	8
35-49	100	2.9	3	1	1	3	4	5	6	8
50-64	38	2.4	4	<1	1	2	3	5	7	9
65+	59	3.2	17	<1	1	1	4	7	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	6	<1	<1	2	4	7	9	9
20-34	21	3.8	28	<1	<1	2	5	7	15	25
35-49	12	3.4	6	<1	<1	3	5	8	8	8
50-64	9	4.7	16	2	2	3	6	12	12	12
65+	36	9.4	133	1	2	5	9	26	34	55
B. *Operated*										
0-19 YRS	18	3.2	3	<1	1	3	4	6	7	7
20-34	61	4.4	10	1	1	4	6	10	11	13
35-49	32	5.6	24	<1	1	4	7	13	15	23
50-64	42	5.8	71	1	1	4	7	10	31	99+
65+	110	7.2	62	1	1	5	9	15	29	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	12	<1	<1	1	2	4	10	18
B. *Operated*	598	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	90	6.0	70	1	1	4	6	12	25	48
B. *Operated*	263	5.9	44	1	1	4	7	12	17	38
1. SINGLE DX	628	2.9	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	353	5.9	50	1	1	4	7	12	21	38
A. NOT OPERATED	120	5.1	58	<1	<1	3	5	10	21	42
B. OPERATED	861	3.8	18	1	1	3	4	7	10	25
TOTAL 0-19 YRS	135	2.9	3	<1	1	3	4	5	7	9
20-34	398	3.2	5	1	1	3	4	5	7	12
35-49	145	3.6	9	<1	1	3	4	6	8	15
50-64	90	4.2	38	1	1	3	5	9	12	81
65+	213	6.4	65	1	1	4	7	15	25	37
GRAND TOTAL	**981**	**4.0**	**23**	**1**	**1**	**3**	**4**	**7**	**11**	**28**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	3	1	1	2	3	5	6	7
20-34	22	3.1	5	<1	<1	2	6	6	7	7
35-49	17	4.8	21	<1	<1	4	5	11	16	18
50-64	9	5.2	10	2	2	4	7	10	12	12
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	813	2.8	3	1	1	2	4	5	6	9
20-34	1714	2.8	3	<1	1	2	4	5	6	9
35-49	887	2.9	4	1	1	7	4	5	7	9
50-64	435	3.2	6	1	1	2	4	6	8	11
65+	84	3.6	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.2	4	<1	<1	1	3	4	7	9
20-34	43	2.0	3	<1	<1	1	2	4	6	9
35-49	30	4.0	19	<1	<1	2	6	11	13	18
50-64	19	3.7	26	<1	1	1	4	10	17	21
65+	17	7.8	24	1	1	8	10	16	18	18
B. *Operated*										
0-19 YRS	455	3.5	16	1	1	2	4	6	7	13
20-34	930	3.6	15	1	1	2	4	7	9	18
35-49	587	3.6	16	1	1	2	4	7	9	15
50-64	574	3.6	10	1	1	3	4	7	10	17
65+	221	5.7	57	1	2	3	7	12	16	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.6	10	<1	1	3	5	7	9	17
B. *Operated*	3933	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	133	3.5	16	<1	<1	1	4	9	12	19
B. *Operated*	2767	3.7	18	1	1	3	4	7	10	18
1. SINGLE DX	4000	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX	2900	3.7	18	1	1	3	4	7	10	18
A. NOT OPERATED	200	3.5	14	<1	<1	2	5	8	12	18
B. OPERATED	6700	3.2	10	1	1	2	4	6	8	14
TOTAL 0-19 YRS	1308	3.0	8	1	1	2	4	5	7	11
20-34	2709	3.1	7	<1	1	2	4	6	7	12
35-49	1521	3.2	9	1	1	2	4	6	8	13
50-64	1037	3.4	9	1	1	2	4	7	8	16
65+	325	5.2	43	1	2	3	6	11	15	32
GRAND TOTAL	**6900**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.0	39	<1	<1	2	6	12	20	27
20-34	76	5.9	20	1	2	5	7	10	12	29
35-49	45	7.4	60	1	2	5	9	14	22	45
50-64	32	7.3	35	1	1	6	10	17	21	24
65+	9	5.7	33	1	1	5	9	16	19	19
B. *Operated*										
0-19 YRS	185	3.3	20	<1	1	2	4	8	11	19
20-34	226	3.7	18	<1	1	2	4	8	10	23
35-49	107	4.3	34	<1	1	3	5	9	14	34
50-64	73	5.5	66	<1	1	2	5	14	22	42
65+	35	8.1	93	1	1	4	10	24	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.0	20	1	1	4	6	10	13	23
20-34	225	7.2	17	2	3	7	9	12	15	20
35-49	157	8.9	49	3	4	7	10	15	23	38
50-64	81	9.8	85	2	3	7	11	18	23	57
65+	53	10.6	84	2	3	8	14	25	40	98
B. *Operated*										
0-19 YRS	97	8.2	67	1	1	5	11	21	23	41
20-34	182	9.0	94	1	2	5	11	23	28	43
35-49	90	9.3	135	1	2	5	11	24	33	64
50-64	80	9.7	213	1	1	5	9	28	41	83
65+	115	15.9	298	1	2	8	25	42	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	6.4	36	1	1	5	8	12	18	31
B. *Operated*	626	4.1	32	<1	1	2	4	9	14	31
2. MULTIPLE DX										
A. *Not Operated*	560	8.2	44	2	3	7	10	15	20	42
B. *Operated*	564	10.4	161	1	2	5	13	26	38	64
1. SINGLE DX	820	4.7	34	<1	1	3	5	10	15	31
2. MULTIPLE DX	1124	9.3	104	1	2	6	10	21	30	56
A. NOT OPERATED	754	7.8	43	1	2	6	9	14	20	38
B. OPERATED	1190	7.1	103	1	1	3	8	18	28	52
TOTAL 0-19 YRS	358	5.0	39	1	1	3	6	12	18	27
20-34	709	6.4	42	1	1	5	8	13	19	34
35-49	399	7.6	69	1	2	5	9	14	24	45
50-64	266	8.3	115	1	1	5	9	17	29	54
65+	212	12.9	210	1	2	7	19	37	48	99+
GRAND TOTAL	**1944**	**7.4**	**80**	**1**	**1**	**5**	**9**	**16**	**25**	**48**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.5	3	<1	1	2	3	5	6	8
20-34	44	3.3	8	<1	<1	2	3	7	10	13
35-49	24	3.3	6	<1	1	2	5	7	9	10
50-64	25	4.0	7	<1	1	4	5	9	10	10
65+	21	6.8	30	1	2	5	8	15	20	23
B. *Operated*										
0-19 YRS	335	3.5	5	1	1	3	5	6	7	12
20-34	437	3.6	5	1	1	3	5	6	8	11
35-49	106	3.8	6	1	1	4	5	7	8	12
50-64	34	5.7	17	1	2	4	7	11	12	21
65+	19	7.9	28	1	2	7	11	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.7	27	1	1	3	6	10	11	28
20-34	38	4.9	38	<1	1	3	5	9	24	27
35-49	32	7.3	41	2	2	5	8	13	25	30
50-64	46	7.2	46	1	2	5	8	15	21	36
65+	125	10.2	126	2	3	7	12	21	28	97
B. *Operated*										
0-19 YRS	265	4.7	15	1	1	4	6	8	11	24
20-34	439	4.5	13	1	1	4	6	8	10	18
35-49	131	4.9	29	<1	1	4	6	8	10	25
50-64	87	6.9	44	2	2	5	8	12	18	40
65+	48	12.1	169	1	2	8	16	26	30	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.6	11	<1	1	3	5	8	10	17
B. *Operated*	931	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	272	8.0	83	1	2	5	9	16	26	50
B. *Operated*	970	5.2	29	1	1	4	6	9	13	28
1. SINGLE DX	1084	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1742	5.8	42	1	1	4	7	11	16	31
A. NOT OPERATED	425	6.4	61	1	1	4	8	13	21	39
B. OPERATED	1901	4.5	19	1	1	4	6	8	10	23
TOTAL 0-19 YRS	670	3.9	11	1	1	3	5	7	9	17
20-34	958	4.1	11	1	1	3	5	7	9	17
35-49	293	4.6	21	1	1	4	6	8	10	22
50-64	192	6.4	36	1	2	5	8	11	17	34
65+	213	10.1	118	2	3	7	13	22	27	81
GRAND TOTAL	**2326**	**4.8**	**27**	**1**	**1**	**4**	**6**	**9**	**12**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	5.1	13	1	1	4	7	11	13	14
20-34	666	6.2	17	2	2	5	8	11	14	21
35-49	666	6.4	16	2	2	6	8	11	13	19
50-64	312	6.9	19	2	3	6	9	11	15	26
65+	89	7.4	25	2	2	6	10	15	17	24
B. *Operated*										
0-19 YRS	4	5.8	24	3	3	4	8	13	13	13
20-34	91	5.4	27	1	1	4	8	11	13	31
35-49	76	7.3	41	1	2	5	10	16	21	31
50-64	20	7.6	34	2	2	6	11	16	21	23
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	6.3	19	2	2	5	7	11	16	24
20-34	801	7.5	29	2	3	6	9	13	16	29
35-49	937	8.3	37	2	3	7	10	15	20	33
50-64	730	8.2	29	3	3	7	10	14	16	27
65+	610	9.7	67	2	3	8	11	18	24	59
B. *Operated*										
0-19 YRS	6	9.8	100	<1	<1	7	18	24	25	25
20-34	101	9.9	74	2	2	7	14	20	26	45
35-49	119	10.9	67	2	3	9	15	20	25	40
50-64	73	12.6	88	3	4	10	16	23	30	48
65+	42	19.5	199	6	7	17	23	35	48	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1799	6.4	17	2	2	6	8	11	14	21
B. *Operated*	194	6.3	33	1	2	4	9	12	19	30
2. MULTIPLE DX										
A. *Not Operated*	3176	8.3	39	2	3	7	10	15	19	33
B. *Operated*	341	12.0	98	2	3	9	16	23	29	50
1. SINGLE DX	1993	6.4	19	2	2	5	8	11	14	22
2. MULTIPLE DX	3517	8.6	46	2	3	7	10	16	21	35
A. NOT OPERATED	4975	7.6	32	2	3	6	9	14	17	29
B. OPERATED	535	9.9	82	2	2	8	13	21	26	45
TOTAL 0-19 YRS	174	5.9	20	1	2	5	7	12	14	24
20-34	1659	7.0	28	2	2	6	9	13	16	28
35-49	1798	7.7	33	2	3	6	10	14	18	28
50-64	1135	8.1	32	2	3	7	10	14	18	29
65+	744	10.0	75	2	3	8	12	18	25	56
GRAND TOTAL	**5510**	**7.8**	**37**	**2**	**3**	**6**	**10**	**14**	**18**	**31**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.4	16	<1	1	2	4	8	10	15
20-34	474	5.5	20	1	1	4	7	11	13	21
35-49	374	6.1	18	1	2	5	8	12	14	23
50-64	176	5.5	11	1	2	5	8	10	12	14
65+	33	7.2	66	<1	1	4	9	17	27	35
B. *Operated*										
0-19 YRS	7	3.1	4	1	1	2	4	7	7	7
20-34	88	5.6	39	1	1	3	7	12	18	33
35-49	75	5.0	21	1	2	3	6	10	14	23
50-64	16	6.3	31	1	2	4	11	15	16	17
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	4.9	10	1	1	5	6	8	9	14
20-34	1818	6.4	14	2	3	5	7	10	13	22
35-49	1331	7.2	28	2	3	6	8	12	15	27
50-64	764	7.3	28	2	3	6	9	14	17	26
65+	440	8.9	75	2	3	7	11	16	25	42
B. *Operated*										
0-19 YRS	8	5.9	28	1	1	4	9	14	16	16
20-34	110	7.7	52	1	2	6	10	15	16	45
35-49	149	9.6	76	2	2	8	13	19	25	51
50-64	51	7.4	37	1	2	6	9	15	22	28
65+	24	14.8	151	2	2	14	17	24	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	5.4	19	1	1	4	7	11	13	21
B. *Operated*	188	5.3	30	1	1	3	7	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	4722	6.9	27	2	3	6	8	12	15	27
B. *Operated*	342	8.5	69	1	2	7	12	17	22	48
1. SINGLE DX	1427	5.4	21	1	1	4	7	11	14	23
2. MULTIPLE DX	5064	7.0	30	2	3	6	8	12	16	29
A. NOT OPERATED	5961	6.6	25	1	2	5	8	11	15	26
B. OPERATED	530	7.7	58	1	2	5	10	16	21	37
TOTAL 0-19 YRS	566	4.4	13	1	1	4	6	8	9	15
20-34	2490	6.2	18	1	2	5	7	11	14	22
35-49	1929	7.1	30	2	3	6	9	13	16	28
50-64	1007	7.0	26	2	2	6	9	13	16	25
65+	499	9.1	79	2	2	7	11	17	26	48
GRAND TOTAL	**6491**	**6.7**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.6	3	<1	1	2	3	5	6	8
20-34	77	3.1	6	<1	<1	2	4	8	8	11
35-49	68	3.1	6	<1	1	2	5	6	8	12
50-64	45	4.2	16	<1	1	3	5	8	13	21
65+	39	4.6	12	1	1	4	7	9	10	18
B. *Operated*										
0-19 YRS	130	2.7	2	1	1	2	3	4	5	8
20-34	433	3.3	5	1	1	3	4	5	6	10
35-49	351	3.6	5	1	2	3	4	6	7	13
50-64	266	4.7	10	2	2	4	5	8	11	18
65+	86	5.9	16	2	2	5	8	10	11	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.3	21	<1	<1	3	5	11	15	21
20-34	91	4.2	39	<1	1	3	5	7	12	42
35-49	104	4.6	21	1	1	3	5	9	11	29
50-64	127	5.4	24	1	1	4	6	12	17	24
65+	243	8.9	86	2	2	6	11	19	30	62
B. *Operated*										
0-19 YRS	45	3.6	7	1	1	3	5	6	7	18
20-34	96	4.1	32	1	1	3	4	6	11	36
35-45	126	5.1	15	1	2	4	6	10	13	21
50-64	231	6.1	31	2	2	5	8	11	13	19
65+	126	8.1	44	2	3	6	9	15	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	3.3	8	<1	1	2	4	7	8	13
B. *Operated*	1266	3.8	7	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	624	6.4	56	1	1	4	8	13	21	38
B. *Operated*	624	5.8	31	1	2	4	7	11	14	27
1. SINGLE DX	1573	3.7	7	1	1	3	5	6	8	14
2. MULTIPLE DX	1248	6.1	42	1	2	4	7	12	16	35
A. NOT OPERATED	931	5.4	41	1	1	4	6	11	16	34
B. OPERATED	1890	4.5	16	1	2	4	5	8	11	19
TOTAL 0-19 YRS	312	3.1	7	1	1	2	4	5	8	16
20-34	697	3.5	13	<1	1	3	4	6	8	17
35-49	649	4.0	10	1	1	3	5	7	9	16
50-64	669	5.3	21	1	2	4	6	10	13	21
65+	494	7.9	59	2	2	6	9	15	24	40
GRAND TOTAL	**2821**	**4.8**	**24**	**1**	**1**	**4**	**5**	**9**	**12**	**25**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2419	1.5	1	<1	1	1	2	2	3	5
20-34	735	2.0	3	<1	1	2	2	4	5	8
35-49	230	2.5	5	<1	1	2	3	5	6	12
50-64	119	2.8	6	<1	1	2	4	5	7	14
65+	73	3.0	7	1	1	2	4	6	9	13
B. *Operated*										
0-19 YRS	8	4.4	46	1	1	2	3	16	21	21
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	2	27.0	1352	<1	<1	26	53	53	53	53
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2619	2.3	6	1	1	2	3	5	6	11
20-34	2221	3.5	12	1	1	3	4	7	9	17
35-49	1008	4.5	19	1	1	3	6	10	12	22
50-64	710	5.0	22	1	1	4	6	10	14	20
65+	862	8.0	89	1	2	5	10	16	21	72
B. *Operated*										
0-19 YRS	773	3.8	42	1	1	2	4	7	11	32
20-34	860	4.6	44	1	1	3	5	9	15	37
35-49	324	5.3	43	1	1	3	6	11	19	29
50-64	239	6.7	66	1	1	4	8	13	23	41
65+	335	9.4	138	1	1	6	12	24	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3576	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	18	6.6	156	<1	1	2	5	17	40	53
2. MULTIPLE DX										
A. *Not Operated*	7420	3.9	24	1	1	2	5	8	12	22
B. *Operated*	2531	5.3	61	1	1	3	6	11	20	45
1. SINGLE DX	3594	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	9951	4.3	33	1	1	3	5	9	13	29
A. NOT OPERATED	10996	3.2	18	1	1	2	4	7	10	19
B. OPERATED	2549	5.3	62	1	1	3	6	11	20	45
TOTAL 0-19 YRS	5819	2.2	9	1	1	1	2	4	6	11
20-34	3821	3.5	18	<1	1	2	4	7	10	20
35-49	1564	4.4	24	1	1	3	5	9	13	25
50-64	1069	5.2	31	1	1	4	6	10	14	31
65+	1272	8.1	99	1	1	5	10	18	25	80
GRAND TOTAL	**13545**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	829	1.9	4	<1	1	1	2	3	5	10
20-34	208	3.1	12	<1	1	2	3	6	11	19
35-49	76	4.2	21	<1	1	2	6	9	14	25
50-64	41	5.6	165	1	1	3	4	7	19	82
65+	53	5.7	65	1	1	2	7	12	15	52
B. *Operated*										
0-19 YRS	35	10.9	160	1	1	7	11	31	56	99+
20-34	29	12.9	196	1	2	9	14	28	42	69
35-49	21	10.5	56	2	2	9	14	22	26	30
50-64	26	11.8	61	2	3	12	14	21	27	35
65+	31	20.0	331	6	7	14	29	69	98	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	835	3.5	54	1	1	2	3	6	10	42
20-34	454	5.7	91	1	1	3	6	12	18	68
35-49	216	6.4	53	1	1	4	8	14	21	68
50-64	207	9.1	127	1	1	5	11	23	38	83
65+	464	11.7	162	1	2	8	15	27	43	99
B. *Operated*										
0-19 YRS	207	15.8	468	1	1	8	26	71	99+	99+
20-34	258	17.6	402	1	2	10	33	58	99+	99+
35-49	101	18.7	593	1	2	10	35	93	99+	99+
50-64	76	16.5	319	1	2	11	26	53	92	99+
65+	251	21.5	385	2	4	15	31	57	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	2.5	16	<1	1	1	2	5	8	16
B. *Operated*	142	13.4	179	1	2	10	15	32	50	99+
2. MULTIPLE DX										
A. *Not Operated*	2176	6.5	101	1	1	3	7	16	25	68
B. *Operated*	893	18.3	430	1	2	11	30	64	99+	99+
1. SINGLE DX	1349	3.6	44	<1	1	2	3	8	13	36
2. MULTIPLE DX	3069	9.9	226	1	1	4	12	30	50	99+
A. NOT OPERATED	3383	5.1	75	1	1	2	5	12	19	51
B. OPERATED	1035	17.6	398	1	2	11	27	59	98	99+
TOTAL 0-19 YRS	1906	4.3	97	1	1	2	3	8	18	85
20-34	949	8.6	194	1	1	3	9	26	46	99+
35-49	414	9.2	209	1	1	5	10	25	52	99+
50-64	350	10.5	178	1	2	5	13	28	44	99+
65+	799	14.7	258	1	2	10	19	42	57	99+
GRAND TOTAL	**4418**	**8.0**	**179**	**1**	**1**	**3**	**9**	**22**	**43**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.5	12	1	1	3	4	7	11	17
20-34	30	2.9	3	<1	1	3	5	5	6	7
35-49	17	3.9	11	1	1	3	5	10	12	12
50-64	11	4.4	14	<1	<1	3	6	10	13	13
65+	5	8.0	49	2	2	6	10	20	20	20
B. *Operated*										
0-19 YRS	22	6.6	16	2	2	6	8	12	15	18
20-34	75	7.2	17	2	3	7	9	12	14	24
35-49	29	7.4	31	2	3	6	9	15	21	25
50-64	6	8.2	13	4	4	7	12	13	13	13
65+	5	5.0	6	3	3	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.5	10	1	2	3	6	9	11	15
20-34	102	5.2	19	1	2	4	6	10	14	24
35-49	45	6.1	20	2	2	4	8	12	14	24
50-64	61	6.6	31	1	2	5	9	14	18	30
65+	92	9.5	74	2	3	7	10	18	32	78
B. *Operated*										
0-19 YRS	87	11.2	171	2	3	7	13	22	39	96
20-34	236	10.5	89	3	4	8	12	17	33	50
35-49	103	11.3	71	3	4	9	13	23	29	46
50-64	62	10.3	58	2	4	8	12	23	31	92
65+	93	14.9	159	4	5	11	18	28	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.8	12	1	1	3	5	7	11	19
B. *Operated*	137	7.1	19	2	3	6	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	346	6.6	38	2	2	5	9	13	17	41
B. *Operated*	581	11.4	108	3	4	9	13	22	32	67
1. SINGLE DX	226	5.8	19	1	1	5	7	12	13	22
2. MULTIPLE DX	927	9.6	87	2	3	7	11	19	28	53
A. NOT OPERATED	435	6.0	34	1	2	4	7	12	16	33
B. OPERATED	718	10.6	94	3	4	8	12	20	29	59
TOTAL 0-19 YRS	181	7.8	99	1	2	5	9	16	21	83
20-34	443	8.2	62	2	2	6	10	14	19	45
35-49	194	8.9	55	2	2	7	11	18	25	36
50-64	140	8.1	45	1	2	6	10	16	23	46
65+	195	11.9	120	3	4	8	15	26	39	66
GRAND TOTAL	**1153**	**8.9**	**76**	**2**	**2**	**7**	**11**	**17**	**25**	**49**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	3.9	10	1	1	3	5	8	10	16
20-34	143	3.5	7	1	1	3	5	7	9	13
35-49	45	4.0	10	1	1	3	6	9	10	14
50-64	19	3.7	6	<1	1	3	5	7	9	10
65+	10	5.0	16	1	1	4	5	12	12	12
B. *Operated*										
0-19 YRS	82	7.3	14	3	4	7	8	11	11	27
20-34	116	9.0	25	4	5	8	11	15	21	26
35-49	48	8.3	15	4	4	7	10	14	16	19
50-64	15	7.3	12	2	2	8	8	13	14	14
65+	7	7.4	7	3	4	8	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	4.4	17	1	1	3	6	10	13	20
20-34	287	4.5	16	1	1	3	6	9	13	21
35-49	100	5.0	16	1	1	4	6	10	13	22
50-64	65	5.4	27	1	1	4	6	12	19	23
65+	75	10.5	180	2	2	6	13	23	32	99
B. *Operated*										
0-19 YRS	269	12.9	156	2	4	9	14	26	34	65
20-34	452	14.6	210	3	5	10	15	30	51	99
35-49	179	15.9	233	3	5	11	18	35	67	99+
50-64	103	18.1	264	5	7	13	21	34	63	98
65+	80	22.4	406	3	6	16	27	49	77	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.8	9	1	1	3	5	8	10	14
B. *Operated*	268	8.2	19	3	4	7	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	778	5.2	36	1	1	4	6	11	14	25
B. *Operated*	1083	15.3	225	3	5	10	17	32	53	98
1. SINGLE DX	785	5.3	17	1	1	4	7	10	12	20
2. MULTIPLE DX	1861	11.1	171	1	2	8	13	23	37	84
A. NOT OPERATED	1295	4.7	26	1	1	3	6	10	13	22
B. OPERATED	1351	13.9	192	3	5	10	15	28	46	97
TOTAL 0-19 YRS	902	7.0	91	1	1	5	9	13	19	46
20-34	998	9.5	127	1	2	7	11	18	29	75
35-49	372	10.6	147	1	2	7	12	22	35	79
50-64	202	11.9	185	1	2	8	15	23	36	87
65+	172	15.6	309	2	3	10	20	38	56	99
GRAND TOTAL	**2646**	**9.4**	**132**	**1**	**2**	**6**	**11**	**19**	**29**	**74**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	4	1	1	4	5	7	8	8
20-34	8	3.4	6	1	1	3	4	7	9	9
35-49	11	2.2	2	1	1	2	3	4	5	5
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	172	2.8	6	<1	1	2	4	6	8	13
20-34	85	3.5	7	1	1	3	4	6	10	13
35-49	48	2.9	4	1	1	3	4	5	6	12
50-64	21	4.4	16	<1	1	3	5	8	13	19
65+	18	2.9	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.4	4	<1	1	3	5	6	7	8
20-34	29	3.9	9	1	1	3	5	8	11	13
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	8	6.6	29	1	1	6	9	15	17	17
65+	17	7.5	48	1	1	6	11	15	23	27
B. *Operated*										
0-19 YRS	145	4.2	15	1	1	3	5	9	11	18
20-34	139	4.3	13	<1	1	4	6	8	10	16
35-49	69	4.5	12	1	1	4	6	10	11	16
50-64	46	3.8	9	1	1	3	5	8	12	99+
65+	75	6.6	89	1	1	4	8	15	20	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.9	4	1	1	3	4	5	7	9
B. *Operated*	344	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	83	4.8	19	1	1	3	6	10	14	24
B. *Operated*	474	4.6	26	1	1	3	6	9	13	28
1. SINGLE DX	382	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	557	4.6	25	1	1	3	6	9	13	27
A. NOT OPERATED	121	4.2	15	1	1	3	5	8	12	20
B. OPERATED	818	3.9	18	1	1	3	5	8	10	19
TOTAL 0-19 YRS	355	3.4	10	<1	1	2	4	7	9	15
20-34	261	4.0	11	1	1	3	5	8	10	14
35-49	131	3.7	9	1	1	3	5	7	10	15
50-64	78	4.2	13	1	1	3	6	9	13	76
65+	114	6.0	68	1	1	4	7	14	18	84
GRAND TOTAL	**939**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.5	4	<1	<1	2	3	5	6	11
20-34	56	2.8	4	1	1	2	4	6	7	8
35-49	19	2.6	4	<1	<1	2	4	6	7	8
50-64	16	3.4	11	1	1	2	4	7	12	14
65+	10	3.0	6	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	296	1.9	3	<1	<1	1	2	4	5	9
20-34	146	2.9	9	<1	<1	2	3	6	9	14
35-49	68	3.2	10	<1	1	2	4	6	8	20
50-64	35	2.0	1	<1	1	2	3	4	4	5
65+	25	3.3	6	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	2.9	5	<1	1	2	4	6	8	12
20-34	226	3.5	25	<1	<1	2	4	7	10	25
35-49	120	3.4	6	<1	1	3	5	7	9	11
50-64	75	7.2	169	1	1	3	6	12	34	75
65+	213	8.3	100	1	1	5	11	18	28	64
B. *Operated*										
0-19 YRS	518	3.1	11	1	1	2	4	6	9	16
20-34	617	4.6	46	<1	1	3	5	9	16	35
35-49	264	4.7	27	<1	1	3	5	9	17	32
50-64	207	4.5	22	1	1	3	6	8	11	28
65+	382	7.3	69	1	1	5	9	15	21	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	2.7	4	<1	1	2	4	5	7	11
B. *Operated*	570	2.4	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	795	5.0	57	<1	1	3	5	10	15	44
B. *Operated*	1988	4.7	38	1	1	3	6	10	15	33
1. SINGLE DX	770	2.5	5	<1	<1	2	3	[illegible]	7	11
2. MULTIPLE DX	2783	4.8	43	1	1	3	6	10	15	38
A. NOT OPERATED	995	4.5	47	<1	1	3	5	9	13	41
B. OPERATED	2558	4.2	32	<1	1	2	5	9	13	28
TOTAL 0-19 YRS	1074	2.7	7	<1	1	2	3	6	8	13
20-34	1045	4.0	34	<1	1	2	5	8	12	27
35-49	471	4.1	19	<1	1	3	5	8	[illegible]	25
50-64	333	4.8	54	1	1	3	5	8	[illegible]	40
65+	630	7.4	77	1	1	5	9	15	23	51
GRAND TOTAL	**3553**	**4.3**	**36**	**<1**	**1**	**3**	**5**	**9**	**13**	**32**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.2	3	<1	1	2	3	4	5	8
20-34	273	2.4	3	<1	1	2	3	4	5	7
35-49	77	3.0	18	1	1	2	3	5	6	29
50-64	23	2.0	1	<1	<1	2	3	3	4	4
65+	5	1.6		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	183	3.0	10	<1	1	2	4	6	8	20
20-34	195	4.7	19	1	1	4	6	9	12	26
35-49	62	5.0	19	<1	1	4	7	10	12	24
50-64	19	6.3	16	2	2	6	10	11	13	15
65+	13	4.6	9	<1	1	4	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.4	26	1	1	3	5	9	12	30
20-34	211	3.9	36	<1	1	3	4	7	11	27
35-49	71	3.9	27	<1	1	2	4	8	16	30
50-64	31	4.6	15	1	1	4	6	11	14	17
65+	29	9.1	121	1	2	4	10	24	36	47
B. *Operated*										
0-19 YRS	146	7.7	140	1	1	5	8	14	26	62
20-34	341	7.8	53	1	2	6	9	14	21	42
35-49	105	10.2	107	1	2	8	12	19	30	61
50-64	53	8.6	62	1	2	7	11	22	33	97
65+	23	11.4	132	1	2	7	15	32	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	2.4	5	<1	1	2	3	4	5	8
B. *Operated*	472	4.2	16	<1	1	3	6	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	413	4.4	38	<1	1	3	5	9	15	32
B. *Operated*	668	8.3	84	1	1	6	10	16	24	52
1. SINGLE DX	1011	3.2	11	<1	1	2	4	6	8	18
2. MULTIPLE DX	1081	6.8	70	1	1	5	8	14	21	47
A. NOT OPERATED	952	3.3	20	<1	1	2	4	5	9	23
B. OPERATED	1140	6.6	60	1	1	5	8	13	20	43
TOTAL 0-19 YRS	561	4.2	48	<1	1	2	5	8	11	31
20-34	1020	4.9	34	1	1	3	6	10	14	29
35-49	315	6.0	59	1	1	4	7	13	18	42
50-64	126	6.1	38	1	1	4	8	13	19	50
65+	70	8.5	102	<1	1	4	10	20	35	46
GRAND TOTAL	**2092**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**15**	**35**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.7	3	1	1	2	4	5	6	9
20-34	194	3.5	6	1	1	3	4	7	8	15
35-49	78	2.9	3	<1	1	3	4	5	6	9
50-64	41	4.5	14	1	2	3	5	9	12	20
65+	16	6.8	202	<1	1	2	4	16	46	58
B. *Operated*										
0-19 YRS	890	2.2	5	<1	1	2	3	4	5	10
20-34	1117	2.5	13	<1	1	2	3	4	6	12
35-49	479	2.6	8	<1	<1	2	3	5	8	16
50-64	296	2.5	8	<1	1	2	3	5	6	13
65+	88	3.1	20	<1	1	2	4	6	7	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.0	24	1	1	3	4	8	10	30
20-34	184	4.3	23	1	1	3	5	8	11	26
35-49	96	4.5	10	1	1	3	6	9	10	15
50-64	59	5.3	25	1	1	4	6	10	16	28
65+	47	7.1	36	1	2	5	9	14	19	31
B. *Operated*										
0-19 YRS	662	3.4	23	1	1	2	3	6	10	28
20-34	970	3.9	27	1	1	2	4	8	12	28
35-49	397	4.4	37	1	1	2	4	9	18	33
50-64	280	4.1	25	1	1	2	5	9	12	25
65+	151	5.6	58	1	1	3	7	13	17	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	3.4	12	1	1	3	4	6	7	15
B. *Operated*	2870	2.5	9	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	508	4.7	23	1	1	3	6	9	12	27
B. *Operated*	2460	4.0	30	1	1	2	4	8	13	31
1. SINGLE DX	3334	2.6	10	<1	1	2	3	5	6	13
2. MULTIPLE DX	2968	4.1	29	1	1	2	4	8	13	31
A. NOT OPERATED	972	4.0	18	1	1	3	5	8	10	19
B. OPERATED	5330	3.2	19	<1	1	2	3	6	9	24
TOTAL 0-19 YRS	1809	2.8	13	1	1	2	3	5	7	19
20-34	2465	3.3	19	<1	1	2	4	6	9	22
35-49	1050	3.5	20	<1	1	2	4	7	10	26
50-64	676	3.5	18	1	1	2	4	7	10	21
65+	302	5.2	52	1	1	3	6	11	17	37
GRAND TOTAL	**6302**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**6**	**9**	**23**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.0	4	<1	1	2	4	6	7	10
20-34	150	3.5	8	1	1	3	4	7	9	16
35-49	47	4.3	9	1	1	4	6	8	10	16
50-64	24	5.2	36	1	2	3	5	11	17	30
65+	11	5.0	15	<1	1	5	6	10	15	15
B. *Operated*										
0-19 YRS	504	3.9	24	<1	1	2	4	7	12	28
20-34	346	4.5	27	1	1	3	5	10	15	26
35-49	140	4.8	41	1	1	3	5	10	16	36
50-64	82	5.0	43	<1	1	3	5	11	22	36
65+	43	6.7	48	1	1	5	8	14	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.6	6	1	1	3	5	6	9	12
20-34	114	4.9	16	1	1	4	6	10	14	18
35-49	51	5.3	25	1	1	4	7	10	14	32
50-64	53	8.6	78	1	2	6	11	18	24	49
65+	63	12.3	168	2	3	8	16	23	39	75
B. *Operated*										
0-19 YRS	234	8.2	93	1	1	5	10	20	32	51
20-34	282	8.4	119	1	1	5	9	20	29	52
35-49	116	11.0	227	1	2	6	13	26	37	97
50-64	118	11.0	147	1	2	7	14	25	32	91
65+	123	14.5	189	2	3	11	21	33	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	3.6	9	1	1	3	4	7	9	15
B. *Operated*	1115	4.4	30	1	1	3	5	9	14	30
2. MULTIPLE DX										
A. *Not Operated*	364	6.5	59	1	1	4	7	14	17	39
B. *Operated*	873	9.9	144	1	2	6	12	24	34	85
1. SINGLE DX	1508	4.2	24	1	1	3	5	8	12	27
2. MULTIPLE DX	1237	8.9	121	1	2	5	10	21	31	76
A. NOT OPERATED	757	5.0	35	1	1	3	6	10	14	35
B. OPERATED	1988	6.8	87	1	1	4	8	16	25	55
TOTAL 0-19 YRS	982	4.7	40	1	1	3	5	10	15	38
20-34	892	5.6	55	1	1	3	6	12	18	36
35-49	354	6.8	103	1	1	4	7	13	24	70
50-64	277	8.3	100	1	1	4	11	21	28	56
65+	240	12.1	160	1	2	8	16	28	40	99+
GRAND TOTAL	**2745**	**6.3**	**74**	**1**	**1**	**4**	**7**	**14**	**22**	**46**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	17	3.5	14	<1	1	2	5	10	12	13
20-34	30	5.0	37	1	1	2	6	14	17	27
35-49	14	5.4	32	<1	<1	3	9	12	19	21
50-64	8	6.6	53	<1	<1	2	15	16	16	16
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	61	1	1	2	8	20	21	21
20-34	10	3.7	12	1	1	2	3	10	12	12
35-49	5	3.8	2	2	2	4	5	6	6	6
50-64	9	4.1	12	<1	<1	3	7	9	11	11
65+	10	15.8	416	1	3	10	16	44	72	72
B. *Operated*										
0-19 YRS	39	9.0	127	1	1	4	13	33	40	99+
20-34	79	9.8	168	1	1	6	13	22	31	97
35-49	26	7.7	51	1	1	6	10	23	40	99+
50-64	17	7.5	50	<1	1	6	10	18	23	26
65+	18	14.7	196	1	1	10	20	34	47	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.7	1	<1	<1	1	2	4	5	5
B. *Operated*	70	4.8	31	<1	1	2	7	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	40	7.2	135	1	1	3	8	15	19	72
B. *Operated*	179	9.6	135	1	1	6	13	25	38	99+
1. SINGLE DX	88	4.2	27	<1	1	2	5	12	16	25
2. MULTIPLE DX	219	9.2	135	1	1	5	11	23	36	99+
A. NOT OPERATED	58	5.5	100	<1	1	3	6	12	17	68
B. OPERATED	249	8.3	110	1	1	5	11	21	30	99+
TOTAL 0-19 YRS	73	6.3	84	<1	1	2	8	19	35	86
20-34	121	8.0	126	1	1	4	10	20	28	93
35-49	49	6.2	39	<1	1	4	9	16	24	99+
50-64	34	6.4	40	<1	1	4	9	16	18	26
65+	30	14.2	256	1	1	9	17	32	55	72
GRAND TOTAL	**307**	**7.7**	**109**	**1**	**1**	**4**	**10**	**20**	**29**	**94**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	6	<1	<1	3	5	7	8	8
20-34	15	3.5	6	1	1	3	6	7	8	8
35-49	5	11.6	309	3	3	4	14	43	43	43
50-64	5	5.8	9	2	2	5	8	10	10	10
65+	11	9.4	86	1	1	4	13	25	29	29
B. *Operated*										
0-19 YRS	110	3.3	14	<1	1	2	3	6	9	23
20-34	201	3.8	18	<1	1	2	4	7	10	28
35-49	90	4.3	51	<1	1	3	5	8	11	47
50-64	66	4.5	18	1	2	3	5	8	17	21
65+	20	9.7	85	1	2	5	18	22	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	30	1	1	4	7	9	11	30
20-34	37	4.7	17	<1	1	4	6	9	14	20
35-49	25	7.0	42	<1	1	5	9	15	20	29
50-64	27	6.7	56	<1	<1	4	9	12	23	36
65+	59	13.9	149	2	3	11	18	25	37	67
B. *Operated*										
0-19 YRS	105	3.8	14	1	1	3	4	7	10	21
20-34	204	5.7	78	1	2	3	5	13	19	71
35-49	115	5.5	25	1	2	4	7	11	18	28
50-64	66	9.0	126	1	2	5	9	22	35	55
65+	67	13.0	166	2	2	10	17	25	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.9	58	1	1	3	7	12	23	43
B. *Operated*	487	4.1	27	<1	1	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	178	8.5	86	<1	1	6	11	19	25	52
B. *Operated*	557	6.5	78	1	1	3	7	16	22	52
1. SINGLE DX	535	4.3	30	<1	1	3	5	8	12	27
2. MULTIPLE DX	735	7.0	81	1	1	4	8	17	23	53
A. NOT OPERATED	226	7.9	81	1	1	5	10	18	25	46
B. OPERATED	1044	5.4	56	1	1	3	6	11	19	41
TOTAL 0-19 YRS	257	3.7	15	<1	1	2	4	7	10	24
20-34	457	4.7	45	1	1	3	5	9	16	41
35-49	235	5.3	43	<1	1	3	6	11	16	31
50-64	164	6.7	71	1	2	4	7	17	22	47
65+	157	12.6	144	2	2	11	17	25	31	67
GRAND TOTAL	**1270**	**5.9**	**61**	**1**	**1**	**3**	**6**	**13**	**21**	**62**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	4.1	5	1	2	4	5	6	8	13
20-34	99	3.3	3	1	1	3	4	5	6	9
35-49	35	3.9	5	<1	1	4	5	6	8	11
50-64	9	4.2	12	<1	<1	4	5	10	12	12
65+	4	2.8		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	6.1	18	1	1	6	8	12	14	14
20-34	4	7.3	38	2	2	5	11	16	16	16
35-49	4	2.3		2	2	2	3	3	3	3
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	5	6.0	29	2	2	3	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.0	7	1	1	4	5	7	9	15
20-34	65	3.8	5	1	1	3	5	7	8	10
35-49	37	4.4	11	<1	1	3	7	8	10	16
50-64	28	4.8	10	<1	1	4	6	9	12	14
65+	38	5.8	18	<1	1	5	7	12	19	99+
B. *Operated*										
0-19 YRS	15	5.4	19	2	2	4	7	10	16	18
20-34	22	6.5	37	2	2	4	7	15	22	26
35-49	8	2.9	5	<1	<1	2	3	7	8	8
50-64	5	5.8	6	4	4	5	6	10	10	10
65+	13	9.3	76	1	2	7	12	21	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	3.9	4	1	1	4	5	6	7	12
B. *Operated*	24	5.3	19	1	1	4	7	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	311	4.3	9	1	1	4	5	8	10	18
B. *Operated*	63	6.3	36	1	2	4	7	12	19	32
1. SINGLE DX	453	3.9	5	1	1	4	5	6	8	14
2. MULTIPLE DX	374	4.6	14	1	1	4	6	9	12	20
A. NOT OPERATED	740	4.0	6	1	1	4	5	7	9	14
B. OPERATED	87	6.0	31	1	2	4	7	13	18	30
TOTAL 0-19 YRS	448	4.1	6	1	1	4	5	6	8	14
20-34	190	3.9	9	1	1	4	5	6	8	18
35-49	84	3.9	7	<1	1	3	5	7	9	14
50-64	45	4.7	10	<1	1	5	6	10	12	14
65+	60	6.4	32	1	2	5	8	14	19	93
GRAND TOTAL	**827**	**4.3**	**9**	**1**	**1**	**4**	**5**	**7**	**10**	**18**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	618	2.0	3	<1	1	1	2	4	5	9
20-34	441	2.4	5	<1	1	2	3	5	6	11
35-49	207	3.0	6	<1	1	2	4	6	8	12
50-64	130	3.5	7	1	1	3	5	7	9	13
65+	184	4.5	14	1	1	3	6	10	13	16
B. *Operated*										
0-19 YRS	84	3.7	24	<1	1	2	4	7	16	26
20-34	88	4.1	18	1	1	3	6	9	11	26
35-49	57	3.9	10	1	1	3	5	9	10	14
50-64	42	4.1	24	<1	<1	3	5	8	11	30
65+	32	6.2	19	1	2	5	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	874	2.6	7	<1	1	2	3	5	7	12
20-34	1056	3.7	12	1	1	3	5	8	10	15
35-49	565	5.4	38	1	1	4	7	10	14	31
50-64	613	6.0	36	1	1	4	8	12	16	26
65+	1960	9.6	104	1	2	7	12	19	27	70
B. *Operated*										
0-19 YRS	141	3.8	13	<1	1	3	5	8	11	22
20-34	197	4.9	26	1	1	3	6	12	16	26
35-49	105	9.0	185	1	1	4	9	27	41	70
50-64	113	8.2	58	1	1	6	10	16	25	39
65+	264	16.3	234	2	3	11	20	35	46	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1580	2.7	6	<1	1	2	3	5	8	13
B. *Operated*	303	4.2	20	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	5068	6.3	60	1	1	4	8	13	19	43
B. *Operated*	820	9.4	141	1	1	5	11	22	34	64
1. SINGLE DX	1883	2.9	9	<1	1	2	4	6	8	14
2. MULTIPLE DX	5888	6.7	73	1	1	4	8	14	21	47
A. NOT OPERATED	6648	5.4	50	1	1	3	7	12	17	36
B. OPERATED	1123	8.0	113	1	1	4	9	19	29	54
TOTAL 0-19 YRS	1717	2.6	7	<1	1	2	3	5	7	12
20-34	1782	3.6	13	<1	1	2	5	7	10	19
35-49	934	5.2	48	1	1	3	6	10	14	37
50-64	898	5.8	35	1	1	4	8	12	16	30
65+	2440	9.9	117	1	2	7	12	21	30	70
GRAND TOTAL	**7771**	**5.8**	**60**	**1**	**1**	**3**	**7**	**13**	**18**	**41**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.8	8	<1	1	1	4	6	10	12
20-34	43	2.7	5	<1	1	2	3	5	7	12
35-49	13	2.7	5	1	1	2	4	5	8	9
50-64	9	4.0	17	1	1	3	4	11	14	14
65+										
B. *Operated*										
0-19 YRS	29	5.5	41	1	1	4	6	11	21	30
20-34	62	5.1	56	<1	1	3	5	11	14	51
35-49	30	6.6	122	<1	<1	3	7	14	40	49
50-64	20	5.6	111	<1	<1	3	5	9	29	49
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	35	1	1	2	4	6	7	34
20-34	36	4.3	8	1	1	3	6	8	9	14
35-49	16	4.7	23	1	1	3	6	13	16	17
50-64	13	4.8	19	<1	<1	3	8	12	13	13
65+	6	6.2	21	<1	<1	[illegible]	8	13	14	14
B. *Operated*										
0-19 YRS	32	7.6	71	<1	1	5	10	18	20	42
20-34	86	9.1	133	1	1	4	9	30	41	47
35-49	38	11.3	292	<1	1	5	12	29	57	79
50-64	36	9.8	172	1	1	4	13	24	43	60
65+	13	14.8	318	1	2	10	16	35	63	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.9	7	<1	1	2	4	6	9	13
B. *Operated*	141	5.6	73	<1	1	3	6	11	19	50
2. MULTIPLE DX										
A. *Not Operated*	102	4.3	20	<1	1	3	6	8	13	25
B. *Operated*	205	9.7	170	1	1	5	11	24	42	66
1. SINGLE DX	243	4.4	47	<1	1	2	5	8	13	49
2. MULTIPLE DX	307	7.9	127	1	1	4	9	17	33	61
A. NOT OPERATED	204	3.6	14	<1	1	2	4	8	11	16
B. OPERATED	346	8.0	135	1	1	4	9	18	35	60
TOTAL 0-19 YRS	129	4.7	40	1	1	2	5	11	17	36
20-34	227	6.0	73	1	1	3	6	13	20	45
35-49	97	7.6	164	<1	1	3	7	16	37	71
50-64	78	7.2	116	<1	1	3	8	15	25	57
65+	19	12.1	235	<1	2	8	15	23	50	69
GRAND TOTAL	**550**	**6.4**	**94**	**1**	**1**	**3**	**7**	**14**	**21**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.3	1	<1	<1	1	1	2	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	3	4.7	22	1	1	3	8	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.1		<1	<1	1	1	2	2	2
B. *Operated*	18	1.8	3	<1	1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	11	3.7	16	<1	<1	2	4	11	13	13
1. SINGLE DX	33	1.5	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	18	2.9	11	<1	<1	2	3	8	12	13
A. NOT OPERATED	22	1.3		<1	<1	1	2	2	3	3
B. OPERATED	29	2.6	8	<1	1	1	3	6	10	13
TOTAL 0-19 YRS	29	1.3		<1	<1	1	1	2	3	4
20-34	9	1.8	1	1	1	2	2	3	4	4
35-49	8	3.8	18	1	1	2	5	11	13	13
50-64	4	4.5	15	1	1	3	7	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**51**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**7**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	513	1.4	2	<1	<1	1	1	2	3	6
20-34	123	1.8	3	<1	<1	1	2	3	6	10
35-49	119	1.5	1	<1	<1	1	2	3	4	7
50-64	142	1.5	1	<1	<1	1	2	2	3	7
65+	128	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-19 YRS	126	2.4	5	<1	<1	1	3	5	7	11
20-34	21	4.5	27	<1	<1	2	7	11	18	20
35-49	24	2.8	8	<1	<1	2	4	7	8	11
50-64	23	3.2	9	<1	1	1	6	8	9	10
65+	26	2.6	11	1	1	2	2	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.4	4	<1	<1	2	3	5	7	9
20-34	57	3.6	11	1	1	2	6	9	10	12
35-49	76	3.4	25	1	1	2	3	7	12	31
50-64	104	3.3	8	1	1	2	4	7	9	14
65+	231	4.4	18	1	1	3	6	11	13	23
B. *Operated*										
0-19 YRS	39	5.0	39	1	1	3	6	11	23	27
20-34	34	6.9	63	<1	1	3	9	17	25	34
35-49	45	8.2	133	1	1	4	9	19	27	67
50-64	79	6.3	113	1	1	3	7	11	19	61
65+	138	10.1	125	1	2	5	14	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	1.5	2	<1	<1	1	2	2	3	7
B. *Operated*	220	2.8	9	<1	<1	1	3	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	570	3.6	14	1	1	2	4	9	11	17
B. *Operated*	335	8.0	110	1	1	4	10	19	28	65
1. SINGLE DX	1245	1.7	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	905	5.2	54	1	1	3	6	12	17	36
A. NOT OPERATED	1595	2.2	7	<1	<1	1	2	5	7	13
B. OPERATED	555	5.9	76	<1	1	3	7	15	22	57
TOTAL 0-19 YRS	780	1.9	5	<1	<1	1	2	3	5	10
20-34	235	3.2	19	<1	<1	2	3	8	11	23
35-49	264	3.3	36	<1	<1	1	3	7	12	33
50-64	348	3.2	32	<1	1	2	3	7	10	21
65+	523	5.1	52	1	1	2	6	12	18	35
GRAND TOTAL	**2150**	**3.2**	**28**	**<1**	**<1**	**1**	**3**	**7**	**11**	**27**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.7	57	1	1	5	9	21	26	29
20-34	22	6.5	75	1	1	5	6	11	27	42
35-49	8	5.3	17	<1	<1	5	7	12	13	13
50-64	9	8.8	39	2	2	7	12	19	19	19
65+	2	13.5	113	6	6	13	21	21	21	21
B. *Operated*										
0-19 YRS	66	13.4	157	1	2	8	17	33	39	51
20-34	59	10.9	116	1	2	8	14	22	38	53
35-49	24	10.7	108	1	1	6	16	24	33	40
50-64	28	9.5	61	1	2	7	13	20	28	33
65+	12	26.2	420	3	3	26	37	61	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	7.1	35	1	1	6	9	16	20	26
20-34	41	7.5	34	1	1	6	11	16	18	23
35-49	29	7.8	50	2	2	6	10	19	28	28
50-64	19	11.5	230	1	2	7	11	25	48	67
65+	39	14.5	62	4	6	14	18	26	31	32
B. *Operated*										
0-19 YRS	124	24.8	415	3	5	20	32	56	86	99+
20-34	154	19.1	322	2	3	13	27	46	54	94
35-49	94	23.5	421	3	5	16	33	58	67	97
50-64	88	24.0	349	3	5	20	33	48	62	96
65+	82	32.0	535	3	7	29	54	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	7.3	56	1	1	5	8	19	22	39
B. *Operated*	189	12.5	151	1	2	8	16	31	38	58
2. MULTIPLE DX										
A. *Not Operated*	166	9.6	73	1	2	7	13	21	25	32
B. *Operated*	542	23.9	411	3	4	19	35	57	83	99+
1. SINGLE DX	262	11.1	130	1	2	7	14	28	37	54
2. MULTIPLE DX	708	20.5	369	2	3	14	29	51	70	99+
A. NOT OPERATED	239	8.9	69	1	2	6	11	20	25	33
B. OPERATED	731	21.0	368	2	3	15	30	51	69	99+
TOTAL 0-19 YRS	260	17.2	306	1	3	10	26	41	54	94
20-34	276	14.6	241	2	2	9	18	38	48	81
35-49	155	17.7	335	2	3	11	22	48	60	93
50-64	144	18.6	302	2	3	13	26	43	54	90
65+	135	26.2	440	3	5	24	40	77	99+	99+
GRAND TOTAL	**970**	**18.0**	**322**	**2**	**3**	**12**	**26**	**46**	**60**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	4.8	18	1	1	4	7	10	13	22
20-34	161	3.9	20	1	1	2	6	8	11	28
35-49	87	5.3	39	1	1	3	7	11	16	35
50-64	31	5.2	21	1	1	4	7	10	18	19
65+	17	11.5	85	1	2	8	19	27	27	27
B. *Operated*										
0-19 YRS	77	7.1	39	1	1	5	9	17	21	29
20-34	43	9.1	99	1	2	6	11	20	26	56
35-49	26	7.6	38	1	1	6	11	17	20	25
50-64	17	10.9	55	2	3	10	13	16	29	36
65+	9	9.3	18	2	4	9	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	6.1	30	1	1	5	8	13	16	28
20-34	349	4.9	21	1	1	3	7	10	13	19
35-49	167	6.5	38	1	1	4	9	15	18	26
50-64	130	7.1	48	1	2	5	9	17	23	55
65+	110	13.0	151	2	2	8	18	31	40	74
B. *Operated*										
0-19 YRS	142	10.3	91	1	2	8	12	20	33	50
20-34	116	12.6	138	1	2	9	16	26	42	54
35-49	80	16.2	260	2	3	12	20	34	42	84
50-64	61	21.4	320	3	4	15	28	49	57	78
65+	52	29.6	515	3	6	24	46	62	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	4.9	25	1	1	3	6	10	14	27
B. *Operated*	172	8.2	55	1	2	6	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	1344	6.5	44	1	1	5	8	14	19	36
B. *Operated*	451	15.6	249	2	3	11	19	37	51	82
1. SINGLE DX	769	5.6	33	1	1	4	7	12	17	27
2. MULTIPLE DX	1795	8.8	111	1	1	6	11	19	29	57
A. NOT OPERATED	1941	6.0	39	1	1	4	8	13	18	32
B. OPERATED	623	13.6	206	1	2	9	17	31	46	75
TOTAL 0-19 YRS	1108	6.3	38	1	1	5	8	13	18	31
20-34	669	6.3	55	1	1	4	8	14	18	43
35-49	360	8.4	104	1	1	5	11	18	25	45
50-64	239	10.8	153	1	2	7	12	26	40	70
65+	188	17.3	296	2	3	12	23	45	57	98
GRAND TOTAL	**2564**	**7.8**	**90**	**1**	**1**	**5**	**10**	**17**	**25**	**54**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	5	<1	<1	2	3	5	8	10
20-34	44	4.0	13	1	1	3	6	8	11	18
35-49	24	4.1	13	<1	1	3	6	9	12	14
50-64	11	7.1	73	2	2	4	6	19	31	32
65+	4	27.3	1983	3	3	6	50	94	94	94
B. *Operated*										
0-19 YRS	82	2.1	1	1	1	2	2	4	5	6
20-34	141	2.4	16	<1	<1	2	3	4	5	10
35-49	67	2.2	3	<1	1	2	2	4	5	11
50-64	37	2.5	3	<1	1	2	3	4	6	11
65+	5	2.6	9	<1	<1	1	3	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.9	136	<1	1	3	5	8	27	66
20-34	54	7.0	65	<1	1	5	8	14	20	49
35-49	30	7.5	184	1	2	4	7	11	15	77
50-64	27	8.0	120	1	1	5	9	21	30	53
65+	59	12.3	121	2	2	10	17	29	34	96
B. *Operated*										
0-19 YRS	97	2.6	4	1	1	2	3	5	8	58
20-34	164	4.4	62	1	1	2	3	7	16	48
35-49	74	7.5	177	1	1	2	5	17	43	65
50-64	42	6.7	167	1	1	2	6	16	22	80
65+	18	14.0	163	1	1	14	21	43	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.9	92	<1	1	3	5	9	11	58
B. *Operated*	332	2.3	8	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	209	8.5	122	1	1	5	10	20	30	70
B. *Operated*	395	5.2	91	1	1	2	4	12	21	64
1. SINGLE DX	440	2.9	30	<1	1	2	3	5	7	15
2. MULTIPLE DX	604	6.3	104	1	1	3	6	15	26	66
A. NOT OPERATED	317	7.3	114	1	1	4	8	14	27	70
B. OPERATED	727	3.9	55	<1	1	2	3	6	13	52
TOTAL 0-19 YRS	243	3.0	26	<1	1	2	3	5	7	41
20-34	403	4.0	43	<1	1	2	4	7	13	46
35-49	195	5.3	103	1	1	2	4	10	16	63
50-64	117	5.7	98	1	1	3	5	11	22	62
65+	86	12.8	202	1	2	9	19	30	53	99+
GRAND TOTAL	**1044**	**4.9**	**75**	**<1**	**1**	**2**	**4**	**10**	**18**	**60**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	2.5	3	<1	1	2	3	5	7	9
20-34	244	3.1	11	1	1	2	4	6	9	18
35-49	103	2.9	5	<1	1	2	4	6	8	10
50-64	46	4.2	18	<1	1	3	5	11	14	18
65+	32	5.6	19	1	1	4	7	13	16	17
B. *Operated*										
0-19 YRS	51	4.2	25	1	1	2	5	9	16	27
20-34	75	3.8	13	<1	1	3	5	7	10	20
35-49	35	5.5	33	1	1	3	8	13	15	28
50-64	19	4.2	15	1	1	3	6	10	13	14
65+	11	6.9	55	1	1	4	7	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	3.2	9	1	1	2	4	6	8	15
20-34	293	4.5	41	1	1	3	5	7	10	41
35-49	176	6.6	97	1	1	4	7	12	22	57
50-64	150	6.0	58	1	1	4	7	11	18	29
65+	294	8.9	72	1	2	6	11	20	24	53
B. *Operated*										
0-19 YRS	90	10.4	152	1	1	6	13	31	43	81
20-34	147	10.8	139	1	2	7	14	28	39	99+
35-49	80	12.8	254	1	2	7	17	47	82	99+
50-64	41	15.2	192	1	2	11	20	35	47	55
65+	74	18.6	268	3	4	14	27	42	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	3.0	8	1	1	2	4	6	8	16
B. *Operated*	191	4.4	22	<1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	1192	5.8	56	1	1	4	7	12	17	46
B. *Operated*	432	12.8	197	1	2	8	18	35	50	99+
1. SINGLE DX	910	3.3	11	1	1	2	4	7	10	18
2. MULTIPLE DX	1624	7.7	103	1	1	4	8	18	30	72
A. NOT OPERATED	1911	4.7	40	1	1	3	5	10	14	32
B. OPERATED	623	10.3	159	1	1	6	13	30	43	99+
TOTAL 0-19 YRS	714	3.9	32	1	1	2	4	7	12	33
20-34	759	5.2	55	1	1	3	6	10	18	50
35-49	394	6.8	110	1	1	4	7	14	33	92
50-64	256	7.0	82	1	1	4	8	16	26	48
65+	411	10.3	118	1	2	7	13	24	33	86
GRAND TOTAL	**2534**	**6.1**	**75**	**1**	**1**	**3**	**7**	**14**	**23**	**56**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1496	1.9	3	<1	<1	1	2	4	5	8
20-34	640	2.3	9	<1	<1	2	3	4	6	17
35-49	265	2.7	14	<1	<1	2	3	5	7	17
50-64	93	2.5	3	<1	1	2	3	5	6	8
65+	82	4.3	17	1	1	3	5	11	13	19
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	11.0	91	2	2	10	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1634	4.2	39	1	1	2	4	8	14	32
20-34	2309	4.9	53	<1	1	2	5	12	19	35
35-49	1369	5.6	54	1	1	3	6	13	20	35
50-64	780	7.1	67	1	1	4	9	16	23	39
65+	1130	9.6	109	1	2	7	12	19	27	59
B. *Operated*										
0-19 YRS	20	12.4	299	<1	1	6	13	35	56	72
20-34	60	12.0	238	1	1	7	14	31	54	98
35-49	39	12.3	104	1	2	12	26	99+	99+	99+
50-64	66	16.2	244	2	4	11	21	35	40	92
65+	115	16.7	165	3	5	15	21	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2576	2.2	6	<1	<1	1	2	4	6	11
B. *Operated*	9	5.0	45	<1	<1	2	6	17	21	21
2. MULTIPLE DX										
A. *Not Operated*	7222	5.8	63	1	1	3	7	14	20	39
B. *Operated*	300	14.8	200	1	2	11	20	34	65	99+
1. SINGLE DX	2585	2.2	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX	7522	6.2	72	1	1	3	7	15	22	43
A. NOT OPERATED	9798	4.9	51	<1	1	2	5	11	17	34
B. OPERATED	309	14.5	198	1	2	11	20	34	63	99+
TOTAL 0-19 YRS	3152	3.1	25	<1	1	2	3	6	9	26
20-34	3011	4.5	50	<1	1	2	4	10	17	34
35-49	1674	5.3	51	<1	1	3	6	13	20	40
50-64	940	7.3	81	1	1	4	9	16	24	42
65+	1330	9.9	114	1	2	7	12	21	29	61
GRAND TOTAL	**10107**	**5.2**	**58**	**<1**	**1**	**3**	**6**	**12**	**19**	**38**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	686	2.4	6	<1	1	1	2	6	7	11
20-34	231	1.7	2	<1	<1	1	2	3	5	6
35-49	162	2.1	3	<1	1	1	2	5	6	10
50-64	81	1.9	2	1	1	1	2	4	6	8
65+	61	2.3	5	1	1	2	3	4	5	13
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	3.0	2	1	1	4	4	4	4	4
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	2.5	1	2	2	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	3.6	24	<1	1	2	5	8	11	25
20-34	277	3.7	37	<1	1	2	4	7	13	26
35-49	204	3.6	24	1	1	2	4	7	12	27
50-64	190	4.2	30	1	1	2	5	8	13	32
65+	183	5.8	65	1	1	3	7	13	20	61
B. *Operated*										
0-19 YRS	4	6.8	22	2	2	6	10	13	13	13
20-34	14	8.1	68	1	2	5	10	24	28	29
35-49	16	28.9	1073	3	3	12	44	87	93	95
50-64	11	21.2	390	1	2	21	27	50	68	70
65+	18	25.1	451	2	5	25	31	55	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1221	2.2	4	<1	1	1	2	5	6	10
B. *Operated*	10	2.9	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1203	4.0	35	<1	1	2	4	9	13	31
B. *Operated*	63	20.4	533	2	2	11	29	51	85	94
1. SINGLE DX	1231	2.2	4	<1	1	1	2	5	6	10
2. MULTIPLE DX	1266	4.9	72	<1	1	2	5	10	18	47
A. NOT OPERATED	2424	3.1	20	<1	1	2	3	6	10	23
B. OPERATED	73	18.0	496	1	2	9	25	42	82	93
TOTAL 0-19 YRS	1041	2.8	12	<1	1	1	3	6	9	15
20-34	527	2.9	24	<1	<1	1	3	5	9	24
35-49	382	4.0	84	1	1	2	4	7	11	46
50-64	283	4.2	47	1	1	2	4	8	16	35
65+	264	6.3	103	1	1	3	7	13	29	66
GRAND TOTAL	**2497**	**3.5**	**40**	**<1**	**1**	**2**	**4**	**7**	**11**	**31**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	2.5	6	<1	1	2	3	5	6	11
20-34	202	2.1	7	<1	1	1	2	4	5	12
35-49	137	2.2	4	<1	1	1	3	4	6	11
50-64	110	2.4	4	<1	1	2	3	5	6	11
65+	114	3.9	14	1	1	3	5	8	10	21
B. *Operated*										
0-19 YRS	2	12.0	72	6	6	12	18	18	18	18
20-34	9	7.0	41	2	2	5	9	18	21	21
35-49	4	7.5	123	1	1	3	14	24	24	24
50-64	7	10.7	96	2	3	9	10	28	32	32
65+	3	16.0	436	2	2	6	31	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	4.2	19	1	1	3	5	9	13	22
20-34	291	3.9	24	1	1	2	4	9	13	20
35-49	305	4.6	18	1	1	3	6	11	14	23
50-64	459	6.0	51	1	1	4	7	11	15	32
65+	1084	8.2	69	1	2	6	10	15	22	47
B. *Operated*										
0-19 YRS	20	13.8	368	1	2	8	16	36	63	82
20-34	25	11.7	186	<1	1	6	17	38	58	99+
35-49	29	11.8	217	1	1	9	17	41	61	99+
50-64	53	13.6	119	1	2	12	22	41	99+	99+
65+	121	18.4	259	3	5	15	23	45	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	993	2.5	7	<1	1	2	3	5	7	13
B. *Operated*	25	9.6	102	1	2	6	11	24	34	40
2. MULTIPLE DX										
A. *Not Operated*	2570	6.2	50	1	1	4	8	13	17	39
B. *Operated*	248	15.5	230	1	2	11	21	41	60	99+
1. SINGLE DX	1018	2.7	10	<1	1	2	3	5	7	16
2. MULTIPLE DX	2818	7.0	72	1	1	5	8	15	22	55
A. NOT OPERATED	3563	5.2	40	1	1	3	6	11	15	33
B. OPERATED	273	15.0	221	1	2	10	21	39	56	99+
TOTAL 0-19 YRS	883	3.6	23	<1	1	2	4	7	11	22
20-34	527	3.7	29	<1	1	2	4	8	13	37
35-49	475	4.4	31	1	1	3	5	10	14	26
50-64	629	6.0	56	1	1	4	7	13	21	55
65+	1322	8.8	93	1	2	6	10	18	27	57
GRAND TOTAL	**3836**	**5.9**	**59**	**1**	**1**	**4**	**7**	**13**	**19**	**45**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	47	4.3	16	<1	1	3	5	11	13	20
20-34	45	3.7	10	<1	<1	3	5	8	9	17
35-49	42	3.7	18	<1	<1	3	5	6	12	24
50-64	49	5.1	24	<1	<1	3	7	10	15	24
65+	82	7.7	116	<1	1	4	9	16	33	61
B. *Operated*										
0-19 YRS.	191	5.4	35	<1	1	4	7	10	17	32
20-34	430	4.1	36	<1	<1	2	4	9	16	31
35-49	340	5.3	44	<1	1	3	6	12	18	29
50-64	514	8.4	95	1	2	5	11	19	26	47
65+	993	8.5	103	1	2	5	11	19	27	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	103	6.3	45	<1	1	4	9	16	19	32
20-34	114	6.8	48	1	1	5	9	16	17	33
35-49	105	6.0	32	1	1	4	8	13	18	27
50-64	171	8.4	84	1	1	5	11	19	27	63
65+	476	9.0	75	1	2	7	11	19	27	57
B. *Operated*										
0-19 YRS.	527	8.6	87	1	2	5	10	19	30	74
20-34	623	8.2	123	1	1	4	10	19	31	60
35-49	815	8.7	131	1	1	4	11	22	30	74
50-64	1711	12.1	163	1	2	8	16	27	40	65
65+	3022	13.8	223	2	2	9	19	33	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	5.3	50	<1	1	3	6	12	16	38
B. *Operated*	2468	7.0	80	1	1	4	9	17	24	46
2. MULTIPLE DX										
A. *Not Operated*	969	8.0	67	1	1	6	11	18	24	53
B. *Operated*	6698	11.8	181	1	2	7	15	28	42	80
1. SINGLE DX	2733	6.8	77	1	1	4	8	16	24	44
2. MULTIPLE DX	7667	11.3	169	1	2	7	15	27	39	79
A. NOT OPERATED	1234	7.4	65	1	1	5	10	17	22	48
B. OPERATED	9166	10.5	158	1	2	6	14	25	37	74
TOTAL 0-19 YRS.	868	7.2	69	<1	1	4	9	16	22	55
20-34	1212	6.5	85	<1	1	3	8	15	25	48
35-49	1302	7.4	99	1	1	4	9	18	26	65
50-64	2445	10.9	143	1	2	7	14	25	35	64
65+	4573	12.0	186	2	2	7	16	29	42	84
GRAND TOTAL	**10400**	**10.1**	**148**	**1**	**2**	**6**	**13**	**24**	**35**	**72**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	169	1.8	2	<1	1	2	2	3	5	8
20-34	155	2.1	2	<1	1	2	3	4	5	8
35-49	93	2.8	4	<1	1	2	4	5	8	10
50-64	120	3.8	5	1	1	3	5	7	9	11
65+	161	4.2	8	1	1	4	5	8	9	14
B. *Operated*										
0-19 YRS.	176	2.1	3	<1	<1	2	3	4	5	8
20-34	216	2.5	4	1	1	2	3	5	7	9
35-49	100	3.4	7	1	1	3	5	7	9	12
50-64	59	4.6	11	1	1	4	6	8	11	19
65+	69	5.8	53	1	1	4	7	10	13	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	43	2.7	4	1	1	2	3	5	8	9
20-34	63	3.9	12	1	1	3	5	9	12	17
35-49	51	4.0	19	1	1	4	5	12	15	19
50-64	147	4.6	12	1	1	4	7	9	11	15
65+	293	5.7	20	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS.	26	4.8	56	<1	1	2	5	9	21	37
20-34	80	5.2	31	1	1	3	7	10	19	29
35-49	56	6.2	44	1	1	4	8	11	17	42
50-64	91	8.8	67	1	2	6	11	20	26	42
65+	175	9.5	76	2	3	7	11	18	27	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	2.9	5	1	1	2	4	6	8	11
B. *Operated*	620	3.1	11	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	597	4.9	17	1	1	4	6	10	13	22
B. *Operated*	428	7.8	63	1	1	5	9	17	24	66
1. SINGLE DX	1318	3.0	8	1	1	2	4	6	8	12
2. MULTIPLE DX	1025	6.1	38	1	1	4	7	12	18	37
A. NOT OPERATED	1295	3.8	11	1	1	3	5	8	10	17
B. OPERATED	1048	5.0	38	1	1	3	6	11	17	37
TOTAL 0-19 YRS.	414	2.2	6	<1	1	2	3	4	5	9
20-34	514	3.0	10	1	1	2	4	6	8	18
35-49	300	4.0	16	1	1	3	5	8	11	18
50-64	417	5.2	25	1	1	4	6	10	14	26
65+	698	6.3	38	1	2	5	7	12	17	39
GRAND TOTAL	**2343**	**4.4**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	5.3	9	2	2	5	6	9	12	14
20-34	166	6.2	17	2	2	5	8	12	15	20
35-49	130	6.6	20	2	2	5	8	12	15	24
50-64	86	8.4	48	1	3	7	11	16	21	40
65+	67	8.9	39	2	3	7	11	17	22	33
B. *Operated*										
0-19 YRS	71	9.2	71	1	2	6	11	21	30	38
20-34	109	7.1	25	2	2	6	9	13	18	27
35-49	90	9.0	125	1	2	6	11	18	24	68
50-64	90	11.6	117	2	2	7	15	28	36	46
65+	68	14.0	184	2	3	9	18	36	43	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	6.4	19	2	2	5	7	13	16	20
20-34	106	7.0	31	2	3	6	8	13	17	34
35-49	119	8.9	47	2	3	7	11	16	26	34
50-64	217	11.0	81	3	4	8	14	22	30	45
65+	243	11.7	113	3	4	9	14	22	26	70
B. *Operated*										
0-19 YRS	64	13.3	219	1	2	8	17	33	46	75
20-34	124	13.6	183	2	3	10	17	30	45	86
35-49	134	17.4	294	3	3	12	20	36	56	91
50-64	239	16.5	195	3	3	12	24	38	48	99+
65+	261	20.1	297	3	5	14	27	46	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	6.8	25	2	2	6	8	13	17	25
B. *Operated*	428	9.9	103	2	2	6	12	23	33	54
2. MULTIPLE DX										
A. *Not Operated*	745	10.0	77	2	3	7	12	19	26	45
B. *Operated*	822	17.1	248	3	4	12	22	40	54	94
1. SINGLE DX	967	8.2	62	2	2	6	10	16	23	41
2. MULTIPLE DX	1567	13.7	180	3	3	9	17	29	44	83
A. NOT OPERATED	1284	8.6	58	2	3	7	11	16	22	41
B. OPERATED	1250	14.6	210	2	3	10	19	34	47	88
TOTAL 0-19 YRS	285	8.3	82	2	2	6	10	17	24	48
20-34	505	8.4	71	2	3	6	10	17	21	48
35-49	473	10.7	143	2	3	7	13	22	30	72
50-64	632	12.8	133	2	3	9	17	28	40	63
65+	639	15.1	206	3	4	11	19	33	47	90
GRAND TOTAL	**2534**	**11.6**	**142**	**2**	**3**	**8**	**14**	**25**	**36**	**70**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.4	16	<1	1	2	4	8	11	21
20-34	80	5.0	34	1	1	3	6	11	12	36
35-49	84	4.9	13	<1	1	4	8	10	12	14
50-64	58	5.9	26	1	1	4	9	12	15	26
65+	71	5.6	22	1	1	5	8	10	12	28
B. *Operated*										
0-19 YRS	56	5.7	50	<1	<1	3	5	17	23	28
20-34	125	5.3	32	1	1	4	7	11	13	30
35-49	134	6.0	39	<1	1	4	7	13	21	33
50-64	105	6.1	40	1	1	3	8	16	22	28
65+	157	8.1	107	1	1	4	11	19	23	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.4	18	1	1	2	3	10	13	22
20-34	152	4.3	16	1	1	3	6	10	12	21
35-49	145	6.5	71	1	1	4	8	14	17	34
50-64	249	8.3	93	1	1	6	10	16	22	52
65+	388	9.3	64	2	2	7	12	18	25	43
B. *Operated*										
0-19 YRS	77	10.8	182	1	1	6	13	25	44	68
20-34	168	10.4	191	1	1	6	12	23	51	73
35-49	235	10.8	125	2	2	8	14	25	31	99+
50-64	371	14.6	229	1	2	10	20	36	51	99+
65+	648	16.3	286	2	2	11	21	39	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.0	23	1	1	4	7	11	13	27
B. *Operated*	577	6.4	58	1	1	4	8	15	22	33
2. MULTIPLE DX										
A. *Not Operated*	1012	7.4	65	1	1	5	10	15	20	43
B. *Operated*	1499	14.1	236	1	2	9	18	35	52	96
1. SINGLE DX	914	5.9	45	1	1	4	8	13	19	32
2. MULTIPLE DX	2511	11.4	178	1	2	7	14	27	41	86
A. NOT OPERATED	1349	6.8	56	1	1	5	9	14	19	39
B. OPERATED	2076	11.9	198	1	2	7	15	29	43	88
TOTAL 0-19 YRS	255	6.1	83	<1	1	2	7	15	23	47
20-34	525	6.6	85	1	1	4	8	13	21	59
35-49	598	7.9	83	1	1	5	10	17	26	68
50-64	783	10.8	159	1	2	7	14	25	39	79
65+	1264	12.5	196	1	2	9	15	30	41	87
GRAND TOTAL	**3425**	**9.9**	**148**	**1**	**1**	**6**	**12**	**23**	**35**	**74**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.5	2	<1	1	2	3	4	5	7
20-34	11	3.7	5	1	1	4	6	7	7	7
35-49	7	3.0	3	1	1	2	4	6	6	6
50-64	5	3.6	6	2	2	3	4	8	8	8
65+	3	5.3	14	1	1	7	8	8	8	8
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.3	49	1	1	2	5	7	12	44
20-34	25	5.5	16	1	2	5	7	8	15	19
35-49	21	5.7	15	<1	1	6	9	11	14	14
50-64	24	6.4	42	1	1	5	7	11	18	33
65+	46	6.2	32	1	1	4	9	12	17	25
B. *Operated*										
0-19 YRS	6	13.3	132	3	3	10	15	33	35	35
20-34	6	14.5	145	3	3	11	26	31	32	32
35-49	9	9.7	82	2	3	6	12	25	31	31
50-64	13	12.9	97	2	3	12	16	29	34	35
65+	6	23.8	728	8	8	13	21	72	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.1	4	1	1	3	4	7	7	8
B. *Operated*	5	4.8	9	2	2	4	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	155	5.5	33	1	1	4	7	11	14	33
B. *Operated*	40	14.1	195	2	3	10	16	31	35	78
1. SINGLE DX	60	3.2	4	1	1	3	4	7	8	10
2. MULTIPLE DX	195	7.3	77	1	1	5	8	15	25	40
A. NOT OPERATED	210	4.9	26	1	1	3	6	10	12	28
B. OPERATED	45	13.1	183	2	3	9	15	31	35	78
TOTAL 0-19 YRS	75	4.3	43	1	1	3	6	7	14	42
20-34	44	6.2	39	1	2	4	7	14	21	32
35-49	38	6.3	32	1	1	5	8	13	15	31
50-64	43	8.0	63	1	1	6	10	16	29	38
65+	55	8.0	126	1	1	9	10	15	24	75
GRAND TOTAL	**255**	**6.3**	**63**	**1**	**1**	**4**	**7**	**14**	**20**	**35**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.9	1	<1	<1	1	3	3	4	5
20-34	4615	1.8	1	<1	<1	1	2	3	4	5
35-49	2159	1.9	1	<1	<1	2	2	3	4	6
50-64	15	1.5	1	<1	<1	<1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	112	1.2		<1	<1	1	1	2	2	4
35-49	57	1.2		<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.5	2	<1	<1	2	4	5	5	5
20-34	2648	2.3	3	<1	<1	2	3	4	5	8
35-49	1745	2.3	3	<1	<1	2	3	4	5	8
50-64	9	1.8	1	<1	<1	2	2	3	4	4
65+	2	2.5	5	<1	<1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	1	2	2	2
B. *Operated*	6810	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	170	1.2		<1	<1	1	1	2	2	4
B. *Operated*	4412	2.3	3	<1	<1	2	3	4	5	8
1. SINGLE DX	6814	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	4582	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	174	1.2		<1	<1	1	1	2	2	4
B. OPERATED	11222	2.0	2	<1	<1	2	3	4	5	6
TOTAL 0-19 YRS	29	2.0	2	<1	<1	2	3	4	5	5
20-34	7378	2.0	2	<1	<1	2	3	4	4	6
35-49	3962	2.1	2	<1	<1	2	3	4	5	7
50-64	24	1.6	1	<1	<1	1	2	3	3	4
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	**11396**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	22.0	288	10	10	22	34	34	34	34
1500-1749										
1750-2499	804	3.6	3	2	2	3	4	6	7	11
2500+	67714	3.3	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	5.0	8	3	3	5	7	7	7	7
2500+	30	4.3	2	2	2	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	31	66.5	658	10	21	78	89	99+	99+	99+
1000-1499	165	45.1	321	21	24	43	55	70	84	99
1500-1749	234	26.4	102	12	14	25	32	39	44	61
1750-2499	3221	7.9	45	2	3	6	10	17	21	32
2500+	38048	4.2	6	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	39	77.3	317	51	61	96	99+	99+	99+	99+
1000-1499	89	60.1	286	37	40	62	75	95	99+	99+
1500-1749	71	40.2	239	21	24	36	50	62	66	86
1750-2499	233	20.7	166	3	7	18	27	39	54	99+
2500+	760	9.8	115	2	3	7	11	18	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68520	3.3	2	2	2	3	4	5	6	7
B. *Operated*	32	4.3	2	2	2	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	41699	4.8	24	2	2	4	5	7	9	26
B. *Operated*	1192	19.7	470	3	3	11	28	62	86	99+
1. SINGLE DX	68552	3.3	2	2	2	3	4	5	6	7
2. MULTIPLE DX	42891	5.2	42	2	2	4	5	7	11	38
A. NOT OPERATED	110219	3.9	11	2	2	3	4	6	7	14
B. OPERATED	1224	19.3	464	3	3	10	27	61	85	99+
TOTAL 1-999 G	70	72.5	490	31	52	87	99+	99+	99+	99+
1000-1499	256	50.1	364	22	28	50	65	84	96	99+
1500-1749	305	29.6	167	13	15	27	36	46	56	71
1750-2499	4260	7.8	56	2	3	5	10	17	22	37
2500+	106552	3.7	4	2	2	3	4	6	7	9
GRAND TOTAL	**111443**	**4.1**	**18**	**2**	**2**	**3**	**4**	**6**	**7**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	129	5.4	7	3	3	5	6	8	12	16
2500+	669	4.8	4	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	56.4	795	20	21	73	83	98	99+	99+
1000-1499	50	46.5	253	27	28	46	50	73	80	83
1500-1749	57	25.7	183	12	14	22	29	45	51	81
1750-2499	542	10.0	46	3	4	8	14	19	22	33
2500+	544	5.5	5	3	3	5	6	8	9	13
B. *Operated*										
1-999 G	7	68.9	359	39	51	96	99+	99+	99+	99+
1000-1499	20	54.8	477	19	29	54	69	87	92	96
1500-1749	10	37.4	143	17	19	41	46	49	49	49
1750-2499	47	24.5	170	7	11	23	29	43	56	57
2500+	8	9.4	39	5	5	7	10	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	4.9	4	3	3	5	6	7	8	12
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1198	10.4	130	3	3	6	11	21	33	67
B. *Operated*	92	34.6	516	6	10	29	55	87	99+	99+
1. SINGLE DX	799	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX	1290	12.1	196	3	3	6	14	28	47	84
A. NOT OPERATED	1996	8.2	87	3	3	5	8	16	24	50
B. OPERATED	93	34.2	519	6	9	29	54	87	99+	99+
TOTAL 1-999 G	12	63.7	526	26	34	83	99+	99+	99+	99+
1000-1499	70	48.9	325	27	28	47	56	75	83	95
1500-1749	67	27.5	192	13	14	24	36	48	50	79
1750-2499	718	10.1	64	3	4	7	14	20	25	42
2500+	1222	5.1	5	3	3	5	6	7	9	12
GRAND TOTAL	**2089**	**9.4**	**135**	**3**	**3**	**6**	**8**	**20**	**33**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	8	3.8	8	1	1	3	4	8	10	10
2500+	178	2.7	1	1	1	3	3	4	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	41.5	221	31	31	41	52	52	52	52
1500-1749	2	25.0	32	21	21	25	29	29	29	29
1750-2499	43	9.0	55	1	2	6	13	18	22	37
2500+	85	4.7	22	1	2	3	5	8	10	30
B. *Operated*										
1-999 G										
1000-1499	2	57.5	2381	23	23	57	92	92	92	92
1500-1749										
1750-2499	2	15.5	85	9	9	15	22	22	22	22
2500+	3	5.3	4	3	3	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.7	2	1	1	3	3	4	5	8
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	132	6.9	61	1	2	4	8	16	25	40
B. *Operated*	7	23.1	984	3	4	9	23	78	92	92
1. SINGLE DX	187	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX	139	7.8	114	1	2	4	8	17	27	56
A. NOT OPERATED	318	4.5	31	1	1	3	4	8	14	30
B. OPERATED	8	20.6	894	3	3	8	22	71	92	92
TOTAL 1-999 G										
1000-1499	4	49.5	952	23	23	41	72	92	92	92
1500-1749	2	25.0	32	21	21	25	29	29	29	29
1750-2499	53	8.4	53	1	2	5	12	18	22	37
2500+	267	3.3	9	1	1	3	3	5	7	14
GRAND TOTAL	**326**	**4.9**	**55**	**1**	**1**	**3**	**4**	**9**	**16**	**32**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	11	<1	<1	2	3	9	11	12
20-34	8	2.1	3	<1	<1	2	2	5	6	6
35-49	6	2.0	1	<1	<1	2	3	3	3	3
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	658	2.6	3	<1	1	2	3	4	6	8
20-34	933	2.7	3	<1	1	2	3	5	6	9
35-49	426	2.7	5	<1	1	2	3	4	6	10
50-64	353	3.2	5	1	1	3	4	6	7	14
65+	262	4.3	10	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	3	<1	<1	1	1	3	6	9
20-34	16	1.9	3	<1	<1	1	2	5	6	7
35-49	10	1.6	1	<1	<1	1	2	3	3	3
50-64	8	8.4	35	1	1	8	13	17	17	17
65+	13	1.8	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	305	3.4	10	1	1	3	4	6	7	19
20-34	282	4.0	24	1	2	3	4	7	11	17
35-49	165	5.0	41	1	2	3	5	8	12	42
50-64	204	5.1	35	1	2	3	5	9	16	40
65+	259	7.8	63	2	2	5	10	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.6	5	<1	<1	2	3	4	8	12
B. *Operated*	2632	2.9	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	66	2.5	10	<1	<1	1	3	7	9	17
B. *Operated*	1215	5.0	35	1	2	3	5	10	16	38
1. SINGLE DX	2666	2.9	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	1281	4.9	34	1	1	3	5	10	15	37
A. NOT OPERATED	100	2.6	9	<1	<1	2	3	6	9	16
B. OPERATED	3847	3.5	15	<1	1	3	4	6	9	20
TOTAL 0-19 YRS	995	2.8	5	<1	1	2	3	5	6	12
20-34	1239	3.0	8	<1	1	2	3	5	6	12
35-49	607	3.3	15	<1	1	2	3	6	8	27
50-64	569	3.9	17	1	1	3	4	7	10	26
65+	537	5.9	39	1	2	4	7	13	18	37
GRAND TOTAL	**3947**	**3.5**	**15**	**<1**	**1**	**3**	**4**	**6**	**9**	**20**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	4	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	1	1	1	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	36	1.8	1	1	1	1	2	3	4	5
50-64	31	2.0	12	1	1	1	1	3	5	20
65+	100	2.0	5	<1	<1	1	2	4	5	13
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	16	2.9	9	<1	<1	<1	5	5	10	12
35-49	15	4.6	56	<1	1	2	3	16	25	28
50-64	50	3.3	33	<1	<1	<1	4	7	10	36
65+	17	10.1	86	1	1	8	19	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	1	1	1	2	3	4	4	4
B. *Operated*	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	188	1.9	5	<1	1	1	2	3	4	14
B. *Operated*	100	4.7	46	<1	<1	2	5	13	22	32
1. SINGLE DX	11	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	288	2.8	21	<1	<1	1	3	5	10	26
A. NOT OPERATED	196	1.9	5	<1	1	1	2	3	4	14
B. OPERATED	103	4.6	45	<1	<1	1	5	12	22	32
TOTAL 0-19 YRS	20	1.7	2	<1	1	1	2	4	5	6
20-34	19	2.7	8	<1	<1	1	4	5	9	12
35-49	53	2.6	17	1	1	2	3	4	5	28
50-64	84	2.8	24	<1	<1	1	2	5	10	31
65+	123	3.2	23	<1	<1	1	3	8	15	25
GRAND TOTAL	**299**	**2.8**	**20**	**<1**	**<1**	**1**	**3**	**5**	**10**	**26**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	956	2.8	18	<1	<1	1	3	5	8	20
20-34	1040	2.7	26	<1	<1	1	3	4	6	30
35-49	412	2.6	16	<1	<1	1	3	5	7	24
50-64	539	2.5	12	<1	<1	1	2	5	8	17
65+	486	3.5	34	<1	<1	2	3	8	13	27
B. *Operated*										
0-19 YRS	379	2.5	9	<1	<1	2	3	7	10	14
20-34	1019	3.2	10	<1	<1	2	4	7	9	15
35-49	688	3.9	15	<1	1	2	5	9	11	18
50-64	653	4.1	16	<1	1	2	7	10	12	17
65+	670	4.3	19	1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1986	2.9	23	<1	<1	2	3	5	8	27
20-34	1790	3.9	44	<1	1	2	4	6	11	40
35-49	2811	4.0	41	1	1	2	4	7	11	36
50-64	7356	4.0	39	1	1	2	4	7	11	33
65+	6565	6.0	88	1	1	3	6	14	24	55
B. *Operated*										
0-19 YRS	763	3.5	53	<1	<1	2	3	8	11	56
20-34	1029	4.6	38	<1	<1	3	5	10	14	37
35-49	1496	5.1	46	1	1	3	6	11	15	37
50-64	2987	5.6	63	1	1	2	7	13	18	45
65+	3541	6.9	92	1	1	3	9	16	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3433	2.8	22	<1	<1	1	3	5	8	25
B. *Operated*	3409	3.7	14	<1	<1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	20508	4.5	55	1	1	2	5	8	15	43
B. *Operated*	9816	5.7	68	1	1	2	7	13	19	48
1. SINGLE DX	6842	3.2	18	<1	<1	2	3	8	10	20
2. MULTIPLE DX	30324	4.9	60	1	1	2	5	10	17	44
A. NOT OPERATED	23941	4.2	50	<1	1	2	4	8	14	41
B. OPERATED	13225	5.2	55	<1	1	2	6	12	16	41
TOTAL 0-19 YRS	4084	3.0	26	<1	<1	2	3	6	9	27
20-34	4878	3.6	32	<1	<1	2	4	7	10	34
35-49	5407	4.2	38	<1	1	2	5	8	12	34
50-64	11535	4.3	43	1	1	2	5	9	14	34
65+	11262	6.0	83	1	1	3	7	14	22	52
GRAND TOTAL	**37166**	**4.6**	**52**	**<1**	**1**	**2**	**5**	**10**	**15**	**41**

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis, [illegible]
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
289	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever